ipratropium in pediatric patients with acute bronchial asthma in winter months (Nibhanipudi). 2006;48:S8 (Research Forum abstracts)
Pharmacoeconomic model for the treatment of acute asthma: a comparison of racemic albuterol vs. levalbuterol (Schreck and Babin). 2006;48:S9 (Research Forum abstracts)

Alcohol drinking
Commentary: Morphing social norms through media messaging (Pribble). 2006;48:740–2 (NHTSA Notes commentary)
A social norms strategy to reduce impaired driving among 21- to 34-year-olds (National Highway Traffic Safety Administration). 2006; 48:739 (NHTSA Notes)

Alcoholic intoxication
Alcohol intoxication, helmet use and traumatic injury among pedalcyclists in New Mexico (LaValley et al). 2006;48:S77 (Research Forum abstracts)
Are emergency physicians legally obligated to report alcohol-impaired drivers? (Ripper et al). 2006;48:S96 (Research Forum abstracts)
A quantitative assessment of the presence of hostility, anger, depression, social support, hazardous alcohol use and comorbidity in the adult trauma population (Hormozdi et al). 2006;48:S83 (Research Forum abstracts)

Algorithms
Characterization of computer algorithm classified emergency department visits (Givens and Culica). 2006;48:S79 (Research Forum abstracts)
Validation of the triage algorithm for psychiatric screening (TAPS) tool in patients with psychiatric chief complaints (Miller et al). 2006;48:S125–S126 (Research Forum abstracts)

Alpha-globulins
A pilot study in inter-alpha inhibitor protein (Ialp) in the presentation of adult patients with severe sepsis to the emergency department (Laffleur et al). 2006;48:S37 (Research Forum abstracts)

Altitude
Ascent to altitude in a hypobaric chamber does not consistently affect serum d-dimer levels (Nordenholz and Heard). 2006;48:S111 (Research Forum abstracts)

Ambulances
Ambulance diversion: economic and policy considerations (Williams). 2006;48:711–12 (Editorial)
Ambulance diversion and lost hospital revenues (McConnell et al). 2006;48:702–10
Development of a model lay-person ambulance service in rural Jamaica (Levy et al). 2006;48: S70 (Research Forum abstracts)
San Diego County patient destination trial to decrease ambulance diversion hours: three year follow-up (Vilke et al). 2006;48:S90 (Research Forum abstracts)

Amputation, traumatic
Traumatic avulsion (Matero). 2006;48:338, 343 (Images in Emergency Medicine)

Analgesia
Analgesia in acute abdominal pain: what's next? (Knopp and Dries). 2006;48:161–3 (Editorial)
Racial disparities in ED analgesia are improving: evidence from a national database (Quazi et al). 2006;48:S61 (Research Forum abstracts)
Socioeconomic and clinical factors associated with prehospital analgesia (Michael et al). 2006;48:S91–S92 (Research Forum abstracts)

Analgesics
Are advancing age, race, or gender factors in delays to treatment of pain in elderly patients with undifferentiated abdominal pain? (Lee et al). 2006;48:S60 (Research Forum abstracts)
A comparison of triage systems and their impact on initial pain management: a multicenter study (Ducharme et al). 2006;48:S61 (Research Forum abstracts)
Evaluation of analgesic use during trauma resuscitation (Khandelwal et al). 2006;48:S58–S59 (Research Forum abstracts)
Impact of patient gender on pain management practices in the emergency department: a multi-center study (Safdar et al). 2006;48:S121 (Research Forum abstracts)
Overuse of over-the-counter analgesics by emergency department patients (Heard et al). 2006;48:315–18
Pain assessment and management of hip fractures in the emergency department (Akhtar et al). 2006;48:S60–S61 (Research Forum abstracts)
Predictors of prolonged time to initial analgesic for patients with a sickle cell pain episode (Zosel et al). 2006;48:S120 (Research Forum abstracts)

Anaphylaxis
Do emergency physicians underutilize epinephrine in the treatment of anaphylaxis? (Lewis et al). 2006;48:S66 (Research Forum abstracts)
Etiology and incidence of anaphylaxis in Rochester, Minnesota: a report from the Rochester epidemiology project (Decker et al). 2006;48:S96 (Research Forum abstracts)
Heparin reverses anaphylactoid shock in a porcine model (Heflin et al). 2006;48:190–3 (Brief research report)
Prescriptions for self-injectable epinephrine and allergist referral in emergency department patients presenting with anaphylaxis (Campbell et al). 2006;48:S67–S68 (Research Forum abstracts)
Symposium on the definition and management of anaphylaxis (Koscove); Reply (Decker et al). 2006;48:761–2 (Correspondence)

Anemia, sickle cell
Predictors of prolonged time to initial analgesic for patients with a sickle cell pain episode (Zosel et al). 2006;48:S120 (Research Forum abstracts)

Aneurysm
Sonographic diagnosis of axillary artery aneurysm presenting as painful axillary mass (Nelson et al). 2006;48:339–40 (Correspondence)

Aneurysm, dissecting
Lack of pulmonary embolism and aortic dissection in chest pain patients evaluated in a chest pain observation unit (Chandra et al). 2006;48:S89–S90 (Research Forum abstracts)

Anger
A quantitative assessment of the presence of hostility, anger, depression, social support, hazardous alcohol use and comorbidity in the adult trauma population (Hormozdi et al). 2006;48:S83 (Research Forum abstracts)

Angioplasty, transluminal, percutaneous coronary
Emergency physician initiated primary percutaneous coronary intervention decreases median door-to-balloon time for ST-segment elevation myocardial infarction (Kurz et al). 2006;48:S113 (Research Forum abstracts)

Ankle injuries
Randomized controlled noninferiority trial to compare extended release acetaminophen and ibuprofen for the treatment of ankle sprains (Dalton and Schweinle). 2006;48:615–23

Annals of Emergency Medicine
Current status of peer review at *Annals of Emergency Medicine* (Green and Callaham). 2006;48:304–8 (Editorial)
Journal performance report for 2005 (Callaham). 2006;48:302–3 (Journal performance report)

Anthrax
Anthrax: a systematic review of atypical presentations (Holty et al). 2006;48:200–11 (Review article)
Lessons learned from clinical anthrax drills: evaluation of knowledge and preparedness for a bioterrorist threat in Israeli emergency departments (Leiba et al). 2006;48:194–199, 194.e1–e8

Anthropometry
Bedside method to estimate actual body weight (ABW) in the emergency department (Buckley et al). 2006;48:S99 (Research Forum abstracts)
Bedside method to estimate ideal body weight (IBW) in the emergency department (Buckley et al). 2006;48:S98 (Research Forum abstracts)

Anti-arrhythmia agents
RSD1235 effectively converts acute atrial fibrillation to sinus rhythm independent of background use of oral rate- or rhythm-control medications (Stiell et al). 2006;48:S46–S47 (Research Forum abstracts)

Anti-bacterial agents
Antibiotics less than 4 hours did not improve survival or hospital length of stay for community-acquired pneumonia (Martin et al). 2006;48:S18 (Research Forum abstracts)
Early antibiotic administration in patients presenting to the emergency department with severe sepsis and septic shock (Engineer and Canterbury). 2006;48:S36 (Research Forum abstracts)
Empiric treatment of STDs in the emergency department: are we treating too much or not enough? (Waseem et al). 2006;48:S36 (Research Forum abstracts)
Systematic delays in antibiotic administration in the emergency department for adult patients admitted with pneumonia (Morton and Pines). 2006;48:S4 (Research Forum abstracts)
Trends in ED antibiotic prescribing for upper respiratory tract infections 1996-2003 (Singer et al). 2006;48:S48–S49 (Research Forum abstracts)

Antibiotics. *See* Anti-bacterial agents

Anticoagulants
Results from the Rescue-ACS study: an ED-based study of anticoagulation therapy in patients with non-ST-segment-elevation acute coronary syndrome (Pollack et al). 2006;48: S3–S4 (Research Forum abstracts)

Anticonvulsants
What is the preferred first-line therapy for status epilepticus? (Lang and Andruchow). 2006;48:98–100 (Systematic review abstract)
Antiemetics
Parenteral antiemetic trends in an emergency department and inpatient population from 1996-2005 (Baker et al). 2006;48:S127 (Research Forum abstracts)
Antipsychotic agents
A pilot study examining antipsychotics and benzodiazapines vs benzodiazepines alone in the acute reduction of psychotic features in the emergency department (Veser et al). 2006;48:S126–S127 (Research Forum abstracts)
Antivenins
Crotaline snakebite management with fab antivenom in pediatric patients (Stanford et al). 2006;48:S94 (Research Forum abstracts)
Efficacy of North American crotalid antivenin against the African viper *Bitis gabonica* (Gaboon viper) (Wiley et al). 2006;48:S99–S100 (Research Forum abstracts)
Treatment of copperhead envenomation in children (Rowden et al). 2006;48:S101 (Research Forum abstracts)
Aorta, abdominal
Can compression of the abdominal aorta really stop blood loss in the critical femoral or inguinal penetrating wounds? An ultrasound evaluation (Blaivas et al). 2006;48:S86–S87 (Research Forum abstracts)
Aortic aneurysm
Interfacility helicopter transport of patients with leaking aortic aneurysms directly into the operating room (Shewakramani et al). 2006;48:S53
Apnea
Apnea complicating RSV infection in infancy (Arms et al). 2006;48:S95 (Research Forum abstracts)
Apneic ventilation with tham infusion: life without breath (Greer et al). 2006;48:S98 (Research Forum abstracts)
Identifying hospitalized infants who have bronchiolitis and are at high risk for apnea (Willwerth et al). 2006;48:441–7
Apoptosis
Histologic assessment of free radical injury and apoptotic cell death after severe traumatic brain injury (Lewis et al). 2006;48:S109–S110 (Research Forum abstracts)
Appendicitis
Does CT scan increase the rate of gangrenous or perforated appendicitis in adults presenting to the emergency department? (Perry et al). 2006;48:S15 (Research Forum abstracts)
An evidence-based appraisal of the clinical exam in acute appendicitis (Melville et al). 2006;48:S88–S89 (Research Forum abstracts)
Physician preferences and relative costs for different outcomes in acute appendicitis (Birkhahn et al). 2006;48:S117 (Research Forum abstracts)
A prospective clinical trial evaluating urinary 5-hydroxyindoleacetic acid (5HIAA) levels in the diagnosis of acute appendicitis (Hernandez et al). 2006;48:S47–S48 (Research Forum abstracts)
Aquaporin 5
Susceptibility to asthma: could it be a water channel problem? (Park and Lockette). 2006;48:S8 (Research Forum abstracts)
ARDS. *See* Respiratory distress syndrome, acute
Arrhythmia
Cardiac effects of the taser conducted energy weapon (Barnes et al). 2006;48:S102 (Research Forum abstracts)
Repolarization alternans as a novel mechanism of calcium-mediated arrhythmogenesis in heart failure (Wilson et al). 2006;48:S12 (Research Forum abstracts)
Aspirin
Prevalence of aspirin resistance in patients presenting to the emergency department with chest pain (Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Asthma
AIR (Asthma Intervention & Retraining) for severe asthmatics in an academic urban ED (Kelly et al). 2006;48:S8 (Research Forum abstracts)
Beneficial effect of warmed humidified oxygen with combination of nebulised albuterol and ipratropium in pediatric patients with acute bronchial asthma in winter months (Nibhanipudi). 2006;48:S8 (Research Forum abstracts)
Body mass index among asthmatic children presenting to the ED (Kondamudi et al). 2006;48:S9 (Research Forum abstracts)
A description of maternal demographics and exposure to known asthma risk factors among a sample of pregnant women in Harlem and the South Bronx (Imran et al). 2006;48:S9–S10 (Research Forum abstracts)
Does mode of arrival influence the admission decision in adults presenting with acute exacerbation of asthma? (Pryor et al). 2006;48:S8–S9 (Research Forum abstracts)
Pharmacoeconomic model for the treatment of acute asthma: a comparison of racemic albuterol vs. levalbuterol (Schreck and Babin). 2006;48:S9 (Research Forum abstracts)
Susceptibility to asthma: could it be a water channel problem? (Park and Lockette). 2006;48:S8 (Research Forum abstracts)
Athletic injuries
Head injury in sport karate (Wright et al). 2006;48:S85 (Research Forum abstracts)
Atrial fibrillation
RSD1235 effectively converts acute atrial fibrillation to sinus rhythm independent of background use of oral rate- or rhythm-control medications (Stiell et al). 2006;48:S46–S47 (Research Forum abstracts)
Attitude of health personnel
Attitudes towards performance measures and pay-for-performance in academic emergency departments (Pines et al). 2006;48:S35 (Research Forum abstracts)
Disparities in health care provider self-report and practice in the assessment and management of elevated blood pressure in emergency department patients (Baumann et al). 2006;48:S30 (Research Forum abstracts)
Attitude to health
Attitudes toward waiver of consent studies (Triner et al). 2006;48:S42–S43 (Research Forum abstracts)
A population-based cohort study of longer-term changes in health of car drivers involved in serious crashes (Ameratunga et al). 2006;48:729–36
Authorship
The content of medical journal instructions for authors (Schriger et al). 2006;48:743–9, 743.e1–e11
A descriptive analysis of authorship within medical journals, 1995-2005 (Miller et al). 2006;48:S43 (Research Forum abstracts)
Automation
Automated cardiac gallop detection and stress testing in low risk ED chest pain patients (Hiestand). 2006;48:S44–S45 (Research Forum abstracts)
Automated collection of emergency department vital signs (Finnell and Bagwell). 2006;48:S38 (Research Forum abstracts)
Automobile driving
Analysis of speeding-related fatal motor vehicle crashes (National Highway Traffic Safety Administration). 2006;48:470 (NHTSA Notes)
Commentary: speeding: socially acceptable but often fatal (Vaca). 2006;48:471–2 (NHTSA Notes commentary)
Emergency department screening for improper child safety restraint use—parent confidence versus practice (Murdock et al). 2006;48:S56 (Research Forum abstracts)
A social norms strategy to reduce impaired driving among 21- to 34-year-olds (National Highway Traffic Safety Administration). 2006;48:739 (NHTSA Notes)
Speed kills? Not always: the New York state thruway experience (Jehle et al). 2006;48:S77 (Research Forum abstracts)
Willingness of older ED drivers to enroll in a safe-driver program (Stiffler et al). 2006;48:S57 (Research Forum abstracts)
Young female drivers in fatal crashes: recent trends over 10 years 1995-2004 (Tsai et al). 2006;48:S57 (Research Forum abstracts)
Autonomic nervous system diseases
Gamma hydroxybutyrate withdrawal syndrome in the emergency department: clinical course and autonomic instability (Zvosec et al). 2006;48:S100 (Research Forum abstracts)
Axillary artery
Sonographic diagnosis of axillary artery aneurysm presenting as painful axillary mass (Nelson et al). 2006;48:339–40 (Correspondence)

B

Bacitracin
Does irrigation with bacitracin-infused saline decrease infection rates in high-risk wounds? (Pethe et al). 2006;48:S103 (Research Forum abstracts)
Back pain
The utility of a novel decision rule to diagnose spinal epidural abscess in ED patients with back pain (Davis et al). 2006;48:S66 (Research Forum abstracts)
Bacteremia
Procalcitonin test in the diagnosis of bacteremia: a meta analysis (Jones et al). 2006;48:S88 (Research Forum abstracts)
Bacterial infections
Do infants positive for RSV need further extrapulmonary search for serious bacterial infection? (Guzman et al). 2006;48:S62 (Research Forum abstracts)

Bacterial meningitis. *See* Meningitis, bacterial
Bariatric surgery
Most common post-operative emergency complications of bariatric surgery patients (Corujo et al). 2006;48:S92–S93 (Research Forum abstracts)
Barotrauma
Tympanic membrane perforation as a biomarker of primary barotrauma after blast exposure in Iraq (Harrison et al). 2006;48:S102–S103 (Research Forum abstracts)
Bartholin's glands
Returns and recurrence for Bartholin's cysts in an emergency department setting (Thompson et al). 2006;48:S49 (Research Forum abstracts)
Bayes theorem
Optimizing trial participants' outcomes: a Bayesian decision-theoretic approach (Lipsky and Lewis). 2006;48:S43–S44 (Research Forum abstracts)
Benzhydryl compounds
Modafinil and zolpidem use among emergency medicine residents (McBeth et al). 2006;48:S32–S33 (Research Forum abstracts)
Benzodiazepines
Emergency department management of acute undifferentiated agitation: utility of intramuscular olanzapine (Martel and Hartmann). 2006;48:S125 (Research Forum abstracts)
An observational study of intramuscular olanzapine treatment in acutely agitated patients with bipolar I disorder or schizophrenia (Houston et al). 2006;48:S126 (Research Forum abstracts)
A pilot study examining antipsychotics and benzodiazapines vs benzodiazepines alone in the acute reduction of psychotic features in the emergency department (Veser et al). 2006;48:S126–S127 (Research Forum abstracts)
Bicycling
Alcohol intoxication, helmet use and traumatic injury among pedalcyclists in New Mexico (LaValley et al). 2006;48:S77 (Research Forum abstracts)
Opportunities for intervention: epidemiology and injury patterns associated with fatal and non-fatal bicycle crashes in New Mexico (LaValley et al). 2006;48:S76 (Research Forum abstracts)
Using emergency department records to enhance bicycle injury surveillance in New Mexico (LaValley et al). 2006;48:S58 (Research Forum abstracts)
Biliary tract
The learning curve of emergency medicine residents learning to perform limited biliary sonography (Jang et al). 2006;48:S33 (Research Forum abstracts)
Biological markers
The association of early lactate clearance with inflammatory biomarkers in severe sepsis and septic shock (Otero et al). 2006;48:S36 (Research Forum abstracts)
Discordant cardiac biomarkers: frequency and outcomes in emergency department patients with chest pain (Storrow et al). 2006;48:S3 (Research Forum abstracts)
Emergency physician high pre-test probability for ACS predicts death, MI, or revascularization independent of initial ECG and cardiac biomarkers (Chandra et al). 2006;48:S10–S11 (Research Forum abstracts)
Bioterrorism
Lessons learned from clinical anthrax drills: evaluation of knowledge and preparedness for a bioterrorist threat in Israeli emergency departments (Leiba et al). 2006;48:194–199, 194.e1–e8
Usability of the advanced bioterrorism triage algorithms (Kuklinski et al). 2006;48:S51–S52 (Research Forum abstracts)
Bipolar disorder
An observational study of intramuscular olanzapine treatment in acutely agitated patients with bipolar I disorder or schizophrenia (Houston et al). 2006;48:S126 (Research Forum abstracts)
Bivalirudin. *See* Hirudins; Peptide fragments; Recombinant proteins
Blast injuries
Tympanic membrane perforation as a biomarker of primary barotrauma after blast exposure in Iraq (Harrison et al). 2006;48:S102–S103 (Research Forum abstracts)
Blood-brain barrier
Evaluation of a serum marker for blood brain barrier integrity in mild traumatic brain injury (Hawthorn and Blyth). 2006;48:S110 (Research Forum abstracts)
Blood coagulation test
In a computerized physician order entry environment, is removing coagulation test availability from convenience order screens an effective method to adapt clinician behavior without causing clinical harm? (Satz et al). 2006;48:S38 (Research Forum abstracts)
Blood gas analysis
Prospective correlation of arterial and venous blood gas measurements in trauma patients (Rudkin et al). 2006;48:S82–S83 (Research Forum abstracts)
Blood glucose
Admission serum glucose level in known diabetics: no impact stroke severity or functional outcome (Gilmore and Stead). 2006;48:S118 (Research Forum abstracts)
The prevalence of hyperglycemia in non diabetic emergency department patients (Campagna et al). 2006;48:S78 (Research Forum abstracts)
Serum glucose concentrations as a marker of severity of calcium channel blocker overdose (Levine et al). 2006;48:S80 (Research Forum abstracts)
Blood pressure
Blood pressure variations after rapid sequence intubation using etomidate in emergency department trauma patients (Yealy et al). 2006;48:S83 (Research Forum abstracts)
Effects of mental stress and sleep deprivation on blood pressure and endothelial function in emergency physicians (Marinsek et al). 2006;48:S79 (Research Forum abstracts)
Hemodynamic effects of hydroxocobalamin in healthy volunteers (Uhl et al). 2006;48:S100–S101 (Research Forum abstracts)
Blood pressure determination
Comparison of a radial artery compression device with invasive radial artery blood pressure monitoring (Fix et al). 2006;48:S68 (Research Forum abstracts)
Determining the ideal position for the wrist-cuff blood pressure device (Rosin). 2006;48:S66–S67 (Research Forum abstracts)
Blood sedimentation
Is it useful to measure sedimentation rate (ESR) as a broad screening test in the emergency department? (Breen et al). 2006;48:S49–S50 (Research Forum abstracts)
Blunt trauma. *See* Wounds, nonpenetrating
Body mass index
Body mass index among asthmatic children presenting to the ED (Kondamudi et al). 2006;48:S9 (Research Forum abstracts)
Body weight
Bedside method to estimate actual body weight (ABW) in the emergency department (Buckley et al). 2006;48:S99 (Research Forum abstracts)
Bedside method to estimate ideal body weight (IBW) in the emergency department (Buckley et al). 2006;48:S98 (Research Forum abstracts)
Book and media reviews
Book and media reviews. 2006;48:112–13, 223–5, 344–5, 481–2, 641–2, 764–5
Bordetella infections
Prevalence of *Bordetella* spp. infections in samples screened for respiratory syncytial virus (Walsh et al). 2006;48:S95 (Research Forum abstracts)
Bordetella parapertussis
Prevalence of *Bordetella pertussis* and *Bordetella parapertussis* among infants and toddlers with bronchiolitis (Walsh et al). 2006;48:S124 (Research Forum abstracts)
Bordetella pertussis
Prevalence of *Bordetella pertussis* and *Bordetella parapertussis* among infants and toddlers with bronchiolitis (Walsh et al). 2006;48:S124 (Research Forum abstracts)
Brain
An exploratory analysis to assess the potential role for non-invasive monitoring of cerebral oxygenation in cardiac arrest (Compton et al). 2006;48:S97 (Research Forum abstracts)
Brain hemorrhage. *See* Intracranial hemorrhages
Brain injuries
Evaluation of a modified prediction instrument to identify significant pediatric intracranial injury after blunt trauma (Sun et al). 2006;48:S84 (Research Forum abstracts)
Evaluation of a serum marker for blood brain barrier integrity in mild traumatic brain injury (Hawthorn and Blyth). 2006;48:S110 (Research Forum abstracts)
Histologic assessment of free radical injury and apoptotic cell death after severe traumatic brain injury (Lewis et al). 2006;48:S109–S110 (Research Forum abstracts)
Brain ischemia
Does emergency department serum troponin compare with the cerebral infarct volume on diffusion weighted MRI in patients with acute ischemic stroke? (Bhagra et al). 2006;48:S120 (Research Forum abstracts)
Foreign literature contribution to hyperbaric oxygen therapy for acute ischemic stroke: systematic review (Vasquez et al). 2006;48:S119 (Research Forum abstracts)
Hyperglycemia and acute ischemic stroke: worse outcomes in patients with no prior history of diabetes mellitus (Gilmore and Stead). 2006;48:S119–S120 (Research Forum abstracts)
Insulin or IGF-1 blocks cytochrome c release from mitochondria following global brain ischemia (Kumar et al). 2006;48:S82 (Research Forum abstracts)

Prolonged QTc as a predictor of mortality in acute ischemic stroke (Vaidynathan et al). 2006;48:S111–S112 (Research Forum abstracts)
Real time documentation of reasons for delay to ED presentation after acute ischemic stroke (Vaidyanathan et al). 2006;48:S117–S118 (Research Forum abstracts)

Breast neoplasms
Building bridges: breast cancer prevention in emergency departments by connecting at-risk women to mammography (Bascom et al). 2006;48:S96–S97 (Research Forum abstracts)

Brief research reports
Brief research reports. 2006;48:190–3, 240–4, 326–31, 384–8, 558–62

Bronchiolitis
Identifying hospitalized infants who have bronchiolitis and are at high risk for apnea (Willwerth et al). 2006;48:441–7
Prevalence of *Bordetella pertussis* and *Bordetella parapertussis* among infants and toddlers with bronchiolitis (Walsh et al). 2006;48:S124 (Research Forum abstracts)

Bronchodilator agents
Bronchodilator therapy in ADHF patients without a history of COPD (Singer et al). 2006;48:S10 (Research Forum abstracts)

Bullous lesion. *See* Blister

Buprenorphine
Exploratory buprenorphine ingestion in infant (Cho et al). 2006;48:109 (Correspondence)
Extensive groin abscess and myositis after intravenous cubital buprenorphine injection (Gautschi and Zellweger). 2006;48:656, 659 (Images in Emergency Medicine)

Burns
Adequacy of fluid resuscitation during transport of burn patients (Shewakramani et al). 2006;48:S71 (Research Forum abstracts)
Fire jumpers: the impact of a novel injury mechanism during a spontaneous mass gathering on an academic emergency department (Hawkins and Brice). 2006;48:S75 (Research Forum abstracts)

C

Caffeine
Hospitalization for caffeine abuse is associated with concomitant abuse of other pharmaceutical products (McCarthy et al). 2006;48:S101 (Research Forum abstracts)

Calcitonin
Procalcitonin in emergency department patients with suspected community-acquired pneumonia: results from the GenIMS (Genetic and Inflammatory Markers of Sepsis) Study (Huang et al). 2006;48:S1 (Research Forum abstracts)
Procalcitonin test in the diagnosis of bacteremia: a meta analysis (Jones et al). 2006;48:S88 (Research Forum abstracts)

Calcium
Repolarization alternans as a novel mechanism of calcium-mediated arrhythmogenesis in heart failure (Wilson et al). 2006;48:S12 (Research Forum abstracts)

Calcium channel blockers
Serum glucose concentrations as a marker of severity of calcium channel blocker overdose (Levine et al). 2006;48:S80 (Research Forum abstracts)

Cannulation. *See* Catheterization

Carbon monoxide
Non-invasive carbon monoxide measurement is not accurate (O'Malley). 2006;48:477–8 (Correspondence)

Carbon monoxide poisoning
Treatment of severe carbon monoxide poisoning using a portable hyperbaric oxygen chamber (Lueken et al). 2006;48:319–22 (Case report)

Cardiac arrest. *See* Heart arrest

Cardiac ischemia. *See* Myocardial ischemia

Cardiac output
Impact of the inclusion of noninvasive cardiac output as a vital sign on medical decisionmaking in the emergency department (Summers and Thompson). 2006;48:S68 (Research Forum abstracts)
Non-invasive cardiac output and cerebral oximetry compared with traditional measures (Minnick and Wimmer). 2006;48:S48 (Research Forum abstracts)

Cardiopulmonary resuscitation
Analysis of the efficiency of cardiopulmonary resuscitation (CPR) training by ratio change of chest compression (Moon et al). 2006;48:S14 (Research Forum abstracts)
An evaluation of cardiopulmonary resuscitation (CPR) parameters in a large urban EMS system (Buono et al). 2006;48:S97 (Research Forum abstracts)
Is it appropriate to take 2 minutes for shift-time of chest compression during in-hospital cardiopulmonary resuscitation (CPR)? (Cho et al). 2006;48:S14–S15 (Research Forum abstracts)
Response to: Out-of-hospital pediatric cardiac arrest: an epidemiologic review and assessment of current knowledge (Hickey). 2006;48:219 (Correspondence)

Cardiovascular diseases
A multi-faceted community-based educational program promotes cardiovascular health in women: 5 year analysis (Safdar et al). 2006;48:S112–S113 (Research Forum abstracts)

Career choice
Applicants report that their rankings of EM programs are most driven by wellness, morale, happiness and rapport (Lovett et al). 2006;48:S113–S114 (Research Forum abstracts)
A mistaken choice (Hawkins). 2006;48:215 (Change of Shift)

Career mobility
Commentary: scoping out reciprocity, career mobility and recognition (Kahn and Vaca). 2006;48:213–14 (NHTSA Notes commentary)

Caregivers
ED caregivers rarely assess non-traditional drug abuse (Anderson et al). 2006;48:S101 (Research Forum abstracts)
English as a second language: caregivers' perceptions and management of febrile infants (Baumann et al). 2006;48:S123 (Research Forum abstracts)

Carpal bones
The usefulness of computed tomography in patients with carpal bone fracture (You et al). 2006;48:S49–S50 (Research Forum abstracts)

Case reports
Case reports. 2006;48:319–25, 448–51

Catheterization
Pain management during intravenous catheter placement using a topical skin coolant in the emergency department (Hartstein and Barry). 2006;48:S122 (Research Forum abstracts)
A prospective comparison and cost analysis of ultrasound-guided and blindly placed radial arterial catheters (Shiver et al). 2006;48:S86 (Research Forum abstracts)
Real-time ultrasonographically-guided internal jugular vein catheterization in the emergency department increases success rates and reduces complications: a randomized, prospective study (Leung et al). 2006;48:540–7
Ultrasonographic guidance for internal jugular vein cannulation: an educational imperative, a desirable practice alternative (Sabbaj and Hedges). 2006;48:548–50 (Editorial)

Catheterization, peripheral
Performance of an ED-based PICC line service (Sevier et al). 2006;48:S5 (Research Forum abstracts)
Peripheral vein detection using ultrasound and sonographic factors associated with successful peripheral vein cannulation in young children presenting to the pediatric emergency department: a pilot study (Schnadower et al). 2006;48:S93–S94 (Research Forum abstracts)

Cellular phone
Awareness of "ICE" (In case of emergency) on cell phones and willingness to allow "ICE" to be added to a cell phone while in the emergency department (McKenna et al). 2006;48:S80 (Research Forum abstracts)
Does cell phone use cause electromagnetic interference with the function of ECG monitors in the emergency department? (Anderson et al). 2006;48:S34 (Research Forum abstracts)

Cellulitis
Orbital cellulitis in a child (Bagwell and Seupaul). 2006;48:633, 639 (Images in Emergency Medicine)

Cerebral infarction
Does emergency department serum troponin compare with the cerebral infarct volume on diffusion weighted MRI in patients with acute ischemic stroke? (Bhagra et al). 2006;48:S120 (Research Forum abstracts)

Cerebrospinal fluid
Positive cerebrospinal fluid cultures in immunocompetent emergency department patients with normal cell counts and gram stains are all contaminants (Boysen et al). 2006;48:S18–S19 (Research Forum abstracts)

Cerebrovascular accident
Acute stroke: a descriptive study of mode of arrival, pre-hospital diagnosis, duration of symptoms, and treatment (Cronin et al). 2006;48:S42 (Research Forum abstracts)
Admission serum glucose level in known diabetics: no impact stroke severity or functional outcome (Gilmore and Stead). 2006;48:S118 (Research Forum abstracts)
Can the emergency department vitals predict the risk of subsequent cerebrovascular events following an acute ischemic stroke? (Bellolio et al). 2006;48:S19–S20 (Research Forum abstracts)
Clot removal devices in acute ischemic stroke: a systematic review and meta-analysis (Stead and Gilmore). 2006;48:S21–S22 (Research Forum abstracts)
Correlation of ejection fraction with transcranial Doppler flow rates in acute stroke patients

(Wira III et al). 2006;48:S20 (Research Forum abstracts)
Does emergency department serum troponin compare with the cerebral infarct volume on diffusion weighted MRI in patients with acute ischemic stroke? (Bhagra et al). 2006;48:S120 (Research Forum abstracts)
Emergency physicians' outlook on thrombolysis for acute ischemic stroke in a metropolitan matrix of primary stroke centers (Bobrow et al). 2006;48:S41 (Research Forum abstracts)
Emergency physician survey: recombinant tissue plasminogen activator for stroke (Mann); Reply (Walsh et al). 2006;48:476–7 (Correspondence)
Foreign literature contribution to hyperbaric oxygen therapy for acute ischemic stroke: systematic review (Vasquez et al). 2006;48: S119 (Research Forum abstracts)
Hyperglycemia and acute ischemic stroke: worse outcomes in patients with no prior history of diabetes mellitus (Gilmore and Stead). 2006; 48:S119–S120 (Research Forum abstracts)
Hypoalbuminemia and elevated ischemia modified albumin (IMA) in stroke and non-traumatic brain hemorrhage (Bentancur et al). 2006;48:S68 (Research Forum abstracts)
Myocardial and hemodynamic abnormalities in patients with acute stroke and transient ischemic attacks (Wira III et al). 2006;48:S20–S21 (Research Forum abstracts)
Prolonged QTc as a predictor of mortality in acute ischemic stroke (Vaidynathan et al). 2006;48: S111–S112 (Research Forum abstracts)
Real time documentation of reasons for delay to ED presentation after acute ischemic stroke (Vaidyanathan et al). 2006;48:S117–S118 (Research Forum abstracts)

Certification
Response to: Critical care medicine training and certification for emergency physicians (Green). 2006;48:342–3 (Correspondence)
The role of the legacy emergency physician in the 21st century (American College of Emergency Physicians). 2006;48:511 (Policy statement)

Cervical vertebrae
Intact automotive glass associated with absence of cervical spine injury (DeFlorio). 2006;48: S104 (Research Forum abstracts)
An international survey of emergency physicians' knowledge, use, and attitudes towards the Canadian c-spine rule (Stiell et al). 2006;48: S55 (Research Forum abstracts)

Change of Shift
Change of Shift. 2006;48:104, 215, 337, 473–4, 631–2, 757–8

Charcoal
Activated charcoal: death in a dose (Hack et al). 2006;48:522, 531 (Images in Emergency Medicine)

Chest pain
Automated cardiac gallop detection and stress testing in low risk ED chest pain patients (Hiestand). 2006;48:S44–S45 (Research Forum abstracts)
Cardiac-gated multidetector CT coronary angiography in evaluation of emergency department chest pain patients (Mahr et al). 2006;48:S16 (Research Forum abstracts)
Chest pain: physician perceptions and decisionmaking in a London emergency department (Farmer and Higginson). 2006;48: 77–85
Comparison of ECG gated multidetector CT with stress testing in patients presenting to the emergency department with chest pain (Kuo et al). 2006;48:S111 (Research Forum abstracts)
A comparison of in-hospital outcomes based upon the presence or absence of a chest pain complaint at emergency department triage (Waxman et al). 2006;48:S45–S46 (Research Forum abstracts)
Discordant cardiac biomarkers: frequency and outcomes in emergency department patients with chest pain (Storrow et al). 2006;48:660–5, S3 (Research Forum abstracts)
The effect of weather and air pollution on EMS calls for complaints of chest pain in an urban city (Low et al). 2006;48:S69 (Research Forum abstracts)
Gender differences in patients presenting to the emergency department with chest pain (Nawaz et al). 2006;48:S11–S12 (Research Forum abstracts)
Hospital admission rate for chest pain: are racial differences due to bias or disease characteristics? (Fitch et al). 2006;48:S44 (Research Forum abstracts)
How often do emergency department patients with chest pain meet eligibility criteria for multi-detector computerized tomography of the coronary arteries? (Nagurney et al). 2006; 48:S17 (Research Forum abstracts)
Incidence and impact of renal dysfunction and acute coronary syndrome in chest pain observation unit patients (Chandra et al). 2006;48:S10 (Research Forum abstracts)
The Internet tracking registry of acute coronary syndromes (i*tr*ACS*): a multicenter registry of patients with suspicion of acute coronary syndromes reported using the standardized reporting guidelines for emergency department chest pain studies (Lindsell et al). 2006;48: 666–77, 666.e1–e45
Lack of pulmonary embolism and aortic dissection in chest pain patients evaluated in a chest pain observation unit (Chandra et al). 2006;48:S89–S90 (Research Forum abstracts)
Predicting AMI in young adults presenting to the ED with chest pain (Rosin et al). 2006;48: S28 (Research Forum abstracts)
Prevalence of aspirin resistance in patients presenting to the emergency department with chest pain (Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Prospective validation of the thrombolysis in myocardial infarction risk score in the emergency department chest pain population (Chase et al). 2006;48:252–9
Response to: The emergency department utility of Simplify™ D-dimer to exclude pulmonary embolism in patients with pleuritic chest pain (Baade and Herrington); Reply (Hogg et al). 2006;48:106–7 (Correspondence)
Risk stratification of emergency department patients with chest pain using C-reactive protein (Manini et al). 2006;48:S28 (Research Forum abstracts)
The utility of electronically recorded S3 and S4 gallops to predict cardiac events in emergency department patients with chest pain (Miller et al). 2006;48:S46 (Research Forum abstracts)

Child. *See also* Infant; Pediatrics
Body mass index among asthmatic children presenting to the ED (Kondamudi et al). 2006; 48:S9 (Research Forum abstracts)
Coma, metabolic acidosis and normal liver function in a child with a large serum acetaminophen level (Mendoza et al). 2006;48: 637 (Correspondence)
Determining the incidence of urinary tract infections in infants and children aged 4 months to 6 years with febrile diarrhea (Nibhanipudi et al). 2006;48:S123 (Research Forum abstracts)
Integrating children into our emergency care system: achieving the vision (Gausche-Hill). 2006;48:131–134 (Editorial)
Nonketotic hyperglycemic coma in toddlers after unintentional methadone ingestion (Tiras et al). 2006;48:448–51 (Case report)
Orbital cellulitis in a child (Bagwell and Seupaul). 2006;48:633, 639 (Images in Emergency Medicine)
Peripheral vein detection using ultrasound and sonographic factors associated with successful peripheral vein cannulation in young children presenting to the pediatric emergency department: a pilot study (Schnadower et al). 2006;48:S93–S94 (Research Forum abstracts)
Positive outcomes from an immediate and ongoing intervention for children who witness IPV (intimate partner violence) (Ernst et al). 2006;48:S57–S58 (Research Forum abstracts)
Traffic injury surveillance study for children in Kurume, Japan (Nagata et al). 2006;48:S55–S56 (Research Forum abstracts)
Treatment of copperhead envenomation in children (Rowden et al). 2006;48:S101 (Research Forum abstracts)

Child welfare
Emergency department screening for improper child safety restraint use—parent confidence versus practice (Murdock et al). 2006;48:S56 (Research Forum abstracts)

Chlamydia infections
Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* coinfection with *Trichomonas vaginalis* in female emergency department patients: are wet prep results a reliable predictor? (Gordon et al). 2006;48:S37 (Research Forum abstracts)

Choice behavior
Ambulance transport: why ED patients choose as they do (Jacob et al). 2006;48:S54 (Research Forum abstracts)

Cholecystitis
Clinical assessment of acute cholecystitis in adults (Roe). 2006;48:101–3 (Rational clinical examination abstract)
The positive predictive value and economic impact of focused right upper quadrant ultrasound examinations performed by emergency physicians in the setting of cholecystitis (Young et al). 2006;48:S85 (Research Forum abstracts)

Chronic obstructive pulmonary disease. *See* Pulmonary disease, chronic obstructive

Cicatrix
Development of a long-term scar evaluation scale (Singer et al). 2006;48:S102 (Research Forum abstracts)

Circadian rhythm
Circadian, seasonal and age patterns in the incidence of emergency department visits for

pediatric febrile seizures (Finley et al). 2006;48: S94 (Research Forum abstracts)
Circadian pattern of visits for congestive heart failure to emergency departments as a function of gender and age (Eskin et al). 2006;48:S113 (Research Forum abstracts)
Effects of disrupted circadian rhythm on decisionmaking in emergency medicine residents (Shih et al). 2006;48:S31–S32 (Research Forum abstracts)

Clinical clerkship
Emergency medicine medical student clerkships: do the patients that students see adequately parallel national trends in emergency department utilization? (Bitner et al). 2006;48: S114 (Research Forum abstracts)
A survey of emergency medicine clerkship directors: state of the clerkship - 2006 (Wald et al). 2006;48:S14 (Research Forum abstracts)

Clinical competence
Clinical decisionmaking: opening the black box of cognitive reasoning (Sandhu and Carpenter). 2006;48:713–19 (Residents' Perspective)
Critical thinking and decisionmaking: avoiding the perils of thin-slicing (Croskerry). 2006;48: 720–2 (Editorial)
The emergency medicine in-service training examination predicts resident clinical competence (Breyer et al). 2006;48:S114–S115 (Research Forum abstracts)
Evaluating competency of emergency physicians at pelvic ultrasound after implementation of an ultrasound credentialing process (Colla et al). 2006;48:S106–S107 (Research Forum abstracts)
12-lead electrocardiogram interpretation skills of senior medical students entering emergency medicine, family practice, and internal medicine residency training programs (Wald et al). 2006;48:S31 (Research Forum abstracts)
Pediatric digital intubation: should every clinician have this technique in their bag of airway tricks? (Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)
The preferred modifications and relative success rates after first attempt at intubation among emergency physicians (Shah et al). 2006;48:S6 (Research Forum abstracts)
The top 10 core competencies of EMS/disaster response: defining the "right stuff" (Larkin et al). 2006;48:S91 (Research Forum abstracts)

Clinical policy
Clinical policy: critical issues in the evaluation and management of adult patients with non–ST-segment elevation acute coronary syndromes (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Non–ST-Segment Elevation Acute Coronary Syndromes). 2006; 48:270–301
Clinical policy: indications for reperfusion therapy in emergency department patients with suspected acute myocardial infarction (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Reperfusion Therapy in Emergency Department Patients with Acute Myocardial Infarction). 2006;48:358–83

Clock drawing test. *See* Neuropsychological tests

Clonidine
A comparative study on the effectiveness of sublingual clonidine versus oral clonidine in the management of hypertensive urgencies (Gloria and Lazo). 2006;48:S113 (Research Forum abstracts)

Clopidogrel. *See* Ticlopidine

Clostridium difficile
Severe *Clostridium difficile*-associated disease in populations previously at low risk—four states, 2005 (Centers for Disease Control Prevention); Commentary (Abrahamian). 2006;48:55–9 (CDC Update)

Cocaine
Cocaine body packing in pregnancy (Cordero et al). 2006;48:323–5 (Case report)

Cognition
Clinical decisionmaking: opening the black box of cognitive reasoning (Sandhu and Carpenter). 2006;48:713–19 (Residents' Perspective)

Cognition disorders
The use of a clock drawing test as a screen for cognitive impairment in older emergency department patients (Hustey et al). 2006;48: S71–S72 (Research Forum abstracts)

Colic
Intravenous morphine plus ketorolac is superior to either drug alone for treatment of acute renal colic (Safdar et al). 2006;48:173–81, 173.e1–e10

Coma
Coma, metabolic acidosis and normal liver function in a child with a large serum acetaminophen level (Mendoza et al). 2006;48: 637 (Correspondence)
Prediction of poor outcome in coma patients resuscitated from cardiac arrest due to submersion (Woo). 2006;48:S99 (Research Forum abstracts)

Common cold
Why do people come to the emergency department with colds? Survey results of otherwise healthy subjects (Kini et al). 2006; 48:S77 (Research Forum abstracts)

Communication
English as a second language: caregivers' perceptions and management of febrile infants (Baumann et al). 2006;48:S123 (Research Forum abstracts)

Community-acquired infections
Antibiotics less than 4 hours did not improve survival or hospital length of stay for community-acquired pneumonia (Martin et al). 2006;48:S18 (Research Forum abstracts)
Centers for Medicare and Medicaid services community-acquired pneumonia core measure criteria incorrectly includes patients without pneumonia (Nicks). 2006;48:S34 (Research Forum abstracts)
Complying with the CMS pneumonia quality indicators: a multi-faceted approach to changing physician behavior (Maniago and Ardolic). 2006;48:S26 (Research Forum abstracts)
Emergency physicians' diagnosis of community-acquired pneumonia: is it affected by the 4-hour rule? (Blanda et al). 2006;48:S19 (Research Forum abstracts)
Low specificity of emergency department diagnosis of community-acquired pneumonia (Chandra et al). 2006;48:S128–S129 (Research Forum abstracts)
The prevalence of community-acquired methicillin-resistant *Staphylococcus aureus* in a northeast urban level 1 trauma center (Dalley et al). 2006;48:S17–S18 (Research Forum abstracts)

Community health services
A multi-faceted community-based educational program promotes cardiovascular health in women: 5 year analysis (Safdar et al). 2006;48: S112–S113 (Research Forum abstracts)

Computer-assisted instruction
The evolution of computer-based learning styles in medical education (McKeown et al). 2006; 48:S13 (Research Forum abstracts)

Computerized physician order entry. *See* Medical order entry systems

Computer simulation
Computer model for the planning of emergency medical management during spaceflight (Summers and Coleman). 2006;48:S87–S88 (Research Forum abstracts)

Concepts
Concepts. 2006;48:417–25, 417.e1–e10, 426–32, 513–21, 523–37, 570–82

Congresses
Scientific assemblies ordain convention (Singer and Olson). 2006;48:337 (Change of Shift)

Conscious sedation
Adverse events of emergency department procedural sedation (Mace). 2006;48:S59 (Research Forum abstracts)
Cost comparison of sedation and reduction of closed wrist fractures in the emergency department versus the operating suite in a community hospital (Charles et al). 2006;48: S59 (Research Forum abstracts)
Etomidate versus midazolam for procedural sedation in pediatric outpatients: a randomized controlled trial (Liddo et al). 2006;48:433–40
A randomized, controlled trial of IV versus IM ketamine for sedation of pediatric patients receiving emergency department orthopedic procedures (Roback et al). 2006;48:605–12
Recovery and return to daily activities of patients after discharge from procedural sedation: a prospective telephone questionnaire (Bordo et al). 2006;48:S121 (Research Forum abstracts)
Should I give ketamine IV or IM? (Green and Krauss). 2006;48:613–14 (Editorial)

Contact lenses
Effect of removal of both soft and hard contacts on ocular pressures as measured by applanation tonometry (Barbara and Hsu). 2006;48:S67 (Research Forum abstracts)

Continuous positive airway pressure
The use of continuous positive airway pressure for the treatment of acute severe pulmonary edema in the prehospital setting (Derr et al). 2006;48:S92 (Research Forum abstracts)

Contrast media
Performance of helical CT without oral contrast for the detection of patients with pancreatic injuries (Holmes et al). 2006;48:S82 (Research Forum abstracts)

Conversion disorder
Droperidol for the treatment of conversion disorder in the emergency department (Bock and Smith). 2006;48:S127 (Research Forum abstracts)

Coronary angiography
Cardiac-gated multidetector CT coronary angiography in evaluation of emergency department chest pain patients (Mahr et al). 2006;48:S16 (Research Forum abstracts)

Early, upstream, and consistent antithrombotic therapy in high risk non-ST-elevation ACS: should bivalirudin be initiated in the ED prior to coronary angiography? (Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Prognostic implications of a normal coronary angiogram (McMullan et al). 2006;48:S45 (Research Forum abstracts)

Coronary disease
Discordant cardiac biomarkers: frequency and outcomes in emergency department patients with chest pain (Storrow et al). 2006;48:S3 (Research Forum abstracts)
Early, upstream, and consistent antithrombotic therapy in high risk non-ST-elevation ACS: should bivalirudin be initiated in the ED prior to coronary angiography? (Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Emergency physician high pre-test probability for ACS predicts death, MI, or revascularization independent of initial ECG and cardiac biomarkers (Chandra et al). 2006; 48:S10–S11 (Research Forum abstracts)
The impact of trauma activations on the care of emergency department patients with potential acute coronary syndromes (Fishman et al). 2006;48:347–53
Incidence and impact of renal dysfunction and acute coronary syndrome in chest pain observation unit patients (Chandra et al). 2006;48:S10 (Research Forum abstracts)
The Internet tracking registry of acute coronary syndromes (i*trACS): a multicenter registry of patients with suspicion of acute coronary syndromes reported using the standardized reporting guidelines for emergency department chest pain studies (Lindsell et al). 2006;48: 666–77, 666.e1–e45
Results from the Rescue-ACS study: an ED-based study of anticoagulation therapy in patients with non-ST-segment-elevation acute coronary syndrome (Pollack et al). 2006;48: S3–S4 (Research Forum abstracts)
The utility of electronically recorded S3 and S4 gallops to predict cardiac events in emergency department patients with chest pain (Miller et al). 2006;48:S46 (Research Forum abstracts)

Coronary vessels
How often do emergency department patients with chest pain meet eligibility criteria for multi-detector computerized tomography of the coronary arteries? (Nagurney et al). 2006; 48:S17 (Research Forum abstracts)

Corrections
AAFP-ACEP joint statement on emergency care (American College of Emergency Physicians) 2006;47:303 (Policy statement). Correction. 2006;48:103
Clinical assessment of low back pain (Hipp and Sinert). 2006;47:283-5 (Rational clinical examination abstract). Correction. 2006;48:612
Pneumonitis and eosinophilia after in vitro fertilization treatment (Veysman et al). 2006; 47:472-5. Correction. 2006;48:336

Correspondence
Correspondence. 2006;48:106–9, 217–20, 339–43, 476–80, 634–9, 760–3

Cost and cost analysis
Physician assistant productivity and profit in an emergency department fast-track area (Wilson et al). 2006;48:S5 (Research Forum abstracts)

Cost-benefit analysis
Cost-effectiveness analysis of emergency department disposition decisions in non-high risk heart failure patients (Collins et al). 2006; 48:S78–S79 (Research Forum abstracts)

Counseling
An educational HIV pretest counseling video program for off-hours testing in the emergency department (Calderon et al). 2006;48:21–27, 21.e1–21.e8
"Should I give you my smoking lecture now or later?" Characterizing emergency physician smoking discussions and cessation counseling (Vokes et al). 2006;48:406–14

Craniocerebral trauma
Acute clinical findings in pediatric mild head injury: do they correlate with magnetic resonance imaging abnormalities or post-concussive symptoms? (Gewirtz et al). 2006; 48:S63 (Research Forum abstracts)
Alcohol intoxication, helmet use and traumatic injury among pedalcyclists in New Mexico (LaValley et al). 2006;48:S77 (Research Forum abstracts)
Clinical features of head injury patients presenting with a Glasgow coma scale score of 15 and who require neurosurgical intervention (Clement et al). 2006;48:245–51
Computer-assisted categorizing of head computed tomography reports for clinical decision rule research (Wall et al). 2006;48: 551–7, 551.e1–e19
Delta GCS in head-injured patients (Flagel et al). 2006;48:S83 (Research Forum abstracts)
Evaluation of a modified prediction instrument to identify significant pediatric intracranial injury after blunt trauma (Sun et al). 2006;48: S84 (Research Forum abstracts)
Head injury in sport karate (Wright et al). 2006; 48:S85 (Research Forum abstracts)
The necessity of head CT scan for elderly patients with head injury (Nguyen et al). 2006; 48:S103 (Research Forum abstracts)

C-reactive protein
High-sensitivity C-reactive protein in patients presenting to the emergency department with a transient ischemic attack: can it predict further ischemic events? (Lee and Panagos). 2006;48: S41 (Research Forum abstracts)
Risk stratification of emergency department patients with chest pain using C-reactive protein (Manini et al). 2006;48:S28 (Research Forum abstracts)

Creatine kinase
Discordant cardiac biomarkers: frequency and outcomes in emergency department patients with chest pain (Storrow et al). 2006;48:660–5
Does a 90 minute enzyme set increase the yield for detecting cardiac ischemia? (D'Amore et al). 2006;48:S112 (Research Forum abstracts)

Creatinine
Analysis of glomerular filtration rate, creatinine and factors associated with persistent hyperkalemia in emergency department patients with hemolysis-associated hyperkalemia (Hinfey et al). 2006;48:S110–S111 (Research Forum abstracts)

Credentialing
Evaluating competency of emergency physicians at pelvic ultrasound after implementation of an ultrasound credentialing process (Colla et al). 2006;48:S106–S107 (Research Forum abstracts)
Physician credentialing and delineation of clinical privileges in emergency medicine (American College of Emergency Physicians). 2006;48:511 (Policy statement)

Cricothyrotomy. *See* Tracheotomy

Critical care
Echocardiographic view preference in bedside estimation of ejection fraction by clinicians in critical care patients (Mark et al). 2006;48: S107 (Research Forum abstracts)
Response to: Critical care medicine training and certification for emergency physicians (Green). 2006;48:342–3 (Correspondence)
United States Air Force critical care air transport teams in Operation Iraqi Freedom: a prospective study (Mason et al). 2006;48:S104 (Research Forum abstracts)

Critical illness
Risk factor documentation for life-threatening disease in US emergency department patients (Hafner et al). 2006;48:S65 (Research Forum abstracts)

Cross infection
Respiratory hygiene in the emergency department (Rothman et al). 2006;48:570–82 (Concepts)

Crotalid venoms
Crotaline snakebite management with fab antivenom in pediatric patients (Stanford et al). 2006;48:S94 (Research Forum abstracts)

Crowding
The effect of emergency department crowding factors on pain management (Hwang et al). 2006;48:S117 (Research Forum abstracts)
Hospital crowding affects timeliness of pneumonia care (Andrus et al). 2006;48:S6 (Research Forum abstracts)
Implementation of the full capacity protocol to relieve crowding in the emergency department: who is eligible? (Viccellio et al). 2006;48:S116 (Research Forum abstracts)
The role of faculty triage on emergency department overcrowding and ambulance division (Han et al). 2006;48:S34–S35 (Research Forum abstracts)
Should you close your waiting room? An operational solution to ED overcrowding (Gisondi et al). 2006;48:S109 (Research Forum abstracts)
Time to administration of pain medications as a marker of emergency department overcrowding (Miner and McClain). 2006;48:S120 (Research Forum abstracts)

Cryoanesthesia
Pain management during intravenous catheter placement using a topical skin coolant in the emergency department (Hartstein and Barry). 2006;48:S122 (Research Forum abstracts)

Curriculum
Art, chaos, ethics, and science (ACES): a doctoring curriculum for emergency medicine (Van Groenou and Bakes). 2006;48:532–7 (Concepts)

Cyanides
Plasma lactate concentrations correlate with physiological responses in cyanide poisoning but not other types of acute poisoning (Baud et al). 2006;48:S54–S55 (Research Forum abstracts)
Safety of hydroxocobalamin use in the prehospital setting as an antidote for smoke inhalation-associated cyanide poisoning (Baud

and Boron). 2006;48:S55 (Research Forum abstracts)

Cyanosis
Emergency department management of pediatric patients with cyanotic heart disease and fever (Tibbles et al). 2006;48:S124–S125 (Research Forum abstracts)

Cysts
Returns and recurrence for Bartholin's cysts in an emergency department setting (Thompson et al). 2006;48:S49 (Research Forum abstracts)

Cytochromes c
Insulin or IGF-1 blocks cytochrome c release from mitochondria following global brain ischemia (Kumar et al). 2006;48:S82 (Research Forum abstracts)

D

D-dimer. *See* Fibrin fibrinogen degradation products

Death
Activated charcoal: death in a dose (Hack et al). 2006;48:522, 531 (Images in Emergency Medicine)

Death, sudden
Evaluation of in-custody deaths proximal to use of conductive energy devices (Vilke et al). 2006;48:S23–S24 (Research Forum abstracts)

Decisionmaking
Chest pain: physician perceptions and decisionmaking in a London emergency department (Farmer and Higginson). 2006;48:77–85
Clinical decisionmaking: opening the black box of cognitive reasoning (Sandhu and Carpenter). 2006;48:713–19 (Residents' Perspective)
Cost-effectiveness analysis of emergency department disposition decisions in non-high risk heart failure patients (Collins et al). 2006;48:S78–S79 (Research Forum abstracts)
Critical thinking and decisionmaking: avoiding the perils of thin-slicing (Croskerry). 2006;48:720–2 (Editorial)
Effects of disrupted circadian rhythm on decisionmaking in emergency medicine residents (Shih et al). 2006;48:S31–S32 (Research Forum abstracts)
Impact of the inclusion of noninvasive cardiac output as a vital sign on medical decisionmaking in the emergency department (Summers and Thompson). 2006;48:S68 (Research Forum abstracts)
An international survey of priorities of emergency physicians for future development of clinical decision rules (Stiell et al). 2006;48:S54 (Research Forum abstracts)
Medical decisionmaking and the San Francisco syncope rule (Quinn and McDermott); Reply (Miller and Hoekstra). 2006;48:762–3 (Correspondence)

Decisionmaking, computer-assisted
Computer-assisted categorizing of head computed tomography reports for clinical decision rule research (Wall et al). 2006;48:551–7, 551.e1–e19

Decontamination
Determination of optimal methods of decontamination after tear gas and pepper spray exposure (Winslow et al). 2006;48:S51 (Research Forum abstracts)

Dehydration
Assessing the clinical parameters of dehydration in the pediatric emergency department patient (Suarez et al). 2006;48:S124 (Research Forum abstracts)
The correlation of metabolic acidosis to the anion gap in the dehydrated pediatric patient (Gupta et al). 2006;48:S124 (Research Forum abstracts)

Delivery of health care
Acute stroke: a descriptive study of mode of arrival, pre-hospital diagnosis, duration of symptoms, and treatment (Cronin et al). 2006;48:S42 (Research Forum abstracts)
Elder emergency department patients with pneumonia: outcome and processes of care (Caterino et al). 2006;48:S74 (Research Forum abstracts)
Factors associated with delays in patient care for small bowel obstruction (Hwang and Bickell). 2006;48:S35 (Research Forum abstracts)
Frequency of reported causes of prehospital care delays in the state of Minnesota (Grow et al). 2006;48:S70–S71 (Research Forum abstracts)
Matching trauma team response to need in a level 1 trauma system (Norton et al). 2006;48:S84 (Research Forum abstracts)
A profile of US emergency departments in 2001 (Sullivan et al). 2006;48:694–701
Timely patient placement: a multi-disciplinary approach to patient safety (Ahlborn and Heidorn). 2006;48:S4–S5 (Research Forum abstracts)

Demography
The effect of future demographic changes on emergency medicine (Roskos and Wilber). 2006;48:S65 (Research Forum abstracts)

Dental care
Dental emergencies: resident training with "hands-on" instruction (Yarde et al). 2006;48:S114 (Research Forum abstracts)

Depression
A quantitative assessment of the presence of hostility, anger, depression, social support, hazardous alcohol use and comorbidity in the adult trauma population (Hormozdi et al). 2006;48:S83 (Research Forum abstracts)

Detergents
FABULOSO®: a cleaning product that tastes and smells good enough to drink (Miller et al). 2006;48:S81 (Research Forum abstracts)

Developing countries
Understanding barriers to emergency care in low income countries (Levine et al). 2006;48:S93 (Research Forum abstracts)

Dextrose. *See* Glucose

Diabetes mellitus
Admission serum glucose level in known diabetics: no impact stroke severity or functional outcome (Gilmore and Stead). 2006;48:S118 (Research Forum abstracts)
Hyperglycemia and acute ischemic stroke: worse outcomes in patients with no prior history of diabetes mellitus (Gilmore and Stead). 2006;48:S119–S120 (Research Forum abstracts)

Diagnostic imaging
Interpretation of imaging diagnostic studies (American College of Emergency Physicians). 2006;48:645 (Policy statement)

Diagnostic techniques, cardiovascular
Patients' pain and estimate of their risk for cardiac disease do not predict preferences for cardiac tests and procedures (Takakuwa et al). 2006;48:S28 (Research Forum abstracts)

Diagnostic techniques, respiratory system
Utility of the Charlotte criteria and the Liatest d-dimer assay in the exclusion of pulmonary embolism in the emergency department (Mason and Gonzalez). 2006;48:S3 (Research Forum abstracts)

Diarrhea
Determining the incidence of urinary tract infections in infants and children aged 4 months to 6 years with febrile diarrhea (Nibhanipudi et al). 2006;48:S123 (Research Forum abstracts)

Disaster planning
Evaluation of full scale exercise participation as a tool to improve hospital preparedness for a radiological terrorism event (Jasper et al). 2006;48:S52 (Research Forum abstracts)
Health care concerns for the 21st century-preparing medical students for disasters (Deluhery et al). 2006;48:S50 (Research Forum abstracts)
Inclusion of medical students in hospital mass casualty disaster plans (Deluhery et al). 2006;48:S50–S51 (Research Forum abstracts)
Lessons learned from clinical anthrax drills: evaluation of knowledge and preparedness for a bioterrorist threat in Israeli emergency departments (Leiba et al). 2006;48:194–199, 194.e1–e8
Mass casualty disaster training for prehospital providers (Chaput et al). 2006;48:S51 (Research Forum abstracts)
The myths of disaster education (Hsu and Subbarao); Reply (Burnstein). 2006;48:107–8 (Correspondence)
A survey of military personnel and civilians to assess individual preparedness for domestic terrorist attacks and natural disasters (Dagrosa et al). 2006;48:S50 (Research Forum abstracts)

Disasters
Disaster medical response (American College of Emergency Physicians). 2006;48:645 (Policy statement)
Emergency department management of disaster situations with use of a radio frequency identification microchip (Mandel et al). 2006;48:S38 (Research Forum abstracts)
Hospital surge capacity: if you can't always get what you want, can you get what you need? (Schull). 2006;48:389–90 (Editorial)
A novel civilian-military partnership in emergency medical services during a prolonged disaster: patient characteristics, resource utilization, and future recommendations (Avegno et al). 2006;48:S52 (Research Forum abstracts)
The top 10 core competencies of EMS/disaster response: defining the "right stuff" (Larkin et al). 2006;48:S91 (Research Forum abstracts)
Wireless computerized rapid triage in the field: how well does technology perform during mass casualty incidents and disaster events? (Killeen et al). 2006;48:S69 (Research Forum abstracts)

Disease outbreaks
Anatomy of a pandemic: emergency departments woefully unprepared for bird flu outbreak (McKenna). 2006;48:312–14 (News and Perspective)
Multistate outbreak of mumps—United States, January 1–May 2, 2006 (Centers for Disease Control and Prevention); Commentary

(Waxman and Abrahamian). 2006;48:332–6 (CDC Update)

Diverticulitis
Management and treatment of patients with acute uncomplicated diverticulitis who present to the emergency department (Fiorini). 2006; 48:S49 (Research Forum abstracts)

Documentation
Documentation and coding skills: is there adequate training in emergency medicine residency? (Ardolic et al). 2006;48:S108 (Research Forum abstracts)
Risk factor documentation for life-threatening disease in US emergency department patients (Hafner et al). 2006;48:S65 (Research Forum abstracts)

Domestic violence
Positive outcomes from an immediate and ongoing intervention for children who witness IPV (intimate partner violence) (Ernst et al). 2006;48:S57–S58 (Research Forum abstracts)

Droperidol
Droperidol for the treatment of conversion disorder in the emergency department (Bock and Smith). 2006;48:S127 (Research Forum abstracts)

Drug administration routes
Histopathologic effect of endotracheal drug administration on porcine lung tissue (Mencl et al). 2006;48:S97–S98 (Research Forum abstracts)

Drug administration schedule
Evaluating the use and timing of opioids for the treatment of migraine headaches in the ED (Tornabene et al). 2006;48:S59– S60 (Research Forum abstracts)

Drug industry
Gifts to physicians from the pharmaceutical industry: an ethical analysis (Marco et al). 2006;48:513–21 (Concepts)

Drugs, non-prescription
Overuse of over-the-counter analgesics by emergency department patients (Heard et al). 2006;48:315–18

Drug utilization
Do emergency physicians underutilize epinephrine in the treatment of anaphylaxis? (Lewis et al). 2006;48:S66 (Research Forum abstracts)
Medication duplication in patient presenting to the emergency department (Richman and Triner). 2006;48:S127–S128 (Research Forum abstracts)
Medication use and suicidal ideation in emergency department patients (Larkin and Farman). 2006;48:S53 (Research Forum abstracts)
Parenteral antiemetic trends in an emergency department and inpatient population from 1996-2005 (Baker et al). 2006;48:S127 (Research Forum abstracts)

Dyspnea
Brain natriuretic peptide (BNP) measurement in the emergency department: does having a BNP test predict MD diagnosis of CHF in elderly patients with undifferentiated dyspnea? (Schears et al). 2006;48:S112 (Research Forum abstracts)
A clinical prediction rule for an emergency department diagnosis of acute decompensated heart failure (Lindsell et al). 2006;48:S88 (Research Forum abstracts)

E

Ecchymosis
Skin damage following application of suction (Holstege and Singletary). 2006;48:105, 113 (Images in Emergency Medicine)

Echocardiography
Echocardiographic view preference in bedside estimation of ejection fraction by clinicians in critical care patients (Mark et al). 2006;48: S107 (Research Forum abstracts)
Non-invasive cardiac output and cerebral oximetry compared with traditional measures (Minnick and Wimmer). 2006;48:S48 (Research Forum abstracts)

Economics, pharmaceutical
Pharmacoeconomic model for the treatment of acute asthma: a comparison of racemic albuterol vs. levalbuterol (Schreck and Babin). 2006;48:S9 (Research Forum abstracts)

Ectopic pregnancy. *See* Pregnancy, ectopic

Editorials
Editorials. 2006;48:18–20, 75–6, 121–37, 161–3, 237–9, 355–7, 389–90, 415–16, 467–9, 538–9, 548–50, 591–2, 613–4, 657–9, 711–12, 720–2, 737–8

Education, medical
The challenges of teaching professionalism (Knopp). 2006;48:538–9 (Editorial)
Dental emergencies: resident training with "hands-on" instruction (Yarde et al). 2006;48: S114 (Research Forum abstracts)
Disclosure of error (Geiderman). 2006;48:631–2 (Change of Shift)
The evolution of computer-based learning styles in medical education (McKeown et al). 2006; 48:S13 (Research Forum abstracts)
Ultrasonographic guidance for internal jugular vein cannulation: an educational imperative, a desirable practice alternative (Sabbaj and Hedges). 2006;48:548–50 (Editorial)

Education, medical, continuing
ATLS versus ETC: time for a decision (Kinross et al). 2006;48:761(Correspondence)
A survey of emergency physicians' neurological emergencies clinical practice and learning preferences: the FERNE experience (Sloan and Bunney et al). 2006;48:S115 (Research Forum abstracts)

Education, nursing, continuing
Quality assessment of nurse triage: could a course improve the capability to categorize correctly emergency patients? (Parenti et al). 2006;48:S115 (Research Forum abstracts)

Educational measurement
The emergency medicine in-service training examination predicts resident clinical competence (Breyer et al). 2006;48:S114–S115 (Research Forum abstracts)

Ejection fraction. *See* Stroke volume

Electrocardiography
American College of Cardiology/American Heart Association guidelines for management of ST-elevation myocardial infarction: cardiologist and emergency physician opinions and knowledge (Peacock et al). 2006;48:S29 (Research Forum abstracts)
Comparison of ECG gated multidetector CT with stress testing in patients presenting to the emergency department with chest pain (Kuo et al). 2006;48:S111 (Research Forum abstracts)
Does cell phone use cause electromagnetic interference with the function of ECG monitors in the emergency department? (Anderson et al). 2006;48:S34 (Research Forum abstracts)
Electrocardiographic intervals in octogenarians are prolonged, independent of interval-prolonging medications (Vaidyanathan et al). 2006;48:S72–S73 (Research Forum abstracts)
Emergency physician high pre-test probability for ACS predicts death, MI, or revascularization independent of initial ECG and cardiac biomarkers (Chandra et al). 2006; 48:S10–S11 (Research Forum abstracts)
12-lead electrocardiogram interpretation skills of senior medical students entering emergency medicine, family practice, and internal medicine residency training programs (Wald et al). 2006;48:S31 (Research Forum abstracts)
Mathematical modeling (Schreck and O'Sullivan). 2006;48:S29 (Research Forum abstracts)
Prolonged QTc as a predictor of mortality in acute ischemic stroke (Vaidynathan et al). 2006;48:S111–S112 (Research Forum abstracts)

Electroencephalography
The prognostic value of early EEG after therapeutic hypothermia (Medado et al). 2006; 48:S119 (Research Forum abstracts)

Electromagnetic fields
Does cell phone use cause electromagnetic interference with the function of ECG monitors in the emergency department? (Anderson et al). 2006;48:S34 (Research Forum abstracts)

Electroshock
Cardiac effects of the taser conducted energy weapon (Barnes et al). 2006;48:S102 (Research Forum abstracts)
Evaluation of in-custody deaths proximal to use of conductive energy devices (Vilke et al). 2006;48:S23–S24 (Research Forum abstracts)

Elevated blood pressure. *See* Hypertension

Embolectomy
Clot removal devices in acute ischemic stroke: a systematic review and meta-analysis (Stead and Gilmore). 2006;48:S21–S22 (Research Forum abstracts)

Emergency medical service communication systems
Awareness of "ICE" (In case of emergency) on cell phones and willingness to allow "ICE" to be added to a cell phone while in the emergency department (McKenna et al). 2006; 48:S80 (Research Forum abstracts)

Emergency medical services
Acute stroke: a descriptive study of mode of arrival, pre-hospital diagnosis, duration of symptoms, and treatment (Cronin et al). 2006; 48:S42 (Research Forum abstracts)
Ambulance diversion: economic and policy considerations (Williams). 2006;48:711–12 (Editorial)
Ambulance diversion and lost hospital revenues (McConnell et al). 2006;48:702–10
ATLS versus ETC: time for a decision (Kinross et al). 2006;48:761(Correspondence)
Characterization of computer algorithm classified emergency department visits (Givens and Culica). 2006;48:S79 (Research Forum abstracts)
Commentary: scoping out reciprocity, career mobility and recognition (Kahn and Vaca).

2006;48:213–14 (NHTSA Notes commentary)
Crossroads: report calls for EMS standards of care (Berger). 2006;48:142–3 (News and Perspective)
Defining the future of emergency care (Kellermann). 2006;48:135–7 (Editorial)
Disaster medical response (American College of Emergency Physicians). 2006;48:645 (Policy statement)
The effect of weather and air pollution on EMS calls for complaints of chest pain in an urban city (Low et al). 2006;48:S69 (Research Forum abstracts)
An evaluation of cardiopulmonary resuscitation (CPR) parameters in a large urban EMS system (Buono et al). 2006;48:S97 (Research Forum abstracts)
Fire jumpers: the impact of a novel injury mechanism during a spontaneous mass gathering on an academic emergency department (Hawkins and Brice). 2006;48:S75 (Research Forum abstracts)
The focused assessment of sonography for trauma (FAST) exam in a forward-deployed combat emergency department: a prospective observational study (Kolkebeck and Mehta). 2006;48:S87 (Research Forum abstracts)
Frequency of reported causes of prehospital care delays in the state of Minnesota (Grow et al). 2006;48:S70–S71 (Research Forum abstracts)
The future of emergency care in the United States: the Institute of Medicine Subcommittee on prehospital emergency medical services (Spaite). 2006;48:126–30 (Editorial)
Health care concerns for the 21st century-preparing medical students for disasters (Deluhery et al). 2006;48:S50 (Research Forum abstracts)
Helicopter emergency medical service safety (Levick); Reply (Baker and Dodd). 2006;48:635–7 (Correspondence)
Integrating children into our emergency care system: achieving the vision (Gausche-Hill). 2006;48:131–134 (Editorial)
Knowledge and attitudes of out-of-hospital emergency care consumers in the city of Santo Domingo, Dominican Republic (Baez et al). 2006;48:S79 (Research Forum abstracts)
Mosh-concert-related injuries vs standard concert seating (Janchar et al). 2006;48:S76–S77(Research Forum abstracts)
The National EMS scope of practice model (National Highway Traffic Safety Administration). 2006;48:212 (NHTSA Notes)
A novel civilian-military partnership in emergency medical services during a prolonged disaster: patient characteristics, resource utilization, and future recommendations (Avegno et al). 2006;48:S52 (Research Forum abstracts)
One stop health care shopping? The rise of "McClinics" and their impact on emergency care (Flynn). 2006;48:566–9 (News and Perspective)
Pediatric mental health emergencies in the emergency medical services system (American College of Emergency Physicians). 2006;48:484–6 (Policy statement)
Specialty prepares for *The Future of Emergency Care in the United States Health System:* IOM report release anticipated (Berger). 2006;48:60–1 (News and Perspective)
Too POSH for the public: are physician-owned specialty hospitals a drain on emergency care? (Millard). 2006;48:62–5 (News and Perspective)
Too POSH for the public: are physician-owned hospitals a drain on emergency care? (Part II) (Millard). 2006;48:144–8 (News and Perspective)
The top 10 core competencies of EMS/disaster response: defining the "right stuff" (Larkin et al). 2006;48:S91 (Research Forum abstracts)
Understanding barriers to emergency care in low income countries (Levine et al). 2006;48:S93 (Research Forum abstracts)

Emergency medical technicians

A comparison of endotracheal intubation success rates between providers of a metropolitan air medical transport service (Lairet et al). 2006;48:S7 (Research Forum abstracts)

Emergency medicine

AAFP-ACEP joint statement on emergency care (American College of Emergency Physicians) 2006;47:303 (Policy statement). Correction. 2006;48:103
ACLS and BLS courses in Italy: the Italian Society of Emergency Medicine/AHA experience (Gai et al). 2006;48:S31 (Research Forum abstracts)
The addition of a dedicated medical student teaching attending improves both emergency department faculty and resident satisfaction (Kilgannon et al). 2006;48:S13 (Research Forum abstracts)
Applicants report that their rankings of EM programs are most driven by wellness, morale, happiness and rapport (Lovett et al). 2006;48:S113–S114 (Research Forum abstracts)
Approaches to patient health information exchange and their impact on emergency medicine (Shapiro et al). 2006;48:426–32 (Concepts)
Are emergency physicians legally obligated to report alcohol-impaired drivers? (Ripper et al). 2006;48:S96 (Research Forum abstracts)
Art, chaos, ethics, and science (ACES): a doctoring curriculum for emergency medicine (Van Groenou and Bakes). 2006;48:532–7 (Concepts)
Billing unveiled: calculating the value of emergency physician work (Green). 2006;48:400–2 (News and Perspective)
Documentation and coding skills: is there adequate training in emergency medicine residency? (Ardolic et al). 2006;48:S108 (Research Forum abstracts)
Effectiveness of a multi-format approach to teaching emergency medicine residents early goal-directed therapy (Baez et al). 2006;48:S13 (Research Forum abstracts)
The effect of future demographic changes on emergency medicine (Roskos and Wilber). 2006;48:S65 (Research Forum abstracts)
Effects of disrupted circadian rhythm on decisionmaking in emergency medicine residents (Shih et al). 2006;48:S31–S32 (Research Forum abstracts)
The emergency medicine in-service training examination predicts resident clinical competence (Breyer et al). 2006;48:S114–S115 (Research Forum abstracts)
Emergency medicine medical student clerkships: do the patients that students see adequately parallel national trends in emergency department utilization? (Bitner et al). 2006;48:S114 (Research Forum abstracts)
Emergency medicine workforce (American College of Emergency Physicians). 2006;48:510 (Policy statement)
Emergency physicians and disclosure of medical errors (Moskop et al). 2006;48:523–31 (Concepts)
Emergency physician survey: recombinant tissue plasminogen activator for stroke (Mann); Reply (Walsh et al). 2006;48:476–7 (Correspondence)
Evaluating competency of emergency physicians at pelvic ultrasound after implementation of an ultrasound credentialing process (Colla et al). 2006;48:S106–S107 (Research Forum abstracts)
Geriatrics and the IOM: did report forget the elderly? (Berger). 2006;48:723–5 (News and Perspective)
The impact of specialty trained emergency medicine and trauma teams on trauma mortality rates at an academic level I trauma center (Gerardo et al). 2006;48:S102 (Research Forum abstracts)
An international survey of emergency physicians' knowledge, use, and attitudes towards the Canadian c-spine rule (Stiell et al). 2006;48:S55 (Research Forum abstracts)
An international survey of priorities of emergency physicians for future development of clinical decision rules (Stiell et al). 2006;48:S54 (Research Forum abstracts)
12-lead electrocardiogram interpretation skills of senior medical students entering emergency medicine, family practice, and internal medicine residency training programs (Wald et al). 2006;48:S31 (Research Forum abstracts)
The learning curve of emergency medicine residents learning to perform limited biliary sonography (Jang et al). 2006;48:S33 (Research Forum abstracts)
The learning curve of emergency medicine residents learning to perform limited obstetric sonography (Jang et al). 2006;48:S105 (Research Forum abstracts)
Modafinil and zolpidem use among emergency medicine residents (McBeth et al). 2006;48:S32–S33 (Research Forum abstracts)
The 2003 model of the clinical practice of emergency medicine: the 2005 update (Thomas et al). 2006;48:e1–e17 (Special contribution)
Physician credentialing and delineation of clinical privileges in emergency medicine (American College of Emergency Physicians). 2006;48:511 (Policy statement)
Response to: Critical care medicine training and certification for emergency physicians (Green). 2006;48:342–3 (Correspondence)
Revenue capture in an emergency medicine ultrasound program: a pilot study (Nelson and Baumlin). 2006;48:S106 (Research Forum abstracts)
The role of the legacy emergency physician in the 21st century (American College of Emergency Physicians). 2006;48:511 (Policy statement)
Substance use in emergency medicine training programs (McBeth et al). 2006;48:S32 (Research Forum abstracts)

A survey of emergency medicine clerkship directors: state of the clerkship - 2006 (Wald et al). 2006;48:S14 (Research Forum abstracts)
A survey of emergency physicians' neurological emergencies clinical practice and learning preferences: the FERNE experience (Sloan and Bunney et al). 2006;48:S115 (Research Forum abstracts)
Terrorism: would emergency physicians be able to recognize terrorism syndromes? (Lester et al). 2006;48:S51 (Research Forum abstracts)
Tobacco control interventions in the emergency department: a joint statement of emergency medicine organizations (Bernstein et al). 2006; 48:417–25, 417.e1–e10 (Concepts)
Ultrasonography and outcomes research: one small step for mankind or another drop in the bucket? (Rose). 2006;48:237–9 (Editorial)

Emergency nursing

Bridging orders plus a dedicated admission nurse: a recipe to decrease ED turnaround times (Patterson et al). 2006;48:S5–S6 (Research Forum abstracts)
Quality assessment of nurse triage: could a course improve the capability to categorize correctly emergency patients? (Parenti et al). 2006;48:S115 (Research Forum abstracts)
Quality assessment of nurse triage: which factors are associated to mistriage in emergency patients? (Parenti et al). 2006;48:S53 (Research Forum abstracts)

Emergency service, hospital

Ability of the patient's chief complaint to predict pneumonia (Cochrane et al). 2006;48: S89 (Research Forum abstracts)
The accuracy of physicians in determining "non-life-threatening" headache etiologies upon presentation to the emergency department (Riggs et al). 2006;48:S40–S41 (Research Forum abstracts)
Adverse events of emergency department procedural sedation (Mace). 2006;48:S59 (Research Forum abstracts)
Analysis of patients who leave without being seen from an academic community emergency department (Crystal et al). 2006;48:S24 (Research Forum abstracts)
Anatomy of a pandemic: emergency departments woefully unprepared for bird flu outbreak (McKenna). 2006;48:312–14 (News and Perspective)
Annual bed statistics give a misleading picture of hospital surge capacity (DeLia). 2006;48:384–8 (Brief research report)
Are patients sicker at night? (Villarin et al). 2006;48:S109 (Research Forum abstracts)
Assessing the clinical parameters of dehydration in the pediatric emergency department patient (Suarez et al). 2006;48:S124 (Research Forum abstracts)
The association of sepsis syndrome and organ dysfunction with mortality in emergency department patients with suspected infection (Shapiro et al). 2006;48:583–90
The attitude and perception of emergency department patients regarding medical students (Wald et al). 2006;48:S12–S13 (Research Forum abstracts)
Attitudes and practices regarding influenza vaccination among emergency department personnel (Fernandez et al). 2006;48:S96 (Research Forum abstracts)
Attitudes towards performance measures and pay-for-performance in academic emergency departments (Pines et al). 2006;48:S35 (Research Forum abstracts)
Automated collection of emergency department vital signs (Finnell and Bagwell). 2006;48:S38 (Research Forum abstracts)
Bedside method to estimate actual body weight (ABW) in the emergency department (Buckley et al). 2006;48:S99 (Research Forum abstracts)
Bedside method to estimate ideal body weight (IBW) in the emergency department (Buckley et al). 2006;48:S98 (Research Forum abstracts)
The birth of the NETT: NIH-funded network will launch emergency neurological trials (Cearnal). 2006;48:726–8 (News and Perspective)
Body mass index among asthmatic children presenting to the ED (Kondamudi et al). 2006; 48:S9 (Research Forum abstracts)
Breaking point: report calls for congressional rescue of hospital emergency departments (Berger). 2006;48:140–2 (News and Perspective)
Bridging orders plus a dedicated admission nurse: a recipe to decrease ED turnaround times (Patterson et al). 2006;48:S5–S6 (Research Forum abstracts)
Building bridges: breast cancer prevention in emergency departments by connecting at-risk women to mammography (Bascom et al). 2006;48:S96–S97 (Research Forum abstracts)
Can the emergency department vitals predict the risk of subsequent cerebrovascular events following an acute ischemic stroke? (Bellolio et al). 2006;48:S19–S20 (Research Forum abstracts)
Cardiac-gated multidetector CT coronary angiography in evaluation of emergency department chest pain patients (Mahr et al). 2006;48:S16 (Research Forum abstracts)
Characteristics of emergency department adult patients at the extreme of age (Stern et al). 2006;48:S73 (Research Forum abstracts)
Characteristics of frequent users of emergency departments (Hunt et al). 2006;48:1–8
Characteristics of partner violence perpetrators in the emergency department (Johnson et al). 2006;48:S23 (Research Forum abstracts)
'Charity' suffers long: emergency medicine revives the spirit of centuries-old New Orleans institution (Flynn). 2006;48:309–11 (News and Perspective)
Chest pain: physician perceptions and decisionmaking in a London emergency department (Farmer and Higginson). 2006;48: 77–85
Circadian, seasonal and age patterns in the incidence of emergency department visits for pediatric febrile seizures (Finley et al). 2006;48: S94 (Research Forum abstracts)
Clinical policy: critical issues in the evaluation and management of adult patients with non–ST-segment elevation acute coronary syndromes (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Non–ST-Segment Elevation Acute Coronary Syndromes). 2006; 48:270–301 (Clinical policy)
Clinical policy: indications for reperfusion therapy in emergency department patients with suspected acute myocardial infarction (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Reperfusion Therapy in Emergency Department Patients with Acute Myocardial Infarction). 2006;48:358–83 (Clinical policy)
A clinical prediction rule for an emergency department diagnosis of acute decompensated heart failure (Lindsell et al). 2006;48:S88 (Research Forum abstracts)
Clinical predictors of migraine reoccurrence following emergency department visit (Fiesseler et al). 2006;48:S20 (Research Forum abstracts)
Commentary: Morphing social norms through media messaging (Pribble). 2006;48:740–2 (NHTSA Notes commentary)
Covert administration of psychotropic medications in the emergency department: an opposing view (Lynn and Rios). 2006;48:478 (Correspondence)
Critical thinking and decisionmaking: avoiding the perils of thin-slicing (Croskerry). 2006;48: 720–2 (Editorial)
Current status of US emergency departments (Camargo et al). 2006;48:S116 (Research Forum abstracts)
Declining reimbursements for ED visits across payor groups from 1996-2003 (Hsia et al). 2006;48:S117 (Research Forum abstracts)
Dental emergencies: resident training with "hands-on" instruction (Yarde et al). 2006;48: S114 (Research Forum abstracts)
The differential impact of ED volume and boarded admitted patients on waiting times for new patients (Viccellio et al). 2006;48:S116–S117 (Research Forum abstracts)
Discordant cardiac biomarkers: frequency and outcomes in emergency department patients with chest pain (Storrow et al). 2006;48:S3 (Research Forum abstracts)
Do emergency department holds impact time to diagnosis and treatment for acute MI patients? (Swor et al). 2006;48:S109 (Research Forum abstracts)
Does cell phone use cause electromagnetic interference with the function of ECG monitors in the emergency department? (Anderson et al). 2006;48:S34 (Research Forum abstracts)
Does CT scan increase the rate of gangrenous or perforated appendicitis in adults presenting to the emergency department? (Perry et al). 2006; 48:S15 (Research Forum abstracts)
Does Medicaid disenrollment correlate with increased emergency department utilization among the uninsured? (Heavrin et al). 2006; 48:S115–S116 (Research Forum abstracts)
Does the presence of a patient advocate improve patient satisfaction in the emergency department? (Ward et al). 2006;48:S24 (Research Forum abstracts)
ED caregivers rarely assess non-traditional drug abuse (Anderson et al). 2006;48:S101 (Research Forum abstracts)
An educational HIV pretest counseling video program for off-hours testing in the emergency department (Calderon et al). 2006;48:21–27, 21.e1–21.e8
The effect of emergency department crowding factors on pain management (Hwang et al). 2006;48:S117 (Research Forum abstracts)
The effect of emergency department point-of-service fee collection on patient satisfaction

scores (Hyde and Arvanitis). 2006;48:S64 (Research Forum abstracts)
Effect of sign-outs on emergency department reimbursement (Weizberg et al). 2006;48:S63 (Research Forum abstracts)
Emergency care outside of the ED: creative utilization of open bed space (Powell et al). 2006;48:S24–S25 (Research Forum abstracts)
Emergency department discharge without a safety net: does having insurance make a difference with follow-up care? (Bascom et al). 2006;48:S96 (Research Forum abstracts)
Emergency department hyperutilization (Shiber et al). 2006;48:S33 (Research Forum abstracts)
Emergency department management of acute undifferentiated agitation: utility of intramuscular olanzapine (Martel and Hartmann). 2006;48:S125 (Research Forum abstracts)
Emergency department management of disaster situations with use of a radio frequency identification microchip (Mandel et al). 2006;48:S38 (Research Forum abstracts)
Emergency department management of pediatric patients with cyanotic heart disease and fever (Tibbles et al). 2006;48:S124–S125 (Research Forum abstracts)
Emergency physician initiated primary percutaneous coronary intervention decreases median door-to-balloon time for ST-segment elevation myocardial infarction (Kurz et al). 2006;48:S113 (Research Forum abstracts)
Emergency ultrasound imaging criteria compendium (American College of Emergency Physicians). 2006;48:487–510 (Policy statement)
Emergency ultrasound usage among recent emergency medicine graduates (Breyer et al). 2006;48:S85 (Research Forum abstracts)
Empiric treatment of STDs in the emergency department: are we treating too much or not enough? (Waseem et al). 2006;48:S36 (Research Forum abstracts)
EMTALA and on-call responsibility for emergency department patients (American College of Emergency Physicians). 2006;48:486–7 (Policy statement)
End-of-life symptom and pain management in the emergency department (Bradshow et al). 2006;48:S122 (Research Forum abstracts)
Epidemiology and etiology of malpractice lawsuits in Republic of Korea emergency departments and urgent care centers (Park). 2006;48:S115 (Research Forum abstracts)
An ergonomic comparison of emergency physician workload (Chisholm et al). 2006;48:S64–S65 (Research Forum abstracts)
An evaluation of motives to access of care characteristics in minor illness patients seeking care in a level 1 urban emergency department (Villarin et al). 2006;48:S107–S108 (Research Forum abstracts)
External validation of the mortality in emergency department sepsis (MEDS) score: a multi-center prospective cohort study (Sankoff et al). 2006;48:S2 (Research Forum abstracts)
Factors that correlated with patients leaving an emergency department without being seen (Bolton et al). 2006;48:S108 (Research Forum abstracts)
Frequent emergency department visitors: the end of inappropriateness (Bernstein). 2006;48:18–20 (Editorial)
Frequent users of Massachusetts Emergency Departments: a statewide analysis (Fuda and Immekus). 2006;48:9–16, 9.e1–9.e16
The future of emergency care in the United States Health System (Institute of Medicine). 2006;48:115–20 (Special contribution)
Gamma hydroxybutyrate withdrawal syndrome in the emergency department: clinical course and autonomic instability (Zvosec et al). 2006;48:S100 (Research Forum abstracts)
Gender differences in patients presenting to the emergency department with chest pain (Nawaz et al). 2006;48:S11–S12 (Research Forum abstracts)
Getting the right message: avoiding overly optimistic interpretations of the scientific literature (Schriger). 2006;48:75–6 (Editorial)
Growing pains: report notes pediatric emergencies need greater emphasis (Berger). 2006;48:143–4 (News and Perspective)
Gun exposure in an emergency department adolescent population (Fiechtl et al). 2006;48:S74–S75 (Research Forum abstracts)
Heart bone connected to the . . . trauma bone? (Wears). 2006;48:355–7 (Editorial)
High endotracheal tube cuff pressure is typical in endotracheally intubated emergency department patients (Hoffman et al). 2006;48:S58 (Research Forum abstracts)
Hospital-based emergency care: a future without boarding? (Aspilin). 2006;48:121–5 (Editorial)
Hospital crowding affects timeliness of pneumonia care (Andrus et al). 2006;48:S6 (Research Forum abstracts)
How accurately can emergency department providers estimate patient satisfaction, quality of pain control, and effectiveness of provider communication? (Yarris et al). 2006;48:S25 (Research Forum abstracts)
The impact of delayed admissions held in the emergency department on wait time, patient care time and length of stay for other patients (Chan et al). 2006;48:S5 (Research Forum abstracts)
Impact of recidivism on emergency department patient volume (Milzman et al). 2006;48:S93 (Research Forum abstracts)
The impact of the gum elastic bougie on emergency department cricothyrotomy rate (Greene and Bair). 2006;48:S28 (Research Forum abstracts)
Impact of the inclusion of noninvasive cardiac output as a vital sign on medical decisionmaking in the emergency department (Summers and Thompson). 2006;48:S68 (Research Forum abstracts)
Implementation of the full capacity protocol to relieve crowding in the emergency department: who is eligible? (Viccellio et al). 2006;48:S116 (Research Forum abstracts)
Implementation of the survival sepsis campaign guidelines for severe sepsis and septic shock in the emergency department (Antro et al). 2006;48:S67 (Research Forum abstracts)
Improving alertness and performance in emergency department physicians and nurses: the use of planned naps (Smith-Coggins et al). 2006;48:596–604
Improving the design of the assessment of emergency department patients at risk for self-harm (Gaddis). 2006;48:467–9 (Editorial)
Inclusion of medical students in hospital mass casualty disaster plans (Deluhery et al). 2006;48:S50–S51 (Research Forum abstracts)
Injury prevalence and characterization among emergency department patients from an urban level 1 trauma center (Prekker et al). 2006;48:S57 (Research Forum abstracts)
The Internet tracking registry of acute coronary syndromes (i*trACS): a multicenter registry of patients with suspicion of acute coronary syndromes reported using the standardized reporting guidelines for emergency department chest pain studies (Lindsell et al). 2006;48:666–77, 666.e1–e45
Internet usage and aptitude in utilizers of urban and suburban emergency departments (Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)
Intimate partner violence related suicidality is lower in Hispanic emergency department patients than NonHispanics (Larkin and Anglin). 2006;48:S22 (Research Forum abstracts)
IOM emergency care reports release (McKenna). 2006;48:138–40 (News and Perspective)
Is it useful to measure sedimentation rate (ESR) as a broad screening test in the emergency department? (Breen et al). 2006;48:S49–S50 (Research Forum abstracts)
Is the emergency severity index reliable for pediatric triage? (Rosenau et al). 2006;48:S62–S63 (Research Forum abstracts)
Is the Mallampati assessment feasible in the emergency department? (Caravelli and Bair). 2006;48:S7–S8 (Research Forum abstracts)
Is the mortality in emergency department sepsis (MEDS) score reliably applied by emergency physicians? (Sankoff and Haukoos). 2006;48:S47 (Research Forum abstracts)
Lessons learned from clinical anthrax drills: evaluation of knowledge and preparedness for a bioterrorist threat in Israeli emergency departments (Leiba et al). 2006;48:194–199, 194.e1–e8
Male patient visits to the emergency department increase after the conclusion of media broadcast sporting events (Jerrard and Long). 2006;48:S4 (Research Forum abstracts)
Management and treatment of patients with acute uncomplicated diverticulitis who present to the emergency department (Fiorini). 2006;48:S49 (Research Forum abstracts)
Medical screening of emergency department patients (American College of Emergency Physicians). 2006;48:510 (Policy statement)
Medication duplication in patient presenting to the emergency department (Richman and Triner). 2006;48:S127–S128 (Research Forum abstracts)
Medication errors in the emergency department (Morgan et al). 2006;48:S38 (Research Forum abstracts)
Medication use and suicidal ideation in emergency department patients (Larkin and Farman). 2006;48:S53 (Research Forum abstracts)
A mistaken choice (Hawkins). 2006;48:215 (Change of Shift)
National study of emergency department visits for seizure, 1993-2003 (Moussally et al). 2006;48:S19 (Research Forum abstracts)
National study of emergency department visits for sepsis, 1992 to 2001 (Strehlow et al). 2006;48:326–31 (Brief research report)
Near infrared spectroscopy as an indicator of systemic perfusion in the emergency

department (Otero et al). 2006;48:S99 (Research Forum abstracts)
A novel approach to increasing emergency department capacity during times of peak volume (Baumann and Strout). 2006;48:S108–S109 (Research Forum abstracts)
Occult suicidality and patient outcome in the emergency department (Gasgarth et al). 2006; 48:S126 (Research Forum abstracts)
Only six percent of hospitals prepared for pediatric emergencies? The controversy and facts about the fearsome statistic (Cearnal). 2006;48:403–5 (News and Perspective)
Overuse of CT in ED patients with presenting complaint of headache (Hui et al). 2006;48: S15–S16 (Research Forum abstracts)
Overuse of over-the-counter analgesics by emergency department patients (Heard et al). 2006;48:315–18
Over-utilization of diagnostic tools on daily surge days in the emergency department (Davis et al). 2006;48:S92 (Research Forum abstracts)
Pain management during intravenous catheter placement using a topical skin coolant in the emergency department (Hartstein and Barry). 2006;48:S122 (Research Forum abstracts)
Parenteral antiemetic trends in an emergency department and inpatient population from 1996-2005 (Baker et al). 2006;48:S127 (Research Forum abstracts)
Patient- and family-centered care and the role of the emergency physician providing care to a child in the emergency department (American College of Emergency Physicians). 2006;48: 643–5 (Policy statement)
Patients who leave without being seen: their characteristics and history of emergency department use (Ding et al). 2006;48:686–93
Performance of an ED-based PICC line service (Sevier et al). 2006;48:S5 (Research Forum abstracts)
Peripheral vein detection using ultrasound and sonographic factors associated with successful peripheral vein cannulation in young children presenting to the pediatric emergency department: a pilot study (Schnadower et al). 2006;48:S93–S94 (Research Forum abstracts)
Physician assistant productivity and profit in an emergency department fast-track area (Wilson et al). 2006;48:S5 (Research Forum abstracts)
The positive predictive value and economic impact of focused right upper quadrant ultrasound examinations performed by emergency physicians in the setting of cholecystitis (Young et al). 2006;48:S85 (Research Forum abstracts)
A predictable weekly pattern in admitted patients awaiting beds in the ED and correlation with elective admissions (Drescher et al). 2006;48:S107 (Research Forum abstracts)
Predictive accuracy of a sepsis-related mortality score in the emergency department: a modification of the mortality in emergency department sepsis (MEDS) score (Sankoff et al). 2006;48:S47 (Research Forum abstracts)
Predictors of survival among nonagenarians presenting to the emergency department (Mooney et al). 2006;48:S74 (Research Forum abstracts)
The preferred modifications and relative success rates after first attempt at intubation among emergency physicians (Shah et al). 2006;48:S6 (Research Forum abstracts)
Prevalence and demographics of MRSA in culturable skin and soft tissue infections in an urban emergency department (Jacobus et al). 2006;48:S17 (Research Forum abstracts)
Prevalence of aspirin resistance in patients presenting to the emergency department with chest pain (Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Prevalence of drug-related problems in patients visiting the emergency department (Crespi et al). 2006;48:S128 (Research Forum abstracts)
The prevalence of hyperglycemia in non diabetic emergency department patients (Campagna et al). 2006;48:S78 (Research Forum abstracts)
Procalcitonin in emergency department patients with suspected community-acquired pneumonia: results from the GenIMS (Genetic and Inflammatory Markers of Sepsis) Study (Huang et al). 2006;48:S1 (Research Forum abstracts)
A profile of US emergency departments in 2001 (Sullivan et al). 2006;48:694–701
Racial disparities in ED analgesia are improving: evidence from a national database (Quazi et al). 2006;48:S61 (Research Forum abstracts)
Randomized controlled clinical trial of point-of-care, limited ultrasonography for trauma in the emergency deparment: the first sonography outcomes assessment program trial (Melniker et al). 2006;48:227–35
Real-time ultrasonographically-guided internal jugular vein catheterization in the emergency department increases success rates and reduces complications: a randomized, prospective study (Leung et al). 2006;48:540–7
Regional health information exchange: surveying emergency physician attitudes and data requirements (Gathers et al). 2006;48:S39 (Research Forum abstracts)
Research overdue on subterfuge versus forced treatment in psychiatric emergencies (Colorado and Nath); Reply (Montauk et al). 2006;48: 479–80 (Correspondence)
Respiratory hygiene in the emergency department (Rothman et al). 2006;48:570–82 (Concepts)
Response to: Misleading negative chest radiographs: should we ADHERE to the conclusions? (Collins et al); Reply (Cooper). 2006;48:341–2 (Correspondence)
Returns and recurrence for Bartholin's cysts in an emergency department setting (Thompson et al). 2006;48:S49 (Research Forum abstracts)
Risk factor documentation for life-threatening disease in US emergency department patients (Hafner et al). 2006;48:S65 (Research Forum abstracts)
The risk of missed diagnosis of acute myocardial infarction associated with emergency department volume (Schull et al). 2006;48: 647–55
Risk stratification of emergency department patients with chest pain using C-reactive protein (Manini et al). 2006;48:S28 (Research Forum abstracts)
The role of faculty triage on emergency department overcrowding and ambulance division (Han et al). 2006;48:S34–S35 (Research Forum abstracts)
Severe sepsis and septic shock: review of the literature and emergency department management guidelines (Nguyen et al). 2006; 48:28–54 (Review article)
Should the very old be admitted to an emergency department short stay unit? (Ferre et al). 2006;48:S73–S74 (Research Forum abstracts)
Should you close your waiting room? An operational solution to ED overcrowding (Gisondi et al). 2006;48:S109 (Research Forum abstracts)
Smiling in the ED (Burg). 2006;48:473–4 (Change of Shift)
Survey of California emergency departments about practices for management of suicidal patients and resources available for their care (Baraff et al). 2006;48:452–8
Systematic delays in antibiotic administration in the emergency department for adult patients admitted with pneumonia (Morton and Pines). 2006;48:S4 (Research Forum abstracts)
Thinking big (Spiro and Lowe). 2006;48:480 (Correspondence)
Timely patient placement: a multi-disciplinary approach to patient safety (Ahlborn and Heidorn). 2006;48:S4–S5 (Research Forum abstracts)
Time to administration of pain medications as a marker of emergency department overcrowding (Miner and McClain). 2006;48:S120 (Research Forum abstracts)
Trends in ED antibiotic prescribing for upper respiratory tract infections 1996-2003 (Singer et al). 2006;48:S48–S49 (Research Forum abstracts)
Trends in elderly ED visits 1993-2003: what does the future hold? (Roberts and McKay). 2006;48:S72 (Research Forum abstracts)
Trends in the emergency department use of gastric lavage for poisoning events in the United States, 1993-2003 (Larkin). 2006;48: S71 (Research Forum abstracts)
The use of an accelerated triage and treatment protocol decreases left without being seen rates and wait times in emergency severity index category 3 patients (Young et al). 2006;48: S25–S26 (Research Forum abstracts)
Use of hospital administrative data to estimate emergency department patient census (Hwang et al). 2006;48:S43 (Research Forum abstracts)
Using emergency department records to enhance bicycle injury surveillance in New Mexico (LaValley et al). 2006;48:S58 (Research Forum abstracts)
The utility of handheld ultrasound evaluation in an austere medical setting after a natural disaster (Dean et al). 2006;48:S106 (Research Forum abstracts)
Validation of point-of-care fingertip lactate measurement in the emergency department (Goyal et al). 2006;48:S2 (Research Forum abstracts)
Validation of the emergency severity index (ESI) in self-referred patients in a European emergency department (Mencl et al). 2006;48: S24 (Research Forum abstracts)
Variables of patients with skin and soft tissue infections associated with failure to discharge from an emergency department observation unit (Schrock et al). 2006;48:S18 (Research Forum abstracts)

Volume and outcome: the more patients the better? (Chase and Hollander). 2006;48:657–9 (Editorial)
What does a pain score of "X" mean anyway? Classification of NRS pain severity scores for ED patients based upon interference with function (Fosnocht et al). 2006;48:S60 (Research Forum abstracts)
What is the best way to measure patient satisfaction in the emergency department: mailed or on-site surveys? (Yarris et al). 2006; 48:S25 (Research Forum abstracts)
Why do people come to the emergency department with colds? Survey results of otherwise healthy subjects (Kini et al). 2006; 48:S77 (Research Forum abstracts)
Young adults: a unique ED patient population? (Miloslavsky et al). 2006;48:S69–S70 (Research Forum abstracts)

Emergency services, psychiatric
Prehospital and inter-facility psychiatric transportation: the state of Minnesota experience (Kwon et al). 2006;48:S92 (Research Forum abstracts)

Emotional stress. *See* Stress, psychological

Emphysema
Emphysematous pyelonephritis (Moon and Doty). 2006;48:354, 357 (Images in Emergency Medicine)

Endotracheal intubation. *See* Intubation, intratracheal

Enoxaparin
Results from the Rescue-ACS study: an ED-based study of anticoagulation therapy in patients with non-ST-segment-elevation acute coronary syndrome (Pollack et al). 2006;48: S3–S4 (Research Forum abstracts)

Enterocolitis, pseudomembranous
Severe *Clostridium difficile*-associated disease in populations previously at low risk—four states, 2005 (Centers for Disease Control Prevention); Commentary (Abrahamian). 2006;48:55–9 (CDC Update)

Environmental exposure
Environmental factors influencing intubation failure in out-of-hospital adult cardiac arrest patients (Garza et al). 2006;48:S69 (Research Forum abstracts)
Hantavirus pulmonary syndrome—Five states, 2006 (Centers for Disease Control and Prevention); Commentary (Brillman). 2006; 48:593–5 (CDC Update)

Eosinophilia
Pneumonitis and eosinophilia after in vitro fertilization treatment (Veysman et al). 2006; 47:472-5. Correction. 2006;48:336

Epidural abscess
The utility of a novel decision rule to diagnose spinal epidural abscess in ED patients with back pain (Davis et al). 2006;48:S66 (Research Forum abstracts)

Epinephrine
Do emergency physicians underutilize epinephrine in the treatment of anaphylaxis? (Lewis et al). 2006;48:S66 (Research Forum abstracts)
Prescriptions for self-injectable epinephrine and allergist referral in emergency department patients presenting with anaphylaxis (Campbell et al). 2006;48:S67–S68 (Research Forum abstracts)
Vasopressin or epinephrine for out-of-hospital cardiac arrest (Wyer et al). 2006;48:86–97 (Evidence–based emergency medicine)

Ethanol
A review of significant head CT findings (McClung et al). 2006;48:S15 (Research Forum abstracts)

Ethics, clinical
Polyheme and the ethics of informed consent (McKenna). 2006;48:563–6 (News and Perspective)

Ethics, medical
Art, chaos, ethics, and science (ACES): a doctoring curriculum for emergency medicine (Van Groenou and Bakes). 2006;48:532–7 (Concepts)
Covert administration of psychotropic medications in the emergency department: an opposing view (Lynn and Rios). 2006;48:478 (Correspondence)
Gifts to physicians from the pharmaceutical industry: an ethical analysis (Marco et al). 2006;48:513–21 (Concepts)
Research overdue on subterfuge versus forced treatment in psychiatric emergencies (Colorado and Nath); Reply (Montauk et al). 2006;48: 479–80 (Correspondence)

Ethnic groups
Pain perception in Latino vs. Caucasians and male vs. female patients: is there really a difference? (Wallerich et al). 2006;48:S120–S121 (Research Forum abstracts)

Ethnology
Are advancing age, race, or gender factors in delays to treatment of pain in elderly patients with undifferentiated abdominal pain? (Lee et al). 2006;48:S60 (Research Forum abstracts)
Racial disparities in ED analgesia are improving: evidence from a national database (Quazi et al). 2006;48:S61 (Research Forum abstracts)

Etomidate
Blood pressure variations after rapid sequence intubation using etomidate in emergency department trauma patients (Yealy et al). 2006; 48:S83 (Research Forum abstracts)
Etomidate versus midazolam for procedural sedation in pediatric outpatients: a randomized controlled trial (Liddo et al). 2006;48:433–40

Evidence-based medicine
An evidence-based appraisal of the clinical exam in acute appendicitis (Melville et al). 2006;48: S88–S89 (Research Forum abstracts)

Exercise test
Automated cardiac gallop detection and stress testing in low risk ED chest pain patients (Hiestand). 2006;48:S44–S45 (Research Forum abstracts)
Comparison of ECG gated multidetector CT with stress testing in patients presenting to the emergency department with chest pain (Kuo et al). 2006;48:S111 (Research Forum abstracts)

Extravasation of diagnostic and therapeutic materials
Dextrose extravasation causing skin necrosis (Levy and Rosh). 2006;48:236, 239 (Images in Emergency Medicine)

F

Fab antivenom. *See* Antivenins; Immunoglobulin fragments

Face
Infrared thermography of facial skin temperatures compared with oral thermometry: a device for syndromic surveillance by remote detection (Varney et al). 2006;48:S95 (Research Forum abstracts)

Factor VIIa
Incidence of intracranial hemorrhages meeting criteria for activated factor VII (Kolb et al). 2006;48:S19 (Research Forum abstracts)

False negative reactions
Response to: Misleading negative chest radiographs: should we ADHERE to the conclusions? (Collins et al); Reply (Cooper). 2006;48:341–2 (Correspondence)

Family
Family presence during pediatric procedures: an emergency medicine residents' perspective (Barata et al). 2006;48:S122–S123 (Research Forum abstracts)

Family practice
12-lead electrocardiogram interpretation skills of senior medical students entering emergency medicine, family practice, and internal medicine residency training programs (Wald et al). 2006;48:S31 (Research Forum abstracts)

Fasciitis, necrotizing
Necrotizing fasciitis caused by *Aeromonas hydrophila* (Chern et al). 2006;48:216, 225 (Images in Emergency Medicine)

Fasting
An end to the Yom Kippur (and Ramadan) headache: a double blind placebo controlled trial of prophylactic rofecoxib in preventing ritual fasting headache (Drescher and Elstein). 2006;48:S77–S78 (Research Forum abstracts)

Fee-for-service plans
The effect of emergency department point-of-service fee collection on patient satisfaction scores (Hyde and Arvanitis). 2006;48:S64 (Research Forum abstracts)

Femoral artery
Can compression of the abdominal aorta really stop blood loss in the critical femoral or inguinal penetrating wounds? An ultrasound evaluation (Blaivas et al). 2006;48:S86–S87 (Research Forum abstracts)

Fertilization in vitro
Pneumonitis and eosinophilia after in vitro fertilization treatment (Veysman et al). 2006; 47:472-5. Correction. 2006;48:336

Fever
Circadian, seasonal and age patterns in the incidence of emergency department visits for pediatric febrile seizures (Finley et al). 2006;48: S94 (Research Forum abstracts)
Determining the incidence of urinary tract infections in infants and children aged 4 months to 6 years with febrile diarrhea (Nibhanipudi et al). 2006;48:S123 (Research Forum abstracts)
Emergency department management of pediatric patients with cyanotic heart disease and fever (Tibbles et al). 2006;48:S124–S125 (Research Forum abstracts)
English as a second language: caregivers' perceptions and management of febrile infants (Baumann et al). 2006;48:S123 (Research Forum abstracts)
Urinalysis is not reliable to detect a urinary tract infection (UTI) in febrile infants presenting to the emergency department (Jones et al). 2006; 48:S61 (Research Forum abstracts)

Fibrin fibrinogen degradation products
Ascent to altitude in a hypobaric chamber does not consistently affect serum d-dimer levels

(Nordenholz and Heard). 2006;48:S111 (Research Forum abstracts)
Comparison of point-of-care and laboratory d-dimer immunoassays in emergency department patients with suspected pulmonary embolus (Giraldez et al). 2006;48:S90 (Research Forum abstracts)
Response to: The emergency department utility of Simplify™ D-dimer to exclude pulmonary embolism in patients with pleuritic chest pain (Baade and Herrington); Reply (Hogg et al). 2006;48:106–7 (Correspondence)
Utility of the Charlotte criteria and the Liatest d-dimer assay in the exclusion of pulmonary embolism in the emergency department (Mason and Gonzalez). 2006;48:S3 (Research Forum abstracts)

Fibrinolysis
Causes of nonadministration of fibrinolysis in acute myocardial infarction in Spain (Epelde et al). 2006;48:S45 (Research Forum abstracts)

Fibula
Dislocated proximal tibio-fibular joint (Fatovich and Song). 2006;48:759–60, 765 (Images in Emergency Medicine)

Finger injuries
Traumatic avulsion (Matero). 2006;48:338, 343 (Images in Emergency Medicine)

Firearms
Cardiac effects of the taser conducted energy weapon (Barnes et al). 2006;48:S102 (Research Forum abstracts)
Evaluation of in-custody deaths proximal to use of conductive energy devices (Vilke et al). 2006;48:S23–S24 (Research Forum abstracts)
Gun exposure in an emergency department adolescent population (Fiechtl et al). 2006;48:S74–S75 (Research Forum abstracts)

Firearms-related injuries. *See* Wounds, gunshot

Fires
Fire jumpers: the impact of a novel injury mechanism during a spontaneous mass gathering on an academic emergency department (Hawkins and Brice). 2006;48:S75 (Research Forum abstracts)

First aid
Response to: The perils of vinegar and the Heimlich maneuver (Biegun). 2006;48:340–1 (Correspondence)

Fluid therapy
Adequacy of fluid resuscitation during transport of burn patients (Shewakramani et al). 2006;48:S71 (Research Forum abstracts)

Football
Does the presence of physicians at professional football games reduce the number of patient transports? (Pozner et al). 2006;48:S55 (Research Forum abstracts)

Forearm
Feasibility of forearm ultrasonography-guided nerve blocks of the radial, ulnar, and median nerves for hand procedures in the emergency department (Liebmann et al). 2006;48:558–62 (Brief research report)

Foreign bodies
Cocaine body packing in pregnancy (Cordero et al). 2006;48:323–5 (Case report)
A five-year review of the medical outcome of heroin body stuffers (Jordan et al). 2006;48:S81 (Research Forum abstracts)
Metallic foreign body removal with ultrasound guidance (Manson et al). 2006;48:S104–S105 (Research Forum abstracts)

Forms and records control
Medical services coding (American College of Emergency Physicians). 2006;48:483–4 (Policy statement)

Fracture fixation
Cost comparison of sedation and reduction of closed wrist fractures in the emergency department versus the operating suite in a community hospital (Charles et al). 2006;48:S59 (Research Forum abstracts)

Fractures, bone
The usefulness of computed tomography in patients with carpal bone fracture (You et al). 2006;48:S49–S50 (Research Forum abstracts)

Fractures, closed
Cost comparison of sedation and reduction of closed wrist fractures in the emergency department versus the operating suite in a community hospital (Charles et al). 2006;48:S59 (Research Forum abstracts)

Free radicals
Histologic assessment of free radical injury and apoptotic cell death after severe traumatic brain injury (Lewis et al). 2006;48:S109–S110 (Research Forum abstracts)

G

Gallbladder diseases
Computed tomography of the abdomen versus right upper quadrant ultrasonography for diagnosis of acute gallbladder disease (Hsu et al). 2006;48:S17 (Research Forum abstracts)

Gamma-hydroxybutyrate. *See* Sodium oxybate

Gangrene
Does CT scan increase the rate of gangrenous or perforated appendicitis in adults presenting to the emergency department? (Perry et al). 2006;48:S15 (Research Forum abstracts)

Gastric lavage
Trends in the emergency department use of gastric lavage for poisoning events in the United States, 1993-2003 (Larkin). 2006;48:S71 (Research Forum abstracts)

Gastrointestinal diseases
Unintended lessons from veterinarians (Braude). 2006;48:757–8 (Change of Shift)

Geriatrics
Geriatrics and the IOM: did report forget the elderly? (Berger). 2006;48:723–5 (News and Perspective)
The resuscitation outcomes and clinical characteristics of non-traumatic out-of-hospital geriatric cardiac arrest (Kim). 2006;48:S73 (Research Forum abstracts)
Sub-acute/transition care and the acute care episode: a comparison of episodic and annual medical costs in a geriatric population (Gunnarson et al). 2006;48:S72 (Research Forum abstracts)

Gift giving
Gifts to physicians from the pharmaceutical industry: an ethical analysis (Marco et al). 2006;48:513–21 (Concepts)

Glasgow coma scale
Clinical features of head injury patients presenting with a Glasgow coma scale score of 15 and who require neurosurgical intervention (Clement et al). 2006;48:245–51
Delta GCS: a new predictor of outcome in blunt trauma? (Flagel et al). 2006;48:S104 (Research Forum abstracts)
Delta GCS in head-injured patients (Flagel et al). 2006;48:S83 (Research Forum abstracts)
Is prehospital GCS alone adequate to determine need for a trauma center? (Isaak et al). 2006;48:S53–S54 (Research Forum abstracts)

Glass
Intact automotive glass associated with absence of cervical spine injury (DeFlorio). 2006;48:S104 (Research Forum abstracts)

Glomerular filtration rate
Analysis of glomerular filtration rate, creatinine and factors associated with persistent hyperkalemia in emergency department patients with hemolysis-associated hyperkalemia (Hinfey et al). 2006;48:S110–S111 (Research Forum abstracts)

Glucose
Dextrose extravasation causing skin necrosis (Levy and Rosh). 2006;48:236, 239 (Images in Emergency Medicine)

Gonorrhea
Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* coinfection with *Trichomonas vaginalis* in female emergency department patients: are wet prep results a reliable predictor? (Gordon et al). 2006;48:S37 (Research Forum abstracts)

Groin
Can compression of the abdominal aorta really stop blood loss in the critical femoral or inguinal penetrating wounds? An ultrasound evaluation (Blaivas et al). 2006;48:S86–S87 (Research Forum abstracts)
Extensive groin abscess and myositis after intravenous cubital buprenorphine injection (Gautschi and Zellweger). 2006;48:656, 659 (Images in Emergency Medicine)

Gum elastic bougie. *See* Intubation, intratracheal

H

Hantavirus pulmonary syndrome
Hantavirus pulmonary syndrome—Five states, 2006 (Centers for Disease Control and Prevention); Commentary (Brillman). 2006;48:593–5 (CDC Update)

Head
Abnormal head computed tomography after iatrogenic post-myelogram bacterial meningitis (Smith and Truwit). 2006;48:17, 20 (Images in Emergency Medicine)

Headache
The accuracy of physicians in determining "non-life-threatening" headache etiologies upon presentation to the emergency department (Riggs et al). 2006;48:S40–S41 (Research Forum abstracts)
An end to the Yom Kippur (and Ramadan) headache: a double blind placebo controlled trial of prophylactic rofecoxib in preventing ritual fasting headache (Drescher and Elstein). 2006;48:S77–S78 (Research Forum abstracts)
Overuse of CT in ED patients with presenting complaint of headache (Hui et al). 2006;48:S15–S16 (Research Forum abstracts)

Head injury. *See* Craniocerebral trauma

Head protective devices
Alcohol intoxication, helmet use and traumatic injury among pedalcyclists in New Mexico (LaValley et al). 2006;48:S77 (Research Forum abstracts)

Health care costs
Cost comparison of sedation and reduction of closed wrist fractures in the emergency department versus the operating suite in a community hospital (Charles et al). 2006;48: S59 (Research Forum abstracts)
Declining reimbursements for ED visits across payor groups from 1996-2003 (Hsia et al). 2006;48:S117 (Research Forum abstracts)
IOM emergency care reports release (McKenna). 2006;48:138–40 (News and Perspective)
Physician preferences and relative costs for different outcomes in acute appendicitis (Birkhahn et al). 2006;48:S117 (Research Forum abstracts)
The positive predictive value and economic impact of focused right upper quadrant ultrasound examinations performed by emergency physicians in the setting of cholecystitis (Young et al). 2006;48:S85 (Research Forum abstracts)
A prospective comparison and cost analysis of ultrasound-guided and blindly placed radial arterial catheters (Shiver et al). 2006;48:S86 (Research Forum abstracts)
Revenue capture in an emergency medicine ultrasound program: a pilot study (Nelson and Baumlin). 2006;48:S106 (Research Forum abstracts)
Too posh for the public: are physician-owned specialty hospitals a drain on emergency care? (Millard). 2006;48:62–5 (News and Perspective)
Too posh for the public: are physician-owned hospitals a drain on emergency care? (Part II) (Millard). 2006;48:144–8 (News and Perspective).

Health care surveys
National study of emergency department visits for sepsis, 1992 to 2001 (Strehlow et al). 2006; 48:326–31 (Brief research report)
Survey of California emergency departments about practices for management of suicidal patients and resources available for their care (Baraff et al). 2006;48:452–8
What is the best way to measure patient satisfaction in the emergency department: mailed or on-site surveys? (Yarris et al). 2006; 48:S25 (Research Forum abstracts)

Health education
A multi-faceted community-based educational program promotes cardiovascular health in women: 5 year analysis (Safdar et al). 2006;48: S112–S113 (Research Forum abstracts)

Health knowledge, attitudes, practice
Attitudes and practices regarding influenza vaccination among emergency department personnel (Fernandez et al). 2006;48:S96 (Research Forum abstracts)
Child restraint law: ED attendees report high levels of knowledge and compliance (Wiand et al). 2006;48:S94–S95 (Research Forum abstracts)
English as a second language: caregivers' perceptions and management of febrile infants (Baumann et al). 2006;48:S123 (Research Forum abstracts)
Knowledge and attitudes of out-of-hospital emergency care consumers in the city of Santo Domingo, Dominican Republic (Baez et al). 2006;48:S79 (Research Forum abstracts)

Health manpower
Emergency medicine workforce (American College of Emergency Physicians). 2006;48: 510 (Policy statement)

Health personnel
Development of a model lay-person ambulance service in rural Jamaica (Levy et al). 2006;48: S70 (Research Forum abstracts)
Disparities in health care provider self-report and practice in the assessment and management of elevated blood pressure in emergency department patients (Baumann et al). 2006;48:S30 (Research Forum abstracts)

Health plan implementation
The birth of the NETT: NIH-funded network will launch emergency neurological trials (Cearnal). 2006;48:726–8 (News and Perspective)

Health planning
Computer model for the planning of emergency medical management during spaceflight (Summers and Coleman). 2006;48:S87–S88 (Research Forum abstracts)

Health policy
Ambulance diversion: economic and policy considerations (Williams). 2006;48:711–12 (Editorial)
Breaking point: report calls for congressional rescue of hospital emergency departments (Berger). 2006;48:140–2 (News and Perspective)
Defining the future of emergency care (Kellermann). 2006;48:135–7 (Editorial)
Frequent emergency department visitors: the end of inappropriateness (Bernstein). 2006;48: 18–20 (Editorial)
Geriatrics and the IOM: did report forget the elderly? (Berger). 2006;48:723–5 (News and Perspective)
Hospital-based emergency care: a future without boarding? (Aspilin). 2006;48:121–5 (Editorial)
IOM emergency care reports release (McKenna). 2006;48:138–40 (News and Perspective)
The National EMS scope of practice model (National Highway Traffic Safety Administration). 2006;48:212 (NHTSA Notes)

Health promotion
A multi-faceted community-based educational program promotes cardiovascular health in women: 5 year analysis (Safdar et al). 2006;48: S112–S113 (Research Forum abstracts)

Health resources
Matching trauma team response to need in a level 1 trauma system (Norton et al). 2006;48: S84 (Research Forum abstracts)
A novel civilian-military partnership in emergency medical services during a prolonged disaster: patient characteristics, resource utilization, and future recommendations (Avegno et al). 2006;48:S52 (Research Forum abstracts)

Health services accessibility
Emergency department hyperutilization (Shiber et al). 2006;48:S33 (Research Forum abstracts)
EMTALA and on-call responsibility for emergency department patients (American College of Emergency Physicians). 2006;48: 486–7 (Policy statement)
An evaluation of motives to access of care characteristics in minor illness patients seeking care in a level 1 urban emergency department (Villarin et al). 2006;48:S107–S108 (Research Forum abstracts)
Factors that correlated with patients leaving an emergency department without being seen (Bolton et al). 2006;48:S108 (Research Forum abstracts)
Hospital admission rate for chest pain: are racial differences due to bias or disease characteristics? (Fitch et al). 2006;48:S44 (Research Forum abstracts)
Impact of recidivism on emergency department patient volume (Milzman et al). 2006;48:S93 (Research Forum abstracts)
Knowledge and attitudes of out-of-hospital emergency care consumers in the city of Santo Domingo, Dominican Republic (Baez et al). 2006;48:S79 (Research Forum abstracts)
A novel approach to increasing emergency department capacity during times of peak volume (Baumann and Strout). 2006;48:S108–S109 (Research Forum abstracts)
One stop health care shopping? The rise of "McClinics" and their impact on emergency care (Flynn). 2006;48:566–9 (News and Perspective)
Patients who leave without being seen: their characteristics and history of emergency department use (Ding et al). 2006;48:686–93
A profile of US emergency departments in 2001 (Sullivan et al). 2006;48:694–701
Trends in elderly ED visits 1993-2003: what does the future hold? (Roberts and McKay). 2006;48:S72 (Research Forum abstracts)
Young adults: a unique ED patient population? (Miloslavsky et al). 2006;48:S69–S70 (Research Forum abstracts)

Health services misuse
Over-utilization of diagnostic tools on daily surge days in the emergency department (Davis et al). 2006;48:S92 (Research Forum abstracts)

Health services needs and demand
Current status of US emergency departments (Camargo et al). 2006;48:S116 (Research Forum abstracts)
Does Medicaid disenrollment correlate with increased emergency department utilization among the uninsured? (Heavrin et al). 2006; 48:S115–S116 (Research Forum abstracts)
Emergency medicine medical student clerkships: do the patients that students see adequately parallel national trends in emergency department utilization? (Bitner et al). 2006;48: S114 (Research Forum abstracts)
Hospital surge capacity: if you can't always get what you want, can you get what you need? (Schull). 2006;48:389–90 (Editorial)

Health status
Long-term global health deficits: yet another adverse outcome from motor vehicle crashes (Newgard). 2006;48:737–8 (Editorial)
A population-based cohort study of longer-term changes in health of car drivers involved in serious crashes (Ameratunga et al). 2006;48: 729–36
Positive outcomes from an immediate and ongoing intervention for children who witness IPV (intimate partner violence) (Ernst et al). 2006;48:S57–S58 (Research Forum abstracts)

Health surveys
Real time documentation of reasons for delay to ED presentation after acute ischemic stroke (Vaidyanathan et al). 2006;48:S117–S118 (Research Forum abstracts)

Why do people come to the emergency department with colds? Survey results of otherwise healthy subjects (Kini et al). 2006; 48:S77 (Research Forum abstracts)

Heart arrest

Environmental factors influencing intubation failure in out-of-hospital adult cardiac arrest patients (Garza et al). 2006;48:S69 (Research Forum abstracts)

An exploratory analysis to assess the potential role for non-invasive monitoring of cerebral oxygenation in cardiac arrest (Compton et al). 2006;48:S97 (Research Forum abstracts)

Hypothermia versus normothermia after out-of-hospital cardiac arrest: survival to discharge and neurologic outcomes (Truong et al). 2006;48: S11 (Research Forum abstracts)

Is the serum level of S-100B protein able to predict the immediate result and 1-month neurological outcome for the patient with cardiac arrest? (Ahn et al). 2006;48:S98 (Research Forum abstracts)

Prediction of poor outcome in coma patients resuscitated from cardiac arrest due to submersion (Woo). 2006;48:S99 (Research Forum abstracts)

Prehospital intubation is associated with increased mortality in primary cardiac arrest patients with ventricular fibrillation (Garza et al). 2006;48:S91 (Research Forum abstracts)

Response to: Out-of-hospital pediatric cardiac arrest: an epidemiologic review and assessment of current knowledge (Hickey). 2006;48:219 (Correspondence)

The resuscitation outcomes and clinical characteristics of non-traumatic out-of-hospital geriatric cardiac arrest (Kim). 2006;48:S73 (Research Forum abstracts)

Traumatic cardiac arrest: who are the survivors? (Lockey et al). 2006;48:240–4 (Brief research report)

Vasopressin or epinephrine for out-of-hospital cardiac arrest (Wyer et al). 2006;48:86–97 (Evidence–based emergency medicine)

Heart diseases. *See also* Coronary disease

Emergency department management of pediatric patients with cyanotic heart disease and fever (Tibbles et al). 2006;48:S124–S125 (Research Forum abstracts)

Patients' pain and estimate of their risk for cardiac disease do not predict preferences for cardiac tests and procedures (Takakuwa et al). 2006;48:S28 (Research Forum abstracts)

The relationship between rapid ECU troponin-I and cardiac outcome (Chang et al). 2006;48: S46 (Research Forum abstracts)

Heart failure, congestive

Amino-terminal pro-brain natriuretic peptide for the diagnosis of acute heart failure in patients with previous obstructive airway disease (Tung et al). 2006;48:66–74

Brain natriuretic peptide (BNP) measurement in the emergency department: does having a BNP test predict MD diagnosis of CHF in elderly patients with undifferentiated dyspnea? (Schears et al). 2006;48:S112 (Research Forum abstracts)

Bronchodilator therapy in ADHF patients without a history of COPD (Singer et al). 2006;48:S10 (Research Forum abstracts)

Circadian pattern of visits for congestive heart failure to emergency departments as a function of gender and age (Eskin et al). 2006;48:S113 (Research Forum abstracts)

A clinical prediction rule for an emergency department diagnosis of acute decompensated heart failure (Lindsell et al). 2006;48:S88 (Research Forum abstracts)

Cost-effectiveness analysis of emergency department disposition decisions in non-high risk heart failure patients (Collins et al). 2006; 48:S78–S79 (Research Forum abstracts)

Endotracheal intubation in patients being treated for acute decompensated heart failure: a predictive model (Levy et al). 2006;48:S6 (Research Forum abstracts)

Prognostic implications of a normal coronary angiogram (McMullan et al). 2006;48:S45 (Research Forum abstracts)

A prospective, open label comparison trial of high-dose intravenous nitroglycerin versus nesiritide for the treatment of acute decompensated heart failure (Levy et al). 2006; 48:S30–S31 (Research Forum abstracts)

Repolarization alternans as a novel mechanism of calcium-mediated arrhythmogenesis in heart failure (Wilson et al). 2006;48:S12 (Research Forum abstracts)

Heart rate

High fidelity simulations can evoke strong physical and emotional stress responses, but participants want more (Vozenilek et al). 2006; 48:S114 (Research Forum abstracts)

RSD1235 effectively converts acute atrial fibrillation to sinus rhythm independent of background use of oral rate- or rhythm-control medications (Stiell et al). 2006;48:S46–S47 (Research Forum abstracts)

Heart sounds

Automated cardiac gallop detection and stress testing in low risk ED chest pain patients (Hiestand). 2006;48:S44–S45 (Research Forum abstracts)

The utility of electronically recorded S3 and S4 gallops to predict cardiac events in emergency department patients with chest pain (Miller et al). 2006;48:S46 (Research Forum abstracts)

Heat

Is urine dipstick a reliable screening tool for rhabdomyolysis in the suspected heat injury patient? (Young et al). 2006;48:S90 (Research Forum abstracts)

Helical computed tomography. *See* Tomography, spiral computed

Helmet. *See* Head protective devices

Hemodynamic processes

Ascent to altitude in a hypobaric chamber does not consistently affect serum d-dimer levels (Nordenholz and Heard). 2006:48:S111 (Research Forum abstracts)

Myocardial and hemodynamic abnormalities in patients with acute stroke and transient ischemic attacks (Wira III et al). 2006;48:S20–S21 (Research Forum abstracts)

Hemoglobins

Polyheme and the ethics of informed consent (McKenna). 2006;48:563–6 (News and Perspective)

Hemolysis

Analysis of glomerular filtration rate, creatinine and factors associated with persistent hyperkalemia in emergency department patients with hemolysis-associated hyperkalemia (Hinfey et al). 2006;48:S110–S111 (Research Forum abstracts)

Hyperkalemia from hemolyzed specimens: must they be repeated? (Nguyen et al). 2006;48: S110 (Research Forum abstracts)

Hemopneumopericardium

Hemopneumopericardium (Germann). 2006; 48:149, 160 (Images in Emergency Medicine)

Heparin

Heparin reverses anaphylactoid shock in a porcine model (Heflin et al). 2006;48:190–3 (Brief research report)

Hepatitis

The usefulness of contrast-enhanced abdominal computed tomography for patients with suspected Fitz-Hugh-Curtis syndrome (Oh et al). 2006;48:S89 (Research Forum abstracts)

Heroin

A five-year review of the medical outcome of heroin body stuffers (Jordan et al). 2006;48: S81 (Research Forum abstracts)

Hip fractures

Pain assessment and management of hip fractures in the emergency department (Akhtar et al). 2006;48:S60–S61 (Research Forum abstracts)

Hirudins

Early, upstream, and consistent antithrombotic therapy in high risk non-ST-elevation ACS: should bivalirudin be initiated in the ED prior to coronary angiography? (Hoekstra et al). 2006;48:S30 (Research Forum abstracts)

Hispanic Americans

Intimate partner violence related suicidality is lower in Hispanic emergency department patients than NonHispanics (Larkin and Anglin). 2006;48:S22 (Research Forum abstracts)

Histamine H2 antagonists

Should proton pump inhibitors be used for acute peptic ulcer bleeding? (Eskin and Readie). 2006;48:624–6 (Systematic review abstracts)

HIV infections

An educational HIV pretest counseling video program for off-hours testing in the emergency department (Calderon et al). 2006;48:21–27, 21.e1–21.e8

Home care services, hospital-based

Home hospitalization unit: an alternative to standard inpatient hospitalization from the emergency department (Salazar et al). 2006;48: S65 (Research Forum abstracts)

Hospital bed capacity

Annual bed statistics give a misleading picture of hospital surge capacity (DeLia). 2006;48:384–8 (Brief research report)

Emergency care outside of the ED: creative utilization of open bed space (Powell et al). 2006;48:S24–S25 (Research Forum abstracts)

Hospital surge capacity: if you can't always get what you want, can you get what you need? (Schull). 2006;48:389–90 (Editorial)

Implementation of the full capacity protocol to relieve crowding in the emergency department: who is eligible? (Viccellio et al). 2006;48:S116 (Research Forum abstracts)

A novel approach to increasing emergency department capacity during times of peak volume (Baumann and Strout). 2006;48:S108–S109 (Research Forum abstracts)

A predictable weekly pattern in admitted patients awaiting beds in the ED and correlation with elective admissions (Drescher et al). 2006;48:S107 (Research Forum abstracts)
Should you close your waiting room? An operational solution to ED overcrowding (Gisondi et al). 2006;48:S109 (Research Forum abstracts)
Volume and outcome: the more patients the better? (Chase and Hollander). 2006;48:657–9 (Editorial)

Hospital costs
Sub-acute/transition care and the acute care episode: a comparison of episodic and annual medical costs in a geriatric population (Gunnarson et al). 2006;48:S72 (Research Forum abstracts)

Hospitalization
Home hospitalization unit: an alternative to standard inpatient hospitalization from the emergency department (Salazar et al). 2006;48:S65 (Research Forum abstracts)
Hospital-based emergency care: a future without boarding? (Aspilin). 2006;48:121–5 (Editorial)
Hospitalization for caffeine abuse is associated with concomitant abuse of other pharmaceutical products (McCarthy et al). 2006;48:S101 (Research Forum abstracts)
Identifying hospitalized infants who have bronchiolitis and are at high risk for apnea (Willwerth et al). 2006;48:441–7
Is prehospital GCS alone adequate to determine need for a trauma center? (Isaak et al). 2006;48:S53–S54 (Research Forum abstracts)

Hospital records
Discrepancies between the prehospital and hospital record: what is the value of the trip sheet? (Meisel et al). 2006;48:S71 (Research Forum abstracts)
Using emergency department records to enhance bicycle injury surveillance in New Mexico (LaValley et al). 2006;48:S58 (Research Forum abstracts)

Hospitals, military
Combat airway management: the REACH Study (Registry of emergency airways arriving at combat hospitals) (Adams et al). 2006;48:S26–S27 (Research Forum abstracts)

Hospitals, special
Too posh for the public: are physician-owned specialty hospitals a drain on emergency care? (Millard). 2006;48:62–5 (News and Perspective)
Too posh for the public: are physician-owned hospitals a drain on emergency care? (Part II) (Millard). 2006;48:144–8 (News and Perspective)

Hostility
A quantitative assessment of the presence of hostility, anger, depression, social support, hazardous alcohol use and comorbidity in the adult trauma population (Hormozdi et al). 2006;48:S83 (Research Forum abstracts)

Hydromorphone
Safety and efficacy of hydromorphone as an analgesic alternative to morphine in acute pain: a randomized clinical trial (Chang et al). 2006;48:164–72

Hydroxocobalamin
Hemodynamic effects of hydroxocobalamin in healthy volunteers (Uhl et al). 2006;48:S100–S101 (Research Forum abstracts)
Safety of hydroxocobalamin use in the prehospital setting as an antidote for smoke inhalation-associated cyanide poisoning (Baud and Boron). 2006;48:S55 (Research Forum abstracts)

Hydroxyindoleacetic acid
A prospective clinical trial evaluating urinary 5-hydroxyindoleacetic acid (5HIAA) levels in the diagnosis of acute appendicitis (Hernandez et al). 2006;48:S47–S48 (Research Forum abstracts)

Hygiene
Respiratory hygiene in the emergency department (Rothman et al). 2006;48:570–82 (Concepts)

Hyperbaric oxygenation
Foreign literature contribution to hyperbaric oxygen therapy for acute ischemic stroke: systematic review (Vasquez et al). 2006;48:S119 (Research Forum abstracts)
Treatment of severe carbon monoxide poisoning using a portable hyperbaric oxygen chamber (Lueken et al). 2006;48:319–22 (Case report)

Hyperglycemia
Hyperglycemia and acute ischemic stroke: worse outcomes in patients with no prior history of diabetes mellitus (Gilmore and Stead). 2006;48:S119–S120 (Research Forum abstracts)
The prevalence of hyperglycemia in non diabetic emergency department patients (Campagna et al). 2006;48:S78 (Research Forum abstracts)

Hyperglycemic hyperosmolar nonketotic coma
Nonketotic hyperglycemic coma in toddlers after unintentional methadone ingestion (Tiras et al). 2006;48:448–51 (Case report)

Hyperkalemia
Analysis of glomerular filtration rate, creatinine and factors associated with persistent hyperkalemia in emergency department patients with hemolysis-associated hyperkalemia (Hinfey et al). 2006;48:S110–S111 (Research Forum abstracts)
Hyperkalemia from hemolyzed specimens: must they be repeated? (Nguyen et al). 2006;48:S110 (Research Forum abstracts)

Hypertension
A comparative study on the effectiveness of sublingual clonidine versus oral clonidine in the management of hypertensive urgencies (Gloria and Lazo). 2006;48:S113 (Research Forum abstracts)
Disparities in health care provider self-report and practice in the assessment and management of elevated blood pressure in emergency department patients (Baumann et al). 2006;48:S30 (Research Forum abstracts)

Hypnotics and sedatives
A novel route of sedative administration in the management of acute undifferentiated agitation in the emergency department (Martel and Gray). 2006;48:S125 (Research Forum abstracts)

Hypoalbuminemia
Hypoalbuminemia and elevated ischemia modified albumin (IMA) in stroke and non-traumatic brain hemorrhage (Bentancur et al). 2006;48:S68 (Research Forum abstracts)

Hypothermia
Hypothermia versus normothermia after out-of-hospital cardiac arrest: survival to discharge and neurologic outcomes (Truong et al). 2006;48:S11 (Research Forum abstracts)
The prognostic value of early EEG after therapeutic hypothermia (Medado et al). 2006;48:S119 (Research Forum abstracts)

I

Iatrogenic disease
Abnormal head computed tomography after iatrogenic post-myelogram bacterial meningitis (Smith and Truwit). 2006;48:17, 20 (Images in Emergency Medicine)

Ibuprofen
Randomized controlled noninferiority trial to compare extended release acetaminophen and ibuprofen for the treatment of ankle sprains (Dalton and Schweinle). 2006;48:615–23

Immersion
Prediction of poor outcome in coma patients resuscitated from cardiac arrest due to submersion (Woo). 2006;48:S99 (Research Forum abstracts)

Immobilization
Effects of spinal immobilization on patients over age 65 (Dailey et al). 2006;48:S73 (Research Forum abstracts)
The evidence for spinal immobilization: an estimate of the magnitude of the treatment benefit (Sundheim and Cruz); Reply (Báez). 2006;48:217–19 (Correspondence)
Validity of clinical spine clearance criteria for selective out-of-hospital spine immobilization (Kim et al). 2006;48:S70 (Research Forum abstracts)

Immunoassay
Comparison of point-of-care and laboratory d-dimer immunoassays in emergency department patients with suspected pulmonary embolus (Giraldez et al). 2006;48:S90 (Research Forum abstracts)

Immunocompetence
Positive cerebrospinal fluid cultures in immunocompetent emergency department patients with normal cell counts and gram stains are all contaminants (Boysen et al). 2006;48:S18–S19 (Research Forum abstracts)

Immunoglobulin fragments
Crotaline snakebite management with fab antivenom in pediatric patients (Stanford et al). 2006;48:S94 (Research Forum abstracts)
Treatment of copperhead envenomation in children (Rowden et al). 2006;48:S101 (Research Forum abstracts)

Infant
Apnea complicating RSV infection in infancy (Arms et al). 2006;48:S95 (Research Forum abstracts)
The clinical diagnosis of infantile pneumonia (Frederick). 2006;48:627–30 (Rational clinical examination abstract)
Determining the incidence of urinary tract infections in infants and children aged 4 months to 6 years with febrile diarrhea (Nibhanipudi et al). 2006;48:S123 (Research Forum abstracts)
Do infants positive for RSV need further extrapulmonary search for serious bacterial infection? (Guzman et al). 2006;48:S62 (Research Forum abstracts)
English as a second language: caregivers' perceptions and management of febrile infants (Baumann et al). 2006;48:S123 (Research Forum abstracts)

Exploratory buprenorphine ingestion in infant (Cho et al). 2006;48:109 (Correspondence)
Identifying hospitalized infants who have bronchiolitis and are at high risk for apnea (Willwerth et al). 2006;48:441–7
Prevalence of *Bordetella pertussis* and *Bordetella parapertussis* among infants and toddlers with bronchiolitis (Walsh et al). 2006;48:S124 (Research Forum abstracts)
Urinalysis is not reliable to detect a urinary tract infection (UTI) in febrile infants presenting to the emergency department (Jones et al). 2006; 48:S61 (Research Forum abstracts)

Infant equipment
Emergency department screening for improper child safety restraint use—parent confidence versus practice (Murdock et al). 2006;48:S56 (Research Forum abstracts)

Infarction, middle cerebral artery
Insular involvement in acute middle cerebral artery stroke patients presenting to the emergency department as a window to stroke severity, stroke subtype, functional outcome and survival (Bhagra et al). 2006;48:S21 (Research Forum abstracts)

Infection control
Respiratory hygiene in the emergency department (Rothman et al). 2006;48:570–82 (Concepts)

Inflammation
The association of early lactate clearance with inflammatory biomarkers in severe sepsis and septic shock (Otero et al). 2006;48:S36 (Research Forum abstracts)

Influenza
Attitudes and practices regarding influenza vaccination among emergency department personnel (Fernandez et al). 2006;48:S96 (Research Forum abstracts)
Reduction in the risk of pneumonia following oseltamivir use for influenza among pediatric patients (Barr et al). 2006;48:S37–S38 (Research Forum abstracts)

Influenza A virus, H5N1 subtype
Anatomy of a pandemic: emergency departments woefully unprepared for bird flu outbreak (McKenna). 2006;48:312–14 (News and Perspective)

Information services
Approaches to patient health information exchange and their impact on emergency medicine (Shapiro et al). 2006;48:426–32 (Concepts)

Information systems
Internet usage and aptitude in utilizers of urban and suburban emergency departments (Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)
Regional health information exchange: surveying emergency physician attitudes and data requirements (Gathers et al). 2006;48:S39 (Research Forum abstracts)

Informed consent
Attitudes toward waiver of consent studies (Triner et al). 2006;48:S42–S43 (Research Forum abstracts)
Bias introduced by the informed consent process on pulmonary embolism prevalence (Mitchell and Kline). 2006;48:S42 (Research Forum abstracts)
Polyheme and the ethics of informed consent (McKenna). 2006;48:563–6 (News and Perspective)
Research overdue on subterfuge versus forced treatment in psychiatric emergencies (Colorado and Nath); Reply (Montauk et al). 2006;48: 479–80 (Correspondence)

Infrared rays
Infrared thermography of facial skin temperatures compared with oral thermometry: a device for syndromic surveillance by remote detection (Varney et al). 2006;48:S95 (Research Forum abstracts)

Institute of Medicine (U.S.)
Specialty prepares for *The Future of Emergency Care in the United States Health System:* IOM report release anticipated (Berger). 2006;48: 60–1 (News and Perspective)

Insulin
Insulin or IGF-1 blocks cytochrome c release from mitochondria following global brain ischemia (Kumar et al). 2006;48:S82 (Research Forum abstracts)

Insulin-like growth factor I
Insulin or IGF-1 blocks cytochrome c release from mitochondria following global brain ischemia (Kumar et al). 2006;48:S82 (Research Forum abstracts)

Insurance, health
Emergency department discharge without a safety net: does having insurance make a difference with follow-up care? (Bascom et al). 2006;48:S96 (Research Forum abstracts)
Frequent emergency department visitors: the end of inappropriateness (Bernstein). 2006;48: 18–20 (Editorial)
Frequent users of Massachusetts Emergency Departments: a statewide analysis (Fuda and Immekus). 2006;48:9–16, 9.e1–9.e16

Insurance, health, reimbursement
Declining reimbursements for ED visits across payor groups from 1996-2003 (Hsia et al). 2006;48:S117 (Research Forum abstracts)

Insurance benefits
Assignment of benefits (American College of Emergency Physicians). 2006;48:484 (Policy statement)

Intensive care unit
Sepsis risk factors predictive of mortality in ICU transfers within 72 hours of ED admission (D'Amore et al). 2006;48:S37 (Research Forum abstracts)

Inter-alpha-inhibitor. *See* Alpha-globulins

Interleukin-6
The relationship between admission interleukin-6 levels and blood glucose levels in patients presenting with sepsis (Martinez et al). 2006; 48:S35–S36 (Research Forum abstracts)

Internal medicine
12-lead electrocardiogram interpretation skills of senior medical students entering emergency medicine, family practice, and internal medicine residency training programs (Wald et al). 2006;48:S31 (Research Forum abstracts)

International normalized ratio
The prevalence of nontherapeutic and dangerous international normalized ratios among patients receiving warfarin in the emergency department (Newman and Zhitomirsky). 2006;48:182–9, 182.e1–e9

Internet
The Internet tracking registry of acute coronary syndromes (i*trACS): a multicenter registry of patients with suspicion of acute coronary syndromes reported using the standardized reporting guidelines for emergency department chest pain studies (Lindsell et al). 2006;48: 666–77, 666.e1–e45
Internet usage and aptitude in utilizers of urban and suburban emergency departments (Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)

Internship and residency
Applicants report that their rankings of EM programs are most driven by wellness, morale, happiness and rapport (Lovett et al). 2006;48: S113–S114 (Research Forum abstracts)
Dental emergencies: resident training with "hands-on" instruction (Yarde et al). 2006;48: S114 (Research Forum abstracts)
Documentation and coding skills: is there adequate training in emergency medicine residency? (Ardolic et al). 2006;48:S108 (Research Forum abstracts)
Effectiveness of a multi-format approach to teaching emergency medicine residents early goal-directed therapy (Baez et al). 2006;48:S13 (Research Forum abstracts)
The emergency medicine in-service training examination predicts resident clinical competence (Breyer et al). 2006;48:S114–S115 (Research Forum abstracts)
Implementation of an electronic medical record in an academic emergency department: the "learning curve" for rotating interns has no effect on patient length of stay (Rubio et al). 2006;48:S39 (Research Forum abstracts)
The learning curve of emergency medicine residents learning to perform limited biliary sonography (Jang et al). 2006;48:S33 (Research Forum abstracts)
The learning curve of emergency medicine residents learning to perform limited obstetric sonography (Jang et al). 2006;48:S105 (Research Forum abstracts)
Modafinil and zolpidem use among emergency medicine residents (McBeth et al). 2006;48: S32–S33 (Research Forum abstracts)
Substance use in emergency medicine training programs (McBeth et al). 2006;48:S32 (Research Forum abstracts)
Terrorism: would emergency physicians be able to recognize terrorism syndromes? (Lester et al). 2006;48:S51 (Research Forum abstracts)

Intestinal obstruction
Factors associated with delays in patient care for small bowel obstruction (Hwang and Bickell). 2006;48:S35 (Research Forum abstracts)

Intracranial hemorrhages
Hypoalbuminemia and elevated ischemia modified albumin (IMA) in stroke and non-traumatic brain hemorrhage (Bentancur et al). 2006;48:S68 (Research Forum abstracts)
Incidence of intracranial hemorrhages meeting criteria for activated factor VII (Kolb et al). 2006;48:S19 (Research Forum abstracts)

Intracranial pressure
The use of emergency department bedside ultrasound to determine the correlation between increased intracranial pressure and the optic nerve sheath diameter (Larson et al). 2006;48:S106 (Research Forum abstracts)

Intraocular pressure
Effect of removal of both soft and hard contacts on ocular pressures as measured by applanation tonometry (Barbara and Hsu). 2006;48:S67 (Research Forum abstracts)

Intubation
A novel wrist splint device reduces dental pressure during intubation (Julian et al). 2006; 48:S15 (Research Forum abstracts)
The preferred modifications and relative success rates after first attempt at intubation among emergency physicians (Shah et al). 2006;48:S6 (Research Forum abstracts)
Intubation, intratracheal
Airway control using a standard laryngoscope blade vs. lens assisted blade: a survey of physician performance and preference (Quash et al). 2006;48:S7 (Research Forum abstracts)
Blood pressure variations after rapid sequence intubation using etomidate in emergency department trauma patients (Yealy et al). 2006; 48:S83 (Research Forum abstracts)
Combat airway management: the REACH Study (Registry of emergency airways arriving at combat hospitals) (Adams et al). 2006;48: S26–S27 (Research Forum abstracts)
A comparison of endotracheal intubation success rates between providers of a metropolitan air medical transport service (Lairet et al). 2006; 48:S7 (Research Forum abstracts)
Comparison of two common techniques for inflating endotracheal tube cuffs: set volume of air vs. palpation of the pilot balloon (Hoffman et al). 2006;48:S27 (Research Forum abstracts)
Do endotracheal tube cuff pressure and volume have a linear or nonlinear relationship? (Hoffman et al). 2006;48:S27 (Research Forum abstracts)
Endotracheal intubation in patients being treated for acute decompensated heart failure: a predictive model (Levy et al). 2006;48:S6 (Research Forum abstracts)
Endotracheal intubation with a handheld videoscope: a prospective study for combat and prehospital medical care (Dooley et al). 2006; 48:S26 (Research Forum abstracts)
Environmental factors influencing intubation failure in out-of-hospital adult cardiac arrest patients (Garza et al). 2006;48:S69 (Research Forum abstracts)
High endotracheal tube cuff pressure is typical in endotracheally intubated emergency department patients (Hoffman et al). 2006;48: S58 (Research Forum abstracts)
Histopathologic effect of endotracheal drug administration on porcine lung tissue (Mencl et al). 2006;48:S97–S98 (Research Forum abstracts)
The impact of the gum elastic bougie on emergency department cricothyrotomy rate (Greene and Bair). 2006;48:S28 (Research Forum abstracts)
Is the Mallampati assessment feasible in the emergency department? (Caravelli and Bair). 2006;48:S7–S8 (Research Forum abstracts)
Pediatric digital intubation: should every clinician have this technique in their bag of airway tricks? (Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)
Prehospital intubation is associated with increased mortality in primary cardiac arrest patients with ventricular fibrillation (Garza et al). 2006;48:S91 (Research Forum abstracts)
Ipratropium
Beneficial effect of warmed humidified oxygen with combination of nebulised albuterol and ipratropium in pediatric patients with acute bronchial asthma in winter months (Nibhanipudi). 2006;48:S8 (Research Forum abstracts)
Irrigation
Does irrigation with bacitracin-infused saline decrease infection rates in high-risk wounds? (Pethe et al). 2006;48:S103 (Research Forum abstracts)
Ischemia
Can the emergency department vitals predict the risk of subsequent cerebrovascular events following an acute ischemic stroke? (Bellolio et al). 2006;48:S19–S20 (Research Forum abstracts)
Clot removal devices in acute ischemic stroke: a systematic review and meta-analysis (Stead and Gilmore). 2006;48:S21–S22 (Research Forum abstracts)
Does a 90 minute enzyme set increase the yield for detecting cardiac ischemia? (D'Amore et al). 2006;48:S112 (Research Forum abstracts)
Hypoalbuminemia and elevated ischemia modified albumin (IMA) in stroke and non-traumatic brain hemorrhage (Bentancur et al). 2006;48:S68 (Research Forum abstracts)
Ischemia-reperfusion injury. *See* Reperfusion injury
Ischemic attack, transient
Are emergency physicians missing the diagnosis? (Shah et al). 2006;48:S41 (Research Forum abstracts)
High-sensitivity C-reactive protein in patients presenting to the emergency department with a transient ischemic attack: can it predict further ischemic events? (Lee and Panagos). 2006;48: S41 (Research Forum abstracts)
Myocardial and hemodynamic abnormalities in patients with acute stroke and transient ischemic attacks (Wira III et al). 2006;48:S20–S21 (Research Forum abstracts)
Rapid assessment of transient ischemic attack etiology (RATE) (LaMonte et al). 2006:48:S40 (Research Forum abstracts)
Validation of Johnson criteria for transient ischemic attack (Ross et al). 2006;48:S118 (Research Forum abstracts)
Islam
An end to the Yom Kippur (and Ramadan) headache: a double blind placebo controlled trial of prophylactic rofecoxib in preventing ritual fasting headache (Drescher and Elstein). 2006;48:S77–S78 (Research Forum abstracts)

J

Journalism, medical
A descriptive analysis of authorship within medical journals, 1995-2005 (Miller et al). 2006;48:S43 (Research Forum abstracts)
Judaism
An end to the Yom Kippur (and Ramadan) headache: a double blind placebo controlled trial of prophylactic rofecoxib in preventing ritual fasting headache (Drescher and Elstein). 2006;48:S77–S78 (Research Forum abstracts)
Jugular veins
Real-time ultrasonographically-guided internal jugular vein catheterization in the emergency department increases success rates and reduces complications: a randomized, prospective study (Leung et al). 2006;48:540–7
Ultrasonographic guidance for internal jugular vein cannulation: an educational imperative, a desirable practice alternative (Sabbaj and Hedges). 2006;48:548–50 (Editorial)
Jurisprudence
Epidemiology and etiology of malpractice lawsuits in Republic of Korea emergency departments and urgent care centers (Park). 2006;48:S115 (Research Forum abstracts)
Impact of state booster seat belt law on compliance in pediatric traffic crash victims (Ramanujam et al). 2006;48:S56 (Research Forum abstracts)

K

Karate. *See* Martial arts
Ketamine
A randomized, controlled trial of IV versus IM ketamine for sedation of pediatric patients receiving emergency department orthopedic procedures (Roback et al). 2006; 48:605–12
Should I give ketamine IV or IM? (Green and Krauss). 2006;48:613–14 (Editorial)
Ketorolac
Intravenous morphine plus ketorolac is superior to either drug alone for treatment of acute renal colic (Safdar et al). 2006;48:173–81, 173.e1–e10
Kidney calculi
Urine cultures in emergency department patients with renal stones (Dorfman et al). 2006;48:S68–S69 (Research Forum abstracts)
Kidney diseases
Incidence and impact of renal dysfunction and acute coronary syndrome in chest pain observation unit patients (Chandra et al). 2006;48:S10 (Research Forum abstracts)
Intravenous morphine plus ketorolac is superior to either drug alone for treatment of acute renal colic (Safdar et al). 2006;48:173–81, 173.e1–e10
Knee dislocation
Dislocated proximal tibio-fibular joint (Fatovich and Song). 2006;48:759, 765 (Images in Emergency Medicine)
Korea
Epidemiology and etiology of malpractice lawsuits in Republic of Korea emergency departments and urgent care centers (Park). 2006;48:S115 (Research Forum abstracts)

L

Laboratory techniques and procedures
Clinical assessment of acute cholecystitis in adults (Roe). 2006;48:101–3 (Rational clinical examination abstract)
Use of focused assessment with sonography for trauma with ancillary laboratory tests to exclude intra-abdominal injuries (Keith et al). 2006;48:S87 (Research Forum abstracts)
Lactic acid
The association of early lactate clearance with inflammatory biomarkers in severe sepsis and septic shock (Otero et al). 2006;48:S36 (Research Forum abstracts)
Plasma lactate concentrations correlate with physiological responses in cyanide poisoning but not other types of acute poisoning (Baud et al). 2006;48:S54–S55 (Research Forum abstracts)

Validation of point-of-care fingertip lactate measurement in the emergency department (Goyal et al). 2006;48:S2 (Research Forum abstracts)

Lactones
An end to the Yom Kippur (and Ramadan) headache: a double blind placebo controlled trial of prophylactic rofecoxib in preventing ritual fasting headache (Drescher and Elstein). 2006;48:S77–S78 (Research Forum abstracts)

Laryngoscopes
Airway control using a standard laryngoscope blade vs. lens assisted blade: a survey of physician performance and preference (Quash et al). 2006;48:S7 (Research Forum abstracts)

Learning
The evolution of computer-based learning styles in medical education (McKeown et al). 2006; 48:S13 (Research Forum abstracts)

Length of stay
Antibiotics less than 4 hours did not improve survival or hospital length of stay for community-acquired pneumonia (Martin et al). 2006;48:S18 (Research Forum abstracts)
Effect of sign-outs on emergency department reimbursement (Weizberg et al). 2006;48:S63 (Research Forum abstracts)
The impact of delayed admissions held in the emergency department on wait time, patient care time and length of stay for other patients (Chan et al). 2006;48:S5 (Research Forum abstracts)
Implementation of an electronic medical record in an academic emergency department: the "learning curve" for rotating interns has no effect on patient length of stay (Rubio et al). 2006;48:S39 (Research Forum abstracts)
Prolonged emergency department length of stay is associated with worse guideline compliance and increased adverse events (Diercks et al). 2006;48:S29 (Research Forum abstracts)

Lenses
Airway control using a standard laryngoscope blade vs. lens assisted blade: a survey of physician performance and preference (Quash et al). 2006;48:S7 (Research Forum abstracts)

Leukemia
Lynn's leukemia (Paganussi). 2006;48:104 (Change of Shift)

Levalbuterol. *See* Albuterol

Licensure
The National EMS scope of practice model (National Highway Traffic Safety Administration). 2006;48:212 (NHTSA Notes)

Life support care
ATLS versus ETC: time for a decision (Kinross et al). 2006;48:761(Correspondence)

Liver function tests
Coma, metabolic acidosis and normal liver function in a child with a large serum acetaminophen level (Mendoza et al). 2006;48: 637 (Correspondence)

Louisiana
'Charity' suffers long: emergency medicine revives the spirit of centuries-old New Orleans institution (Flynn). 2006;48:309–11 (News and Perspective)

Low back pain
Clinical assessment of low back pain (Hipp and Sinert). 2006;47:283-5 (Rational clinical examination abstract). Correction. 2006;48: 612

Lower extremity
Diagnosis of lower limb deep venous thrombosis in emergency department patients: performance of Hamilton and modified Wells scores (Subramaniam et al). 2006;48:678–85

Lumbar puncture. *See* Spinal puncture

Lungs
Histopathologic effect of endotracheal drug administration on porcine lung tissue (Mencl et al). 2006;48:S97–S98 (Research Forum abstracts)

M

Magnetic resonance imaging
Acute clinical findings in pediatric mild head injury: do they correlate with magnetic resonance imaging abnormalities or post-concussive symptoms? (Gewirtz et al). 2006; 48:S63 (Research Forum abstracts)
Does emergency department serum troponin compare with the cerebral infarct volume on diffusion weighted MRI in patients with acute ischemic stroke? (Bhagra et al). 2006;48:S120 (Research Forum abstracts)

Malpractice
Epidemiology and etiology of malpractice lawsuits in Republic of Korea emergency departments and urgent care centers (Park). 2006;48:S115 (Research Forum abstracts)

Mammography
Building bridges: breast cancer prevention in emergency departments by connecting at-risk women to mammography (Bascom et al). 2006;48:S96–S97 (Research Forum abstracts)

Mandatory reporting
Are emergency physicians legally obligated to report alcohol-impaired drivers? (Ripper et al). 2006;48:S96 (Research Forum abstracts)

Manikins
High fidelity simulator vs. low fidelity manikin: a simulator did not improve scores on a multiple choice exam (Morgan and Hegarty). 2006;48:S32 (Research Forum abstracts)

Manometry
Effect of removal of both soft and hard contacts on ocular pressures as measured by applanation tonometry (Barbara and Hsu). 2006;48:S67 (Research Forum abstracts)

Martial arts
Head injury in sport karate (Wright et al). 2006; 48:S85 (Research Forum abstracts)

Masks
Modified N95 mask delivers high inspired oxygen concentrations while effectively filtering aerosolized microparticles (Mardimae et al). 2006;48:391–9

Mass behavior
Fire jumpers: the impact of a novel injury mechanism during a spontaneous mass gathering on an academic emergency department (Hawkins and Brice). 2006;48:S75 (Research Forum abstracts)
Mosh-concert-related injuries vs standard concert seating (Janchar et al). 2006;48:S76–S77 (Research Forum abstracts)

Mass media
Commentary: Morphing social norms through media messaging (Pribble). 2006;48:740–2 (NHTSA Notes commentary)
A social norms strategy to reduce impaired driving among 21- to 34-year-olds (National Highway Traffic Safety Administration). 2006; 48:739 (NHTSA Notes)

Mass screening
Does sex matter? Effect of gender in intimate partner violence screening (Gerlach et al). 2006;48:S22–S23 (Research Forum abstracts)
Medical screening of emergency department patients (American College of Emergency Physicians). 2006;48:510 (Policy statement)
Prevalence of *Bordetella* spp. infections in samples screened for respiratory syncytial virus (Walsh et al). 2006;48:S95 (Research Forum abstracts)

Mathematical model. *See* Models, theoretical

Median nerve
Feasibility of forearm ultrasonography-guided nerve blocks of the radial, ulnar, and median nerves for hand procedures in the emergency department (Liebmann et al). 2006;48:558–62 (Brief research report)

Medicaid
Does Medicaid disenrollment correlate with increased emergency department utilization among the uninsured? (Heavrin et al). 2006; 48:S115–S116 (Research Forum abstracts)

Medical education. *See* Education, medical

Medical errors
Disclosure of error (Geiderman). 2006;48:631–2 (Change of Shift)
Emergency physicians and disclosure of medical errors (Moskop et al). 2006;48:523–31 (Concepts)

Medical history taking
Clinical assessment of acute cholecystitis in adults (Roe). 2006;48:101–3 (Rational clinical examination abstract)
Discrepancies between the prehospital and hospital record: what is the value of the trip sheet? (Meisel et al). 2006;48:S71 (Research Forum abstracts)
History and physical examination findings alone are inadequate for identification of low-risk pediatric blunt trauma (Holland et al). 2006; 48:S62 (Research Forum abstracts)
History and physical exam variables as a predictor of important abdominal pathology in emergency department patients with undifferentiated abdominal pain (Lanigan et al). 2006;48:S67 (Research Forum abstracts)
Is N-acetylcysteine treatment based on initial history taking valid in acetaminophen overdose patients? (Kim et al). 2006;48:S100 (Research Forum abstracts)

Medically uninsured
Does Medicaid disenrollment correlate with increased emergency department utilization among the uninsured? (Heavrin et al). 2006; 48:S115–S116 (Research Forum abstracts)

Medical order entry systems
In a computerized physician order entry environment, is removing coagulation test availability from convenience order screens an effective method to adapt clinician behavior without causing clinical harm? (Satz et al). 2006;48:S38 (Research Forum abstracts)

Medical records
Discrepancies between the prehospital and hospital record: what is the value of the trip sheet? (Meisel et al). 2006;48:S71 (Research Forum abstracts)

Medical records systems, computerized-
Emergency department management of disaster situations with use of a radio frequency

identification microchip (Mandel et al). 2006; 48:S38 (Research Forum abstracts)
Implementation of an electronic medical record in an academic emergency department: the "learning curve" for rotating interns has no effect on patient length of stay (Rubio et al). 2006;48:S39 (Research Forum abstracts)
Regional health information exchange: surveying emergency physician attitudes and data requirements (Gathers et al). 2006;48:S39 (Research Forum abstracts)
Wireless computerized rapid triage in the field: how well does technology perform during mass casualty incidents and disaster events? (Killeen et al). 2006;48:S69 (Research Forum abstracts)

Medical staff, hospital
Emergency medicine workforce (American College of Emergency Physicians). 2006;48: 510 (Policy statement)

Medical staff privileges
Physician credentialing and delineation of clinical privileges in emergency medicine (American College of Emergency Physicians). 2006;48:511 (Policy statement)

Medication errors
A complete medication list obtained on admission does not reduce medication errors after hospital discharge (Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Medication duplication in patient presenting to the emergency department (Richman and Triner). 2006;48:S127–S128 (Research Forum abstracts)
Medication errors in the emergency department (Morgan et al). 2006;48:S38 (Research Forum abstracts)

Meningitis, bacterial
Abnormal head computed tomography after iatrogenic post-myelogram bacterial meningitis (Smith and Truwit). 2006;48:17, 20 (Images in Emergency Medicine)

Mental disorders
Validation of the triage algorithm for psychiatric screening (TAPS) tool in patients with psychiatric chief complaints (Miller et al). 2006;48:S125–S126 (Research Forum abstracts)

Mental health services
Improving the design of the assessment of emergency department patients at risk for self-harm (Gaddis). 2006;48:467–9 (Editorial)
Pediatric mental health emergencies in the emergency medical services system (American College of Emergency Physicians). 2006;48: 484–6 (Policy statement)
Research overdue on subterfuge versus forced treatment in psychiatric emergencies (Colorado and Nath); Reply (Montauk et al). 2006;48: 479–80 (Correspondence)
Survey of California emergency departments about practices for management of suicidal patients and resources available for their care (Baraff et al). 2006;48:452–8

Metals
Metallic foreign body removal with ultrasound guidance (Manson et al). 2006;48:S104–S105 (Research Forum abstracts)

Methadone
Nonketotic hyperglycemic coma in toddlers after unintentional methadone ingestion (Tiras et al). 2006;48:448–51 (Case report)

Methanol
Inhalation of methanol-containing products: a significant source of possible toxicity (Givens et al). 2006;48:S80–S81 (Research Forum abstracts)

Methicillin resistance
Prevalence and demographics of MRSA in culturable skin and soft tissue infections in an urban emergency department (Jacobus et al). 2006;48:S17 (Research Forum abstracts)
The prevalence of community-acquired methicillin-resistant *Staphylococcus aureus* in a northeast urban level 1 trauma center (Dalley et al). 2006;48:S17–S18 (Research Forum abstracts)
Variables associated with methicillin resistant *Staphylococcus aureus* in patients with skin and soft tissue infections admitted to an observation unit (Schrock et al). 2006;48:S18 (Research Forum abstracts)

Microscopy, phase-contrast
A study for diagnostic clue of pro-ARDS in the mice's lung induced by ischemia-reperfusion injuries by using phase-contrast x-ray microscopy (June et al). 2006;48:S16–S17 (Research Forum abstracts)

Midazolam
Etomidate versus midazolam for procedural sedation in pediatric outpatients: a randomized controlled trial (Liddo et al). 2006;48:433–40

Middle cerebral artery stroke. *See* Infarction, middle cerebral artery

Migraine disorders
Clinical predictors of migraine reoccurrence following emergency department visit (Fiesseler et al). 2006;48:S20 (Research Forum abstracts)
Evaluating the use and timing of opioids for the treatment of migraine headaches in the ED (Tornabene et al). 2006;48:S59–S60 (Research Forum abstracts)

Military medicine
The focused assessment of sonography for trauma (FAST) exam in a forward-deployed combat emergency department: a prospective observational study (Kolkebeck and Mehta). 2006;48:S87 (Research Forum abstracts)
A novel civilian-military partnership in emergency medical services during a prolonged disaster: patient characteristics, resource utilization, and future recommendations (Avegno et al). 2006;48: S52 (Research Forum abstracts)
United States Air Force critical care air transport teams in Operation Iraqi Freedom: a prospective study (Mason et al). 2006;48:S104 (Research Forum abstracts)

Military personnel
A survey of military personnel and civilians to assess individual preparedness for domestic terrorist attacks and natural disasters (Dagrosa et al). 2006;48:S50 (Research Forum abstracts)

Mitochondria
Insulin or IGF-1 blocks cytochrome c release from mitochondria following global brain ischemia (Kumar et al). 2006;48:S82 (Research Forum abstracts)

Modafinil. *See* Benzhydryl compounds

Models, animal
Description and assessment of a new model for cricothyrotomy (Long et al). 2006;48:S33 (Research Forum abstracts)
Intraosseous line placement: ultrasound/color flow Doppler confirmation of tip location and detection of leakage in a live porcine model (Hailaj et al). 2006;48:S61–S62 (Research Forum abstracts)

Models, theoretical
Mathematical modeling (Schreck and O'Sullivan). 2006;48:S29 (Research Forum abstracts)

Monitoring, physiologic
Automated collection of emergency department vital signs (Finnell and Bagwell). 2006;48:S38 (Research Forum abstracts)
Repeat assessment of abnormal vital signs and patient re-examination in U.S. emergency department patients (Hafner et al). 2006;48: S66 (Research Forum abstracts)

Morphine
Intravenous morphine plus ketorolac is superior to either drug alone for treatment of acute renal colic (Safdar et al). 2006;48:173–81, 173.e1–e10
Oral oxycodone versus intravenous morphine in pediatric patients for the treatment of pain due to acute musculoskeletal injury in the emergency department (Miner and Moore). 2006;48:S121 (Research Forum abstracts)
Randomized clinical trial of morphine in acute abdominal pain (Gallagher et al). 2006;48: 150–160, 150.e1–e16
Safety and efficacy of hydromorphone as an analgesic alternative to morphine in acute pain: a randomized clinical trial (Chang et al). 2006; 48:164–72
Time to administration of pain medications as a marker of emergency department overcrowding (Miner and McClain). 2006;48:S120 (Research Forum abstracts)

Mortality. *See also* Specific medical conditions
The association of sepsis syndrome and organ dysfunction with mortality in emergency department patients with suspected infection (Shapiro et al). 2006;48:583–90
Dear SIRS: it's time to return to sepsis as we have known it (Talan). 2006;48:591–2 (Editorial)
External validation of the mortality in emergency department sepsis (MEDS) score: a multi-center prospective cohort study (Sankoff et al). 2006;48:S2 (Research Forum abstracts)
The impact of specialty trained emergency medicine and trauma teams on trauma mortality rates at an academic level I trauma center (Gerardo et al). 2006;48:S102 (Research Forum abstracts)
Is the mortality in emergency department sepsis (MEDS) score reliably applied by emergency physicians? (Sankoff and Haukoos). 2006;48: S47 (Research Forum abstracts)
Non-invasive near infrared spectroscopy-derived StO_2 predicts mortality in severe traumatic injury (Beilman et al). 2006;48:S2 (Research Forum abstracts)
Predictive accuracy of a sepsis-related mortality score in the emergency department: a modification of the mortality in emergency department sepsis (MEDS) score (Sankoff et al). 2006;48:S47 (Research Forum abstracts)
Prehospital intubation is associated with increased mortality in primary cardiac arrest patients with ventricular fibrillation (Garza et al). 2006;48:S91 (Research Forum abstracts)
Prolonged QTc as a predictor of mortality in acute ischemic stroke (Vaidynathan et al). 2006;48:S111–S112 (Research Forum abstracts)

Sepsis risk factors predictive of mortality in ICU transfers within 72 hours of ED admission (D'Amore et al). 2006;48:S37 (Research Forum abstracts)

Moshing. *See* Dancing

Motor vehicle crashes

Analysis of speeding-related fatal motor vehicle crashes (National Highway Traffic Safety Administration). 2006;48:470 (NHTSA Notes)

Child restraint law: ED attendees report high levels of knowledge and compliance (Wiand et al). 2006;48:S94–S95 (Research Forum abstracts)

Commentary: Morphing social norms through media messaging (Pribble). 2006;48:740–2 (NHTSA Notes commentary)

Commentary: speeding: socially acceptable but often fatal (Vaca). 2006;48:471–2 (NHTSA Notes commentary)

Impact of state booster seat belt law on compliance in pediatric traffic crash victims (Ramanujam et al). 2006;48:S56 (Research Forum abstracts)

Intact automotive glass associated with absence of cervical spine injury (DeFlorio). 2006;48:S104 (Research Forum abstracts)

Long-term global health deficits: yet another adverse outcome from motor vehicle crashes (Newgard). 2006;48:737–8 (Editorial)

Opportunities for intervention: epidemiology and injury patterns associated with fatal and non-fatal bicycle crashes in New Mexico (LaValley et al). 2006;48:S76 (Research Forum abstracts)

A population-based cohort study of longer-term changes in health of car drivers involved in serious crashes (Ameratunga et al). 2006;48:729–36

Safety of third row passenger seating in fatal vehicle crashes (Hui et al). 2006;48:S76 (Research Forum abstracts)

A social norms strategy to reduce impaired driving among 21- to 34-year-olds (National Highway Traffic Safety Administration). 2006;48:739 (NHTSA Notes)

Speed kills? Not always: the New York state thruway experience (Jehle et al). 2006;48:S77 (Research Forum abstracts)

Traffic injury surveillance study for children in Kurume, Japan (Nagata et al). 2006;48:S55–S56 (Research Forum abstracts)

Using emergency department records to enhance bicycle injury surveillance in New Mexico (LaValley et al). 2006;48:S58 (Research Forum abstracts)

Young female drivers in fatal crashes: recent trends over 10 years 1995-2004 (Tsai et al). 2006;48:S57 (Research Forum abstracts)

Mouth

Infrared thermography of facial skin temperatures compared with oral thermometry: a device for syndromic surveillance by remote detection (Varney et al). 2006;48:S95 (Research Forum abstracts)

Multiple organ failure

The association of sepsis syndrome and organ dysfunction with mortality in emergency department patients with suspected infection (Shapiro et al). 2006;48:583–90

Mumps

Multistate outbreak of mumps—United States, January 1–May 2, 2006 (Centers for Disease Control and Prevention); Commentary (Waxman and Abrahamian). 2006;48:332–6 (CDC Update)

Musculoskeletal diseases

Oral oxycodone versus intravenous morphine in pediatric patients for the treatment of pain due to acute musculoskeletal injury in the emergency department (Miner and Moore). 2006;48:S121 (Research Forum abstracts)

Myocardial infarction

American College of Cardiology/American Heart Association guidelines for management of st-elevation myocardial infarction: cardiologist and emergency physician opinions and knowledge (Peacock et al). 2006;48:S29 (Research Forum abstracts)

Causes of nonadministration of fibrinolysis in acute myocardial infarction in Spain (Epelde et al). 2006;48:S45 (Research Forum abstracts)

Clinical policy: critical issues in the evaluation and management of adult patients with non–ST-segment elevation acute coronary syndromes (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Non–ST-Segment Elevation Acute Coronary Syndromes). 2006;48:270–301 (Clinical policy)

Clinical policy: indications for reperfusion therapy in emergency department patients with suspected acute myocardial infarction (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Reperfusion Therapy in Emergency Department Patients with Acute Myocardial Infarction). 2006;48:358–83 (Clinical policy)

Do emergency department holds impact time to diagnosis and treatment for acute MI patients? (Swor et al). 2006;48:S109 (Research Forum abstracts)

Emergency physician high pre-test probability for ACS predicts death, MI, or revascularization independent of initial ECG and cardiac biomarkers (Chandra et al). 2006;48:S10–S11 (Research Forum abstracts)

Emergency physician initiated primary percutaneous coronary intervention decreases median door-to-balloon time for ST-segment elevation myocardial infarction (Kurz et al). 2006;48:S113 (Research Forum abstracts)

Gender disparity in non ST elevation myocardial infarction cardiac care: a unique illustration (Greenberg et al). 2006;48:S11 (Research Forum abstracts)

Predicting AMI in young adults presenting to the ED with chest pain (Rosin et al). 2006;48:S28 (Research Forum abstracts)

Prospective validation of the thrombolysis in myocardial infarction risk score in the emergency department chest pain population (Chase et al). 2006;48:252–9

The risk of missed diagnosis of acute myocardial infarction associated with emergency department volume (Schull et al). 2006;48:647–55

Safety of inter-hospital transfer of ST segment elevation myocardial infarction patients for percutaneous coronary intervention (Larson et al). 2006;48:S44 (Research Forum abstracts)

Transfer for direct percutaneous coronary intervention in elderly ST-elevation myocardial infarction patients (Hokanson et al). 2006;48:S45 (Research Forum abstracts)

Volume and outcome: the more patients the better? (Chase and Hollander). 2006;48:657–9 (Editorial)

Myocardial revascularization

Emergency physician high pre-test probability for ACS predicts death, MI, or revascularization independent of initial ECG and cardiac biomarkers (Chandra et al). 2006;48:S10–S11 (Research Forum abstracts)

Myocardium

Myocardial and hemodynamic abnormalities in patients with acute stroke and transient ischemic attacks (Wira III et al). 2006;48:S20–S21 (Research Forum abstracts)

Myoglobin

Does a 90 minute enzyme set increase the yield for detecting cardiac ischemia? (D'Amore et al). 2006;48:S112 (Research Forum abstracts)

Myositis

Extensive groin abscess and myositis after intravenous cubital buprenorphine injection (Gautschi and Zellweger). 2006;48:656, 659 (Images in Emergency Medicine)

N

N-acetylcysteine. *See* Acetylcysteine

Narcotics

Evaluating the use and timing of opioids for the treatment of migraine headaches in the ED (Tornabene et al). 2006;48:S59–S60 (Research Forum abstracts)

Natriuretic peptide, brain

Amino-terminal pro-brain natriuretic peptide for the diagnosis of acute heart failure in patients with previous obstructive airway disease (Tung et al). 2006;48:66–74

Brain natriuretic peptide (BNP) measurement in the emergency department: does having a BNP test predict MD diagnosis of CHF in elderly patients with undifferentiated dyspnea? (Schears et al). 2006;48:S112 (Research Forum abstracts)

Getting the right message: avoiding overly optimistic interpretations of the scientific literature (Schriger). 2006;48:75–6 (Editorial)

A prospective, open label comparison trial of high-dose intravenous nitroglycerin versus nesiritide for the treatment of acute decompensated heart failure (Levy et al). 2006;48:S30–S31 (Research Forum abstracts)

Natural disasters

'Charity' suffers long: emergency medicine revives the spirit of centuries-old New Orleans institution (Flynn). 2006;48:309–11 (News and Perspective)

A survey of military personnel and civilians to assess individual preparedness for domestic terrorist attacks and natural disasters (Dagrosa et al). 2006;48:S50 (Research Forum abstracts)

The utility of handheld ultrasound evaluation in an austere medical setting after a natural disaster (Dean et al). 2006;48:S106 (Research Forum abstracts)

Near-infrared spectroscopy. *See* Spectroscopy, near-infrared

Nebulizers and vaporizers

Beneficial effect of warmed humidified oxygen with combination of nebulised albuterol and ipratropium in pediatric patients with acute bronchial asthma in winter months (Nibhanipudi). 2006;48:S8 (Research Forum abstracts)

Necrosis
Skin damage following application of suction (Holstege and Singletary). 2006;48:105, 113 (Images in Emergency Medicine)
Necrotizing fasciitis. *See* Fasciitis, necrotizing
Nerve block
Feasibility of forearm ultrasonography-guided nerve blocks of the radial, ulnar, and median nerves for hand procedures in the emergency department (Liebmann et al). 2006;48:558–62 (Brief research report)
Nervous system diseases
A survey of emergency physicians' neurological emergencies clinical practice and learning preferences: the FERNE experience (Sloan and Bunney et al). 2006;48:S115 (Research Forum abstracts)
Nesiritide. *See* Natriuretic peptide, brain
Neurologic manifestations
Hypothermia versus normothermia after out-of-hospital cardiac arrest: survival to discharge and neurologic outcomes (Truong et al). 2006;48:S11 (Research Forum abstracts)
Is the serum level of S-100B protein able to predict the immediate result and 1-month neurological outcome for the patient with cardiac arrest? (Ahn et al). 2006;48:S98 (Research Forum abstracts)
Neurology
The birth of the NETT: NIH-funded network will launch emergency neurological trials (Cearnal). 2006;48:726–8 (News and Perspective)
Neuropsychological tests
The use of a clock drawing test as a screen for cognitive impairment in older emergency department patients (Hustey et al). 2006;48:S71–S72 (Research Forum abstracts)
Neurosurgical procedures
Clinical features of head injury patients presenting with a Glasgow coma scale score of 15 and who require neurosurgical intervention (Clement et al). 2006;48:245–51
Nitroglycerin
A prospective, open label comparison trial of high-dose intravenous nitroglycerin versus nesiritide for the treatment of acute decompensated heart failure (Levy et al). 2006;48:S30–S31 (Research Forum abstracts)
N95 mask. *See* Masks
Nonketotic hyperglycemic coma. *See* Hyperglycemic hyperosmolar nonketotic coma
Nurses
Improving alertness and performance in emergency department physicians and nurses: the use of planned naps (Smith-Coggins et al). 2006;48:596–604

O

Obesity
Thinking big (Spiro and Lowe). 2006;48:480 (Correspondence)
Obstetrics
The learning curve of emergency medicine residents learning to perform limited obstetric sonography (Jang et al). 2006;48:S105 (Research Forum abstracts)
Olanzapine. *See* Benzodiazepines
Operating rooms
Interfacility helicopter transport of patients with leaking aortic aneurysms directly into the operating room (Shewakramani et al). 2006;48:S53
Trauma center designation, time to operating room and outcome (Flagel and Irvin). 2006;48:S103–S104 (Research Forum abstracts)
Opioid-related disorders
A five-year review of the medical outcome of heroin body stuffers (Jordan et al). 2006;48:S81 (Research Forum abstracts)
Opioids. *See* Narcotics
Optic nerve
The use of emergency department bedside ultrasound to determine the correlation between increased intracranial pressure and the optic nerve sheath diameter (Larson et al). 2006;48:S106 (Research Forum abstracts)
Orbital diseases
Orbital cellulitis in a child (Bagwell and Seupaul). 2006;48:633, 639 (Images in Emergency Medicine)
Oregon
Characteristics of pediatric patients in an urban Oregon emergency department (Ping et al). 2006;48:S34 (Research Forum abstracts)
Orthopedic procedures
A randomized, controlled trial of IV versus IM ketamine for sedation of pediatric patients receiving emergency department orthopedic procedures (Roback et al). 2006;48:605–12
Oseltamivir. *See* Acetamides
Osteoporosis
EM osteoporosis feasibility screening study in injury prevention (Christopher et al). 2006;48:S56 (Research Forum abstracts)
Outcome assessment (health care)
A comparison of in-hospital outcomes based upon the presence or absence of a chest pain complaint at emergency department triage (Waxman et al). 2006;48:S45–S46 (Research Forum abstracts)
Physician preferences and relative costs for different outcomes in acute appendicitis (Birkhahn et al). 2006;48:S117 (Research Forum abstracts)
Randomized controlled clinical trial of point-of-care, limited ultrasonography for trauma in the emergency deparmt: the first Sonography Outcomes Assessment Program trial (Melniker et al). 2006;48:227–35
The resuscitation outcomes and clinical characteristics of non-traumatic out-of-hospital geriatric cardiac arrest (Kim). 2006;48:S73 (Research Forum abstracts)
Ultrasonography and outcomes research: one small step for mankind or another drop in the bucket? (Rose). 2006;48:237–9 (Editorial)
Ovarian diseases
Role of early bedside transvaginal ultrasonography in the diagnosis of tubo-ovarian abscess (Adhikari et al). 2006;48:S85–S86 (Research Forum abstracts)
Overdose
Is N-acetylcysteine treatment based on initial history taking valid in acetaminophen overdose patients? (Kim et al). 2006;48:S100 (Research Forum abstracts)
Preventable deaths from gamma hydroxybutyrate ingestion (Zvosec et al). 2006;48:S75 (Research Forum abstracts)
Serum glucose concentrations as a marker of severity of calcium channel blocker overdose (Levine et al). 2006;48:S80 (Research Forum abstracts)
Oximetry
An exploratory analysis to assess the potential role for non-invasive monitoring of cerebral oxygenation in cardiac arrest (Compton et al). 2006;48:S97 (Research Forum abstracts)
Non-invasive carbon monoxide measurement is not accurate (O'Malley). 2006;48:477–8 (Correspondence)
Non-invasive cardiac output and cerebral oximetry compared with traditional measures (Minnick and Wimmer). 2006;48:S48 (Research Forum abstracts)
Oxycodone
Exposures to oxycodone: demographic differences by formulation (Bailey and Dart). 2006;48:S81–S82 (Research Forum abstracts)
Oral oxycodone versus intravenous morphine in pediatric patients for the treatment of pain due to acute musculoskeletal injury in the emergency department (Miner and Moore). 2006;48:S121 (Research Forum abstracts)
Oxygen
Beneficial effect of warmed humidified oxygen with combination of nebulised albuterol and ipratropium in pediatric patients with acute bronchial asthma in winter months (Nibhanipudi). 2006;48:S8 (Research Forum abstracts)
Oxygen consumption
Non-invasive near infrared spectroscopy-derived StO_2 predicts mortality in severe traumatic injury (Beilman et al). 2006;48:S2 (Research Forum abstracts)
Oxygen inhalation therapy
Modified N95 mask delivers high inspired oxygen concentrations while effectively filtering aerosolized microparticles (Mardimae et al). 2006;48:391–9

P

Pain
The effect of emergency department crowding factors on pain management (Hwang et al). 2006;48:S117 (Research Forum abstracts)
End-of-life symptom and pain management in the emergency department (Bradshow et al). 2006;48:S122 (Research Forum abstracts)
Impact of patient gender on pain management practices in the emergency department: a multi-center study (Safdar et al). 2006;48:S121 (Research Forum abstracts)
Oral oxycodone versus intravenous morphine in pediatric patients for the treatment of pain due to acute musculoskeletal injury in the emergency department (Miner and Moore). 2006;48:S121 (Research Forum abstracts)
Pain management during intravenous catheter placement using a topical skin coolant in the emergency department (Hartstein and Barry). 2006;48:S122 (Research Forum abstracts)
Predictors of prolonged time to initial analgesic for patients with a sickle cell pain episode (Zosel et al). 2006;48:S120 (Research Forum abstracts)
Safety and efficacy of hydromorphone as an analgesic alternative to morphine in acute pain: a randomized clinical trial (Chang et al). 2006;48:164–72
Time to administration of pain medications as a marker of emergency department overcrowding (Miner and McClain). 2006;48:S120 (Research Forum abstracts)

Pain measurement
Clinical assessment of low back pain (Hipp and Sinert). 2006;47:283-5 (Rational clinical examination abstract). Correction. 2006;48:612
A comparison of triage systems and their impact on initial pain management: a multicenter study (Ducharme et al). 2006;48:S61 (Research Forum abstracts)
How accurately can emergency department providers estimate patient satisfaction, quality of pain control, and effectiveness of provider communication? (Yarris et al). 2006;48:S25 (Research Forum abstracts)
Pain assessment and management of hip fractures in the emergency department (Akhtar et al). 2006;48:S60–S61 (Research Forum abstracts)
Pain perception in Latino vs. Caucasians and male vs. female patients: is there really a difference? (Wallerich et al). 2006;48:S120–S121 (Research Forum abstracts)
Patients' pain and estimate of their risk for cardiac disease do not predict preferences for cardiac tests and procedures (Takakuwa et al). 2006;48:S28 (Research Forum abstracts)
What does a pain score of "X" mean anyway? Classification of NRS pain severity scores for ED patients based upon interference with function (Fosnocht et al). 2006;48:S60 (Research Forum abstracts)
Pancreas
Performance of helical CT without oral contrast for the detection of patients with pancreatic injuries (Holmes et al). 2006;48:S82 (Research Forum abstracts)
Pandemics. *See* Disease outbreaks
Parents
Emergency department screening for improper child safety restraint use—parent confidence versus practice (Murdock et al). 2006;48:S56 (Research Forum abstracts)
Patient acceptance of health care
Analysis of patients who leave without being seen from an academic community emergency department (Crystal et al). 2006;48:S24 (Research Forum abstracts)
Patients who leave without being seen: their characteristics and history of emergency department use (Ding et al). 2006;48:686–93
Real time documentation of reasons for delay to ED presentation after acute ischemic stroke (Vaidyanathan et al). 2006;48:S117–S118 (Research Forum abstracts)
The use of an accelerated triage and treatment protocol decreases left without being seen rates and wait times in emergency severity index category 3 patients (Young et al). 2006;48:S25–S26 (Research Forum abstracts)
Patient admission
Are patients sicker at night? (Villarin et al). 2006;48:S109 (Research Forum abstracts)
Bridging orders plus a dedicated admission nurse: a recipe to decrease ED turnaround times (Patterson et al). 2006;48:S5–S6 (Research Forum abstracts)
Comparison of pediatric emergency department severity of illness models: the pediatric risk of admission (PRISA) II and the revised pediatric emergency assessment (rePEAT) tools (Parsapour et al). 2006;48:S123–S124 (Research Forum abstracts)
The differential impact of ED volume and boarded admitted patients on waiting times for new patients (Viccellio et al). 2006;48:S116–S117 (Research Forum abstracts)
Does mode of arrival influence the admission decision in adults presenting with acute exacerbation of asthma? (Pryor et al). 2006;48:S8–S9 (Research Forum abstracts)
Hospital admission rate for chest pain: are racial differences due to bias or disease characteristics? (Fitch et al). 2006;48:S44 (Research Forum abstracts)
The impact of delayed admissions held in the emergency department on wait time, patient care time and length of stay for other patients (Chan et al). 2006;48:S5 (Research Forum abstracts)
A predictable weekly pattern in admitted patients awaiting beds in the ED and correlation with elective admissions (Drescher et al). 2006;48:S107 (Research Forum abstracts)
The relationship between admission interleukin-6 levels and blood glucose levels in patients presenting with sepsis (Martinez et al). 2006;48:S35–S36 (Research Forum abstracts)
Should the very old be admitted to an emergency department short stay unit? (Ferre et al). 2006;48:S73–S74 (Research Forum abstracts)
Use of hospital administrative data to estimate emergency department patient census (Hwang et al). 2006;48:S43 (Research Forum abstracts)
Patient advocacy
Does the presence of a patient advocate improve patient satisfaction in the emergency department? (Ward et al). 2006;48:S24 (Research Forum abstracts)
Patient care
Factors associated with delays in patient care for small bowel obstruction (Hwang and Bickell). 2006;48:S35 (Research Forum abstracts)
Heart bone connected to the . . . trauma bone? (Wears). 2006;48:355–7 (Editorial)
The impact of trauma activations on the care of emergency department patients with potential acute coronary syndromes (Fishman et al). 2006;48:347–53
Patient- and family-centered care and the role of the emergency physician providing care to a child in the emergency department (American College of Emergency Physicians). 2006;48:643–5 (Policy statement)
Patient discharge
A complete medication list obtained on admission does not reduce medication errors after hospital discharge (Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Emergency department discharge without a safety net: does having insurance make a difference with follow-up care? (Bascom et al). 2006;48:S96 (Research Forum abstracts)
Hypothermia versus normothermia after out-of-hospital cardiac arrest: survival to discharge and neurologic outcomes (Truong et al). 2006;48:S11 (Research Forum abstracts)
Recovery and return to daily activities of patients after discharge from procedural sedation: a prospective telephone questionnaire (Bordo et al). 2006;48:S121 (Research Forum abstracts)
Variables of patients with skin and soft tissue infections associated with failure to discharge from an emergency department observation unit (Schrock et al). 2006;48:S18 (Research Forum abstracts)
Patient education
An educational HIV pretest counseling video program for off-hours testing in the emergency department (Calderon et al). 2006;48:21–27, 21.e1–21.e8
Patient identification systems
Emergency department management of disaster situations with use of a radio frequency identification microchip (Mandel et al). 2006;48:S38 (Research Forum abstracts)
Patient readmission
Impact of recidivism on emergency department patient volume (Milzman et al). 2006;48:S93 (Research Forum abstracts)
Patient satisfaction
The attitude and perception of emergency department patients regarding medical students (Wald et al). 2006;48:S12–S13 (Research Forum abstracts)
Does the presence of a patient advocate improve patient satisfaction in the emergency department? (Ward et al). 2006;48:S24 (Research Forum abstracts)
The effect of emergency department point-of-service fee collection on patient satisfaction scores (Hyde and Arvanitis). 2006;48:S64 (Research Forum abstracts)
How accurately can emergency department providers estimate patient satisfaction, quality of pain control, and effectiveness of provider communication? (Yarris et al). 2006;48:S25 (Research Forum abstracts)
Timely patient placement: a multi-disciplinary approach to patient safety (Ahlborn and Heidorn). 2006;48:S4–S5 (Research Forum abstracts)
What is the best way to measure patient satisfaction in the emergency department: mailed or on-site surveys? (Yarris et al). 2006;48:S25 (Research Forum abstracts)
Patient transfer
Adequacy of fluid resuscitation during transport of burn patients (Shewakramani et al). 2006;48:S71 (Research Forum abstracts)
Ambulance transport: why ED patients choose as they do (Jacob et al). 2006;48:S54 (Research Forum abstracts)
Does the presence of physicians at professional football games reduce the number of patient transports? (Pozner et al). 2006;48:S55 (Research Forum abstracts)
Interfacility helicopter transport of patients with leaking aortic aneurysms directly into the operating room (Shewakramani et al). 2006;48:S53
Prehospital and inter-facility psychiatric transportation: the state of Minnesota experience (Kwon et al). 2006;48:S92 (Research Forum abstracts)
Safety of inter-hospital transfer of ST segment elevation myocardial infarction patients for percutaneous coronary intervention (Larson et al). 2006;48:S44 (Research Forum abstracts)
San Diego County patient destination trial to decrease ambulance diversion hours: three year follow-up (Vilke et al). 2006;48:S90 (Research Forum abstracts)
Sepsis risk factors predictive of mortality in ICU transfers within 72 hours of ED admission (D'Amore et al). 2006;48:S37 (Research Forum abstracts)

Transfer for direct percutaneous coronary intervention in elderly ST-elevation myocardial infarction patients (Hokanson et al). 2006;48: S45 (Research Forum abstracts)

Pediatrics. *See also* Child

Accuracy and speed of different resuscitative aids in pediatric mock codes (van Amerongen et al). 2006;48:S63 (Research Forum abstracts)

Assessing the clinical parameters of dehydration in the pediatric emergency department patient (Suarez et al). 2006;48:S124 (Research Forum abstracts)

Assessing the value and developing performance measures of pharmacy services in a pediatric emergency department (Caruso et al). 2006;48: S64 (Research Forum abstracts)

Beneficial effect of warmed humidified oxygen with combination of nebulised albuterol and ipratropium in pediatric patients with acute bronchial asthma in winter months (Nibhanipudi). 2006;48:S8 (Research Forum abstracts)

Characteristics of pediatric patients in an urban Oregon emergency department (Ping et al). 2006;48:S34 (Research Forum abstracts)

Circadian, seasonal and age patterns in the incidence of emergency department visits for pediatric febrile seizures (Finley et al). 2006;48: S94 (Research Forum abstracts)

Comparison of pediatric emergency department severity of illness models: the pediatric risk of admission (PRISA) II and the revised pediatric emergency assessment (rePEAT) tools (Parsapour et al). 2006;48:S123–S124 (Research Forum abstracts)

The correlation of metabolic acidosis to the anion gap in the dehydrated pediatric patient (Gupta et al). 2006;48:S124 (Research Forum abstracts)

Emergency department management of pediatric patients with cyanotic heart disease and fever (Tibbles et al). 2006;48:S124–S125 (Research Forum abstracts)

Etomidate versus midazolam for procedural sedation in pediatric outpatients: a randomized controlled trial (Liddo et al). 2006;48:433–40

Family presence during pediatric procedures: an emergency medicine residents' perspective (Barata et al). 2006;48:S122–S123 (Research Forum abstracts)

Growing pains: report notes pediatric emergencies need greater emphasis (Berger). 2006;48:143–4 (News and Perspective)

History and physical examination findings alone are inadequate for identification of low-risk pediatric blunt trauma (Holland et al). 2006; 48:S62 (Research Forum abstracts)

Impact of state booster seat belt law on compliance in pediatric traffic crash victims (Ramanujam et al). 2006;48:S56 (Research Forum abstracts)

Is the emergency severity index reliable for pediatric triage? (Rosenau et al). 2006;48:S62–S63 (Research Forum abstracts)

Only six percent of hospitals prepared for pediatric emergencies? The controversy and facts about the fearsome statistic (Cearnal). 2006;48:403–5 (News and Perspective)

Oral oxycodone versus intravenous morphine in pediatric patients for the treatment of pain due to acute musculoskeletal injury in the emergency department (Miner and Moore). 2006;48:S121 (Research Forum abstracts)

Pediatric digital intubation: should every clinician have this technique in their bag of airway tricks? (Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)

Pediatric mental health emergencies in the emergency medical services system (American College of Emergency Physicians). 2006;48: 484–6 (Policy statement)

Peripheral vein detection using ultrasound and sonographic factors associated with successful peripheral vein cannulation in young children presenting to the pediatric emergency department: a pilot study (Schnadower et al). 2006;48:S93–S94 (Research Forum abstracts)

A randomized, controlled trial of IV versus IM ketamine for sedation of pediatric patients receiving emergency department orthopedic procedures (Roback et al). 2006;48:605–12

Reduction in the risk of pneumonia following oseltamivir use for influenza among pediatric patients (Barr et al). 2006;48:S37–S38 (Research Forum abstracts)

Peer review

From submission to publication: a retrospective review of the tables and figures in a cohort of randomized controlled trials submitted to the *British Medical Journal* (Schriger et al). 2006; 48:750–6, 750.e1–e14

Pelvic inflammatory disease

The usefulness of contrast-enhanced abdominal computed tomography for patients with suspected Fitz-Hugh-Curtis syndrome (Oh et al). 2006;48:S89 (Research Forum abstracts)

Pelvis

Evaluating competency of emergency physicians at pelvic ultrasound after implementation of an ultrasound credentialing process (Colla et al). 2006;48:S106–S107 (Research Forum abstracts)

Outcomes for ectopic pregnancy patients with indeterminate pelvic ultrasounds using a modified CMC pregnancy ultrasound protocol with selective non-IUP gynecologic consultation (Tayal et al). 2006;48:S105–S106 (Research Forum abstracts)

Penetrating wounds. *See* Wounds, penetrating

Pepper spray. *See* Plant extracts

Peptic ulcer hemorrhage

Should proton pump inhibitors be used for acute peptic ulcer bleeding? (Eskin and Readie). 2006; 48:624–6 (Systematic review abstracts)

Peptide fragments

Early, upstream, and consistent antithrombotic therapy in high risk non-ST-elevation ACS: should bivalirudin be initiated in the ED prior to coronary angiography? (Hoekstra et al). 2006;48:S30 (Research Forum abstracts)

Perforated appendicitis. *See* Appendicitis

Perfusion

Near infrared spectroscopy as an indicator of systemic perfusion in the emergency department (Otero et al). 2006;48:S99 (Research Forum abstracts)

Periodicals

The content of medical journal instructions for authors (Schriger et al). 2006;48:743–9, 743.e1–e11

From submission to publication: a retrospective review of the tables and figures in a cohort of randomized controlled trials submitted to the *British Medical Journal* (Schriger et al). 2006; 48:750–6, 750.e1–e14

Peromyscus

Hantavirus pulmonary syndrome—Five states, 2006 (Centers for Disease Control and Prevention); Commentary (Brillman). 2006; 48:593–5 (CDC Update)

Personnel, hospital

The addition of a dedicated medical student teaching attending improves both emergency department faculty and resident satisfaction (Kilgannon et al). 2006;48:S13 (Research Forum abstracts)

Pharmaceutical preparations

Hospitalization for caffeine abuse is associated with concomitant abuse of other pharmaceutical products (McCarthy et al). 2006;48:S101 (Research Forum abstracts)

Pharmacoeconomics. *See* Economics, Pharmaceutical

Pharmacy service, hospital

Assessing the value and developing performance measures of pharmacy services in a pediatric emergency department (Caruso et al). 2006;48: S64 (Research Forum abstracts)

Phase-contrast microscopy. *See* Microscopy, phase-contrast

Physical examination

Clinical assessment of acute cholecystitis in adults (Roe). 2006;48:101–3 (Rational clinical examination abstract)

History and physical examination findings alone are inadequate for identification of low-risk pediatric blunt trauma (Holland et al). 2006; 48:S62 (Research Forum abstracts)

History and physical exam variables as a predictor of important abdominal pathology in emergency department patients with undifferentiated abdominal pain (Lanigan et al). 2006;48:S67 (Research Forum abstracts)

Validity of clinical spine clearance criteria for selective out-of-hospital spine immobilization (Kim et al). 2006;48:S70 (Research Forum abstracts)

Physician assistants

Physician assistant productivity and profit in an emergency department fast-track area (Wilson et al). 2006;48:S5 (Research Forum abstracts)

Physician-patient relations

Family presence during pediatric procedures: an emergency medicine residents' perspective (Barata et al). 2006;48:S122–S123 (Research Forum abstracts)

Heart bone connected to the . . . trauma bone? (Wears). 2006;48:355–7 (Editorial)

Patient- and family-centered care and the role of the emergency physician providing care to a child in the emergency department (American College of Emergency Physicians). 2006;48: 643–5 (Policy statement)

Should emergency physicians help smokers quit? (Schroeder). 2006;48:415–16 (Editorial)

"Should I give you my smoking lecture now or later?" Characterizing emergency physician smoking discussions and cessation counseling (Vokes et al). 2006;48:406–14

Thinking big (Spiro and Lowe). 2006;48:480 (Correspondence)

Physicians

American College of Cardiology/American Heart Association guidelines for management of ST-elevation myocardial infarction: cardiologist and emergency physician opinions and knowledge (Peacock et al). 2006;48:S29 (Research Forum abstracts)

Billing unveiled: calculating the value of emergency physician work (Green). 2006;48: 400–2 (News and Perspective)
Effects of mental stress and sleep deprivation on blood pressure and endothelial function in emergency physicians (Marinsek et al). 2006; 48:S79 (Research Forum abstracts)
Emergency physicians and disclosure of medical errors (Moskop et al). 2006;48:523–31 (Concepts)
An ergonomic comparison of emergency physician workload (Chisholm et al). 2006;48: S64–S65 (Research Forum abstracts)
Gifts to physicians from the pharmaceutical industry: an ethical analysis (Marco et al). 2006;48:513–21 (Concepts)
Improving alertness and performance in emergency department physicians and nurses: the use of planned naps (Smith-Coggins et al). 2006;48:596–604
A survey of emergency physicians' neurological emergencies clinical practice and learning preferences: the FERNE experience (Sloan and Bunney et al). 2006;48:S115 (Research Forum abstracts)

Physician's practice patterns
Complying with the CMS pneumonia quality indicators: a multi-faceted approach to changing physician behavior (Maniago and Ardolic). 2006;48:S26 (Research Forum abstracts)
Emergency physicians' outlook on thrombolysis for acute ischemic stroke in a metropolitan matrix of primary stroke centers (Bobrow et al). 2006;48:S41 (Research Forum abstracts)
In a computerized physician order entry environment, is removing coagulation test availability from convenience order screens an effective method to adapt clinician behavior without causing clinical harm? (Satz et al). 2006;48:S38 (Research Forum abstracts)
An international survey of emergency physicians' knowledge, use, and attitudes towards the Canadian c-spine rule (Stiell et al). 2006;48: S55 (Research Forum abstracts)
An international survey of priorities of emergency physicians for future development of clinical decision rules (Stiell et al). 2006;48: S54 (Research Forum abstracts)
Physician preferences and relative costs for different outcomes in acute appendicitis (Birkhahn et al). 2006;48:S117 (Research Forum abstracts)

Physician's role
Are emergency physicians legally obligated to report alcohol-impaired drivers? (Ripper et al). 2006;48:S96 (Research Forum abstracts)
Chest pain: physician perceptions and decisionmaking in a London emergency department (Farmer and Higginson). 2006;48: 77–85
Commentary: Morphing social norms through media messaging (Pribble). 2006;48:740–2 (NHTSA Notes commentary)
The role of the legacy emergency physician in the 21st century (American College of Emergency Physicians). 2006;48:511 (Policy statement)
Smiling in the ED (Burg). 2006;48:473–4 (Change of Shift)

Plant extracts
Determination of optimal methods of decontamination after tear gas and pepper spray exposure (Winslow et al). 2006;48:S51 (Research Forum abstracts)

Platelet aggregation inhibitors
Clinical policy: critical issues in the evaluation and management of adult patients with non–ST-segment elevation acute coronary syndromes (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Non–ST-Segment Elevation Acute Coronary Syndromes). 2006; 48:270–301 (Clinical policy)

Platelet glycoprotein GPIIb-IIIa complex
Clinical policy: critical issues in the evaluation and management of adult patients with non–ST-segment elevation acute coronary syndromes (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Non–ST-Segment Elevation Acute Coronary Syndromes). 2006; 48:270–301 (Clinical policy)

Pleurisy
Response to: The emergency department utility of Simplify™ D-dimer to exclude pulmonary embolism in patients with pleuritic chest pain (Baade and Herrington); Reply (Hogg et al). 2006;48:106–7 (Correspondence)

Pneumonia
Ability of the patient's chief complaint to predict pneumonia (Cochrane et al). 2006;48: S89 (Research Forum abstracts)
Antibiotics less than 4 hours did not improve survival or hospital length of stay for community-acquired pneumonia (Martin et al). 2006;48:S18 (Research Forum abstracts)
Centers for Medicare and Medicaid services community-acquired pneumonia core measure criteria incorrectly includes patients without pneumonia (Nicks). 2006;48:S34 (Research Forum abstracts)
The clinical diagnosis of infantile pneumonia (Frederick). 2006;48:627–30 (Rational clinical examination abstract)
Complying with the CMS pneumonia quality indicators: a multi-faceted approach to changing physician behavior (Maniago and Ardolic). 2006;48:S26 (Research Forum abstracts)
Elder emergency department patients with pneumonia: outcome and processes of care (Caterino et al). 2006;48:S74 (Research Forum abstracts)
Emergency physicians' diagnosis of community-acquired pneumonia: is it affected by the 4-hour rule? (Blanda et al). 2006;48:S19 (Research Forum abstracts)
Hospital crowding affects timeliness of pneumonia care (Andrus et al). 2006;48:S6 (Research Forum abstracts)
Low specificity of emergency department diagnosis of community-acquired pneumonia (Chandra et al). 2006;48:S128–S129 (Research Forum abstracts)
Pneumonitis and eosinophilia after in vitro fertilization treatment (Veysman et al). 2006; 47:472-5. Correction. 2006;48:336
Procalcitonin in emergency department patients with suspected community-acquired pneumonia: results from the GenIMS (Genetic and Inflammatory Markers of Sepsis) Study (Huang et al). 2006;48:S1 (Research Forum abstracts)
Reduction in the risk of pneumonia following oseltamivir use for influenza among pediatric patients (Barr et al). 2006;48:S37–S38 (Research Forum abstracts)
Systematic delays in antibiotic administration in the emergency department for adult patients admitted with pneumonia (Morton and Pines). 2006;48:S4 (Research Forum abstracts)

Pneumothorax
Hemopneumopericardium (Germann). 2006; 48:149, 160 (Images in Emergency Medicine)
Non-invasive pneumothorax detection using micropower impulse radar (MIR): a pilot study (Levy et al). 2006;48:S48 (Research Forum abstracts)
Ultrasound evaluation of the thorax as a component of the focused assessment by sonography in trauma (Dean et al). 2006;48: S87 (Research Forum abstracts)

Point-of-care systems
Comparison of point-of-care and laboratory d-dimer immunoassays in emergency department patients with suspected pulmonary embolus (Giraldez et al). 2006;48:S90 (Research Forum abstracts)
Randomized controlled clinical trial of point-of-care, limited ultrasonography for trauma in the emergency deparment: the first Sonography Outcomes Assessment Program trial (Melniker et al). 2006;48:227–35
Validation of point-of-care fingertip lactate measurement in the emergency department (Goyal et al). 2006;48:S2 (Research Forum abstracts)

Poisoning
Exploratory buprenorphine ingestion in infant (Cho et al). 2006;48:109 (Correspondence)
Exposures to oxycodone: demographic differences by formulation (Bailey and Dart). 2006;48:S81–S82 (Research Forum abstracts)
FABULOSO®: a cleaning product that tastes and smells good enough to drink (Miller et al). 2006;48:S81 (Research Forum abstracts)
Inhalation of methanol-containing products: a significant source of possible toxicity (Givens et al). 2006;48:S80–S81 (Research Forum abstracts)
Plasma lactate concentrations correlate with physiological responses in cyanide poisoning but not other types of acute poisoning (Baud et al). 2006;48:S54–S55 (Research Forum abstracts)
Safety of hydroxocobalamin use in the prehospital setting as an antidote for smoke inhalation-associated cyanide poisoning (Baud and Boron). 2006;48:S55 (Research Forum abstracts)
Trends in the emergency department use of gastric lavage for poisoning events in the United States, 1993-2003 (Larkin). 2006;48: S71 (Research Forum abstracts)

Police
Evaluation of in-custody deaths proximal to use of conductive energy devices (Vilke et al). 2006;48:S23–S24 (Research Forum abstracts)

Policy statements
Assignment of benefits (American College of Emergency Physicians). 2006;48:484
Disaster medical response (American College of Emergency Physicians). 2006;48:645
Emergency medicine workforce (American College of Emergency Physicians). 2006;48: 510

Emergency ultrasound imaging criteria compendium (American College of Emergency Physicians). 2006;48:487–510
EMTALA and on-call responsibility for emergency department patients (American College of Emergency Physicians). 2006;48:486–7
Interpretation of imaging diagnostic studies (American College of Emergency Physicians). 2006;48:645
Medical screening of emergency department patients (American College of Emergency Physicians). 2006;48:510
Medical services coding (American College of Emergency Physicians). 2006;48:483–4
Patient- and family-centered care and the role of the emergency physician providing care to a child in the emergency department (American College of Emergency Physicians). 2006;48:643–5
Pediatric mental health emergencies in the emergency medical services system (American College of Emergency Physicians). 2006;48:484–6
Physician credentialing and delineation of clinical privileges in emergency medicine (American College of Emergency Physicians). 2006;48:511
The role of the legacy emergency physician in the 21st century (American College of Emergency Physicians). 2006;48:511

Polyheme. *See* Hemoglobins

Population surveillance
Etiology and incidence of anaphylaxis in Rochester, Minnesota: a report from the Rochester epidemiology project (Decker et al). 2006;48:S96 (Research Forum abstracts)

Positive-pressure respiration
The use of noninvasive ventilation in emergency department patients with acute cardiogenic pulmonary edema: a systematic review (Collins et al). 2006;48:260–9, 260.e1–e20

Post-concussion syndrome
Acute clinical findings in pediatric mild head injury: do they correlate with magnetic resonance imaging abnormalities or post-concussive symptoms? (Gewirtz et al). 2006;48:S63 (Research Forum abstracts)

Postoperative complications
Most common post-operative emergency complications of bariatric surgery patients (Corujo et al). 2006;48:S92–S93 (Research Forum abstracts)

Posture
Lumbar puncture: a comparison of lateral recumbent and sitting position in the number of attempts and ease of procedure (Byers et al). 2006;48:S40 (Research Forum abstracts)

Practice guidelines
American College of Cardiology/American Heart Association guidelines for management of ST-elevation myocardial infarction: cardiologist and emergency physician opinions and knowledge (Peacock et al). 2006;48:S29 (Research Forum abstracts)
Centers for Medicare and Medicaid services community-acquired pneumonia core measure criteria incorrectly includes patients without pneumonia (Nicks). 2006;48:S34 (Research Forum abstracts)
Implementation of the survival sepsis campaign guidelines for severe sepsis and septic shock in the emergency department (Antro et al). 2006;48:S67 (Research Forum abstracts)
The 2003 model of the clinical practice of emergency medicine: the 2005 update (Thomas et al). 2006;48:e1–e17 (Special contribution)
The National EMS scope of practice model (National Highway Traffic Safety Administration). 2006;48:212 (NHTSA Notes)
Prolonged emergency department length of stay is associated with worse guideline compliance and increased adverse events (Diercks et al). 2006;48:S29 (Research Forum abstracts)
Severe sepsis and septic shock: review of the literature and emergency department management guidelines (Nguyen et al). 2006;48:28–54 (Review article)
Use of task checklists to optimize crisis management during air medical transport (Lewis et al). 2006;48:S70 (Research Forum abstracts)
The utility of a novel decision rule to diagnose spinal epidural abscess in ED patients with back pain (Davis et al). 2006;48:S66 (Research Forum abstracts)

Prealbumin
Evaluation of a serum marker for blood brain barrier integrity in mild traumatic brain injury (Hawthorn and Blyth). 2006;48:S110 (Research Forum abstracts)

Pregnancy
Cocaine body packing in pregnancy (Cordero et al). 2006;48:323–5 (Case report)
A description of maternal demographics and exposure to known asthma risk factors among a sample of pregnant women in Harlem and the South Bronx (Imran et al). 2006;48:S9–S10 (Research Forum abstracts)

Pregnancy, ectopic
Diagnosis and management of ectopic pregnancy using bedside transvaginal ultrasonography in the emergency department: a two-year experience (Adhikari et al). 2006;48:S86 (Research Forum abstracts)
Outcomes for ectopic pregnancy patients with indeterminate pelvic ultrasounds using a modified CMC pregnancy ultrasound protocol with selective non-IUP gynecologic consultation (Tayal et al). 2006;48:S105–S106 (Research Forum abstracts)

Prescriptions, drug
Trends in ED antibiotic prescribing for upper respiratory tract infections 1996-2003 (Singer et al). 2006;48:S48–S49 (Research Forum abstracts)

Pressure
Comparison of two common techniques for inflating endotracheal tube cuffs: set volume of air vs. palpation of the pilot balloon (Hoffman et al). 2006;48:S27 (Research Forum abstracts)
Do endotracheal tube cuff pressure and volume have a linear or nonlinear relationship? (Hoffman et al). 2006;48:S27 (Research Forum abstracts)
High endotracheal tube cuff pressure is typical in endotracheally intubated emergency department patients (Hoffman et al). 2006;48:S58 (Research Forum abstracts)

Procalcitonin. *See* Calcitonin; Protein precursors

Professional competence
Commentary: scoping out reciprocity, career mobility and recognition (Kahn and Vaca). 2006;48:213–14 (NHTSA Notes commentary)
Documentation and coding skills: is there adequate training in emergency medicine residency? (Ardolic et al). 2006;48:S108 (Research Forum abstracts)
The myths of disaster education (Hsu and Subbarao); Reply (Burnstein). 2006;48:107–8 (Correspondence)
The National EMS scope of practice model (National Highway Traffic Safety Administration). 2006;48:212 (NHTSA Notes)

Professional role
The challenges of teaching professionalism (Knopp). 2006;48:538–9 (Editorial)

Program evaluation
ACLS and BLS courses in Italy: the Italian Society of Emergency Medicine/AHA experience (Gai et al). 2006;48:S31 (Research Forum abstracts)
AIR (Asthma Intervention & Retraining) for severe asthmatics in an academic urban ED (Kelly et al). 2006;48:S8 (Research Forum abstracts)
San Diego County patient destination trial to decrease ambulance diversion hours: three year follow-up (Vilke et al). 2006;48:S90 (Research Forum abstracts)

Protein precursors
Procalcitonin in emergency department patients with suspected community-acquired pneumonia: results from the GenIMS (Genetic and Inflammatory Markers of Sepsis) Study (Huang et al). 2006;48:S1 (Research Forum abstracts)
Procalcitonin test in the diagnosis of bacteremia: a meta analysis (Jones et al). 2006;48:S88 (Research Forum abstracts)

Proton pumps
Should proton pump inhibitors be used for acute peptic ulcer bleeding? (Eskin and Readie). 2006;48:624–6 (Systematic review abstracts)

Psychiatric status rating scales
A clinical tool for assessing risk after self-harm (Cooper et al). 2006;48:459–66
Improving the design of the assessment of emergency department patients at risk for self-harm (Gaddis). 2006;48:467–9 (Editorial)

Psychological tests
A quantitative assessment of the presence of hostility, anger, depression, social support, hazardous alcohol use and comorbidity in the adult trauma population (Hormozdi et al). 2006;48:S83 (Research Forum abstracts)

Psychomotor agitation
Emergency department management of acute undifferentiated agitation: utility of intramuscular olanzapine (Martel and Hartmann). 2006;48:S125 (Research Forum abstracts)
A novel route of sedative administration in the management of acute undifferentiated agitation in the emergency department (Martel and Gray). 2006;48:S125 (Research Forum abstracts)

Psychomotor performance
Improving alertness and performance in emergency department physicians and nurses: the use of planned naps (Smith-Coggins et al). 2006;48:596–604

Psychotic disorders
A pilot study examining antipsychotics and benzodiazapines vs benzodiazepines alone in the acute reduction of psychotic features in the emergency department (Veser et al). 2006;48: S126–S127 (Research Forum abstracts)
Psychotropic drugs
Covert administration of psychotropic medications in the emergency department: an opposing view (Lynn and Rios). 2006;48:478 (Correspondence)
Publications
A descriptive analysis of authorship within medical journals, 1995-2005 (Miller et al). 2006;48:S43 (Research Forum abstracts)
Foreign literature contribution to hyperbaric oxygen therapy for acute ischemic stroke: systematic review (Vasquez et al). 2006;48: S119 (Research Forum abstracts)
Pulmonary disease, chronic obstructive
Amino-terminal pro-brain natriuretic peptide for the diagnosis of acute heart failure in patients with previous obstructive airway disease (Tung et al). 2006;48:66–74
Bronchodilator therapy in ADHF patients without a history of COPD (Singer et al). 2006;48:S10 (Research Forum abstracts)
Getting the right message: avoiding overly optimistic interpretations of the scientific literature (Schriger). 2006;48:75–6 (Editorial)
Should pulmonary embolism be suspected in acute exacerbation of chronic obstructive pulmonary disease? (Rutschmann et al). 2006; 48:S128 (Research Forum abstracts)
Pulmonary edema
Reexpansion pulmonary edema (Platts-Mills and Burg). 2006;48:475, 512 (Images in Emergency Medicine)
The use of continuous positive airway pressure for the treatment of acute severe pulmonary edema in the prehospital setting (Derr et al). 2006;48:S92 (Research Forum abstracts)
The use of noninvasive ventilation in emergency department patients with acute cardiogenic pulmonary edema: a systematic review (Collins et al). 2006;48:260–9, 260.e1–e20
Pulmonary embolism
Bias introduced by the informed consent process on pulmonary embolism prevalence (Mitchell and Kline). 2006;48:S42 (Research Forum abstracts)
Comparison of point-of-care and laboratory d-dimer immunoassays in emergency department patients with suspected pulmonary embolus (Giraldez et al). 2006;48:S90 (Research Forum abstracts)
Lack of pulmonary embolism and aortic dissection in chest pain patients evaluated in a chest pain observation unit (Chandra et al). 2006;48:S89–S90 (Research Forum abstracts)
Response to: The emergency department utility of Simplify™ D-dimer to exclude pulmonary embolism in patients with pleuritic chest pain (Baade and Herrington); Reply (Hogg et al). 2006;48:106–7 (Correspondence)
Should pulmonary embolism be suspected in acute exacerbation of chronic obstructive pulmonary disease? (Rutschmann et al). 2006; 48:S128 (Research Forum abstracts)
Utility of the Charlotte criteria and the Liatest d-dimer assay in the exclusion of pulmonary embolism in the emergency department (Mason and Gonzalez). 2006;48:S3 (Research Forum abstracts)
Pulmonary ventilation
Apneic ventilation with tham infusion: life without breath (Greer et al). 2006;48:S98 (Research Forum abstracts)
Pyelonephritis
Emphysematous pyelonephritis (Moon and Doty). 2006;48:354, 357 (Images in Emergency Medicine)
Pyridines
Modafinil and zolpidem use among emergency medicine residents (McBeth et al). 2006;48: S32–S33 (Research Forum abstracts)

Q

Quality of health care
AAFP-ACEP joint statement on emergency care (American College of Emergency Physicians) 2006;47:303 (Policy statement). Correction. 2006;48:103
Attitudes towards performance measures and pay-for-performance in academic emergency departments (Pines et al). 2006;48:S35 (Research Forum abstracts)
Complying with the CMS pneumonia quality indicators: a multi-faceted approach to changing physician behavior (Maniago and Ardolic). 2006;48:S26 (Research Forum abstracts)
Crossroads: report calls for EMS standards of care (Berger). 2006;48:142–3 (News and Perspective)
How accurately can emergency department providers estimate patient satisfaction, quality of pain control, and effectiveness of provider communication? (Yarris et al). 2006;48:S25 (Research Forum abstracts)
Performance of an ED-based PICC line service (Sevier et al). 2006;48:S5 (Research Forum abstracts)
Quality assessment of nurse triage: which factors are associated to mistriage in emergency patients? (Parenti et al). 2006;48:S53 (Research Forum abstracts)
Quality of life
AIR (Asthma Intervention & Retraining) for severe asthmatics in an academic urban ED (Kelly et al). 2006;48:S8 (Research Forum abstracts)

R

Radar
Non-invasive pneumothorax detection using micropower impulse radar (MIR): a pilot study (Levy et al). 2006;48:S48 (Research Forum abstracts)
Radial artery
Comparison of a radial artery compression device with invasive radial artery blood pressure monitoring (Fix et al). 2006;48:S68 (Research Forum abstracts)
Radial nerve
Feasibility of forearm ultrasonography-guided nerve blocks of the radial, ulnar, and median nerves for hand procedures in the emergency department (Liebmann et al). 2006;48:558–62 (Brief research report)
Radiography
Multicenter trial assessing the impact of an overnight international "Nighthawk" teleradiology system on CT radiology re-interpretation rates (Venieris et al). 2006;48: S16 (Research Forum abstracts)
Radiography, abdominal
Computed tomography of the abdomen versus right upper quadrant ultrasonography for diagnosis of acute gallbladder disease (Hsu et al). 2006;48:S17 (Research Forum abstracts)
Radiography, thoracic
Chest radiography: the trauma team point of view (Adams); Reply (Rodriguez and Hendey). 2006;48:637–9 (Correspondence)
The clinical diagnosis of infantile pneumonia (Frederick). 2006;48:627–30 (Rational clinical examination abstract)
Hemopneumopericardium (Germann). 2006; 48:149, 160 (Images in Emergency Medicine)
Reexpansion pulmonary edema (Platts-Mills and Burg). 2006;48:475, 512 (Images in Emergency Medicine)
Response to: Misleading negative chest radiographs: should we ADHERE to the conclusions? (Collins et al); Reply (Cooper). 2006;48:341–2 (Correspondence)
Randomized controlled trials
From submission to publication: a retrospective review of the tables and figures in a cohort of randomized controlled trials submitted to the *British Medical Journal* (Schriger et al). 2006; 48:750–6, 750.e1–e14
Optimizing trial participants' outcomes: a Bayesian decision-theoretic approach (Lipsky and Lewis). 2006;48:S43–S44 (Research Forum abstracts)
Recombinant proteins
Early, upstream, and consistent antithrombotic therapy in high risk non-ST-elevation ACS: should bivalirudin be initiated in the ED prior to coronary angiography? (Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Emergency physician survey: recombinant tissue plasminogen activator for stroke (Mann); Reply (Walsh et al). 2006;48:476–7 (Correspondence)
Registries
The Internet tracking registry of acute coronary syndromes (i*trACS): a multicenter registry of patients with suspicion of acute coronary syndromes reported using the standardized reporting guidelines for emergency department chest pain studies (Lindsell et al). 2006;48: 666–77, 666.e1–e45
Response to: Misleading negative chest radiographs: should we ADHERE to the conclusions? (Collins et al); Reply (Cooper). 2006;48:341–2 (Correspondence)
Renal colic. *See* Colic; Kidney diseases
Renal stones. *See* Kidney calculi
Reperfusion
Clinical policy: indications for reperfusion therapy in emergency department patients with suspected acute myocardial infarction (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Reperfusion Therapy in Emergency Department Patients with Acute Myocardial Infarction). 2006;48:358–83 (Clinical policy)
Reperfusion injury
A study for diagnostic clue of pro-ARDS in the mice's lung induced by ischemia-reperfusion injuries by using phase-contrast x-ray

microscopy (June et al). 2006;48:S16–S17 (Research Forum abstracts)

Research design
Optimizing trial participants' outcomes: a Bayesian decision-theoretic approach (Lipsky and Lewis). 2006;48:S43–S44 (Research Forum abstracts)

Residents' Perspective
Residents' Perspective. 2006;48:713–19

Respiratory distress syndrome, acute
A study for diagnostic clue of pro-ARDS in the mice's lung induced by ischemia-reperfusion injuries by using phase-contrast x-ray microscopy (June et al). 2006;48:S16–S17 (Research Forum abstracts)

Respiratory distress syndrome, adult
Lynn's leukemia (Paganussi). 2006;48:104 (Change of Shift)

Respiratory syncytial viruses
Prevalence of *Bordetella* spp. infections in samples screened for respiratory syncytial virus (Walsh et al). 2006;48:S95 (Research Forum abstracts)

Respiratory syncytial virus infections
Apnea complicating RSV infection in infancy (Arms et al). 2006;48:S95 (Research Forum abstracts)
Do infants positive for RSV need further extrapulmonary search for serious bacterial infection? (Guzman et al). 2006;48:S62 (Research Forum abstracts)

Respiratory tract infections
Respiratory hygiene in the emergency department (Rothman et al). 2006;48:570–82 (Concepts)
Trends in ED antibiotic prescribing for upper respiratory tract infections 1996-2003 (Singer et al). 2006;48:S48–S49 (Research Forum abstracts)

Restraint, physical
Child restraint law: ED attendees report high levels of knowledge and compliance (Wiand et al). 2006;48:S94–S95 (Research Forum abstracts)

Resuscitation
Accuracy and speed of different resuscitative aids in pediatric mock codes (van Amerongen et al). 2006;48:S63 (Research Forum abstracts)
Adequacy of fluid resuscitation during transport of burn patients (Shewakramani et al). 2006;48:S71 (Research Forum abstracts)
The effect of resuscitation on shock index and outcome in adult trauma patients (Duldner et al). 2006;48:S82 (Research Forum abstracts)
Evaluation of analgesic use during trauma resuscitation (Khandelwal et al). 2006;48:S58–S59 (Research Forum abstracts)
High fidelity simulator vs. low fidelity manikin: a simulator did not improve scores on a multiple choice exam (Morgan and Hegarty). 2006;48:S32 (Research Forum abstracts)
Prediction of poor outcome in coma patients resuscitated from cardiac arrest due to submersion (Woo). 2006;48:S99 (Research Forum abstracts)
The resuscitation outcomes and clinical characteristics of non-traumatic out-of-hospital geriatric cardiac arrest (Kim). 2006;48:S73 (Research Forum abstracts)

Rhabdomyolysis
Is urine dipstick a reliable screening tool for rhabdomyolysis in the suspected heat injury patient? (Young et al). 2006;48:S90 (Research Forum abstracts)

Risk assessment. *See also* Triage
Can the emergency department vitals predict the risk of subsequent cerebrovascular events following an acute ischemic stroke? (Bellolio et al). 2006;48:S19–S20 (Research Forum abstracts)
A clinical tool for assessing risk after self-harm (Cooper et al). 2006;48:459–66
High-sensitivity C-reactive protein in patients presenting to the emergency department with a transient ischemic attack: can it predict further ischemic events? (Lee and Panagos). 2006;48:S41 (Research Forum abstracts)
Identifying hospitalized infants who have bronchiolitis and are at high risk for apnea (Willwerth et al). 2006;48:441–7
Is the Mallampati assessment feasible in the emergency department? (Caravelli and Bair). 2006;48:S7–S8 (Research Forum abstracts)
Prospective validation of the thrombolysis in myocardial infarction risk score in the emergency department chest pain population (Chase et al). 2006;48:252–9
Risk stratification of emergency department patients with chest pain using C-reactive protein (Manini et al). 2006;48:S28 (Research Forum abstracts)

Risk factors
A description of maternal demographics and exposure to known asthma risk factors among a sample of pregnant women in Harlem and the South Bronx (Imran et al). 2006;48:S9–S10 (Research Forum abstracts)
Patients' pain and estimate of their risk for cardiac disease do not predict preferences for cardiac tests and procedures (Takakuwa et al). 2006;48:S28 (Research Forum abstracts)
Predictors of survival among nonagenarians presenting to the emergency department (Mooney et al). 2006;48:S74 (Research Forum abstracts)
Reduction in the risk of pneumonia following oseltamivir use for influenza among pediatric patients (Barr et al). 2006;48:S37–S38 (Research Forum abstracts)
Risk factor documentation for life-threatening disease in US emergency department patients (Hafner et al). 2006;48:S65 (Research Forum abstracts)
Severe *Clostridium difficile*-associated disease in populations previously at low risk—four states, 2005 (Centers for Disease Control Prevention); Commentary (Abrahamian). 2006;48:55–9 (CDC Update)

Risperidone
A novel route of sedative administration in the management of acute undifferentiated agitation in the emergency department (Martel and Gray). 2006;48:S125 (Research Forum abstracts)

Rofecoxib. *See* Lactones; Sulfones

RSD1235. *See* Anti-arrhythmia agents

Rural health services
Development of a model lay-person ambulance service in rural Jamaica (Levy et al). 2006;48:S70 (Research Forum abstracts)

S

Safety
Willingness of older ED drivers to enroll in a safe-driver program (Stiffler et al). 2006;48:S57 (Research Forum abstracts)

Safety management
Helicopter emergency medical service safety (Levick); Reply (Baker and Dodd). 2006;48:635–7 (Correspondence)

Salicylates
Tinnitus as a measure of acute salicylate toxicity (Samlan et al). 2006;48:S100 (Research Forum abstracts)

Scar. *See* Cicatrix

Schizophrenia
An observational study of intramuscular olanzapine treatment in acutely agitated patients with bipolar I disorder or schizophrenia (Houston et al). 2006;48:S126 (Research Forum abstracts)

Seasons
Beneficial effect of warmed humidified oxygen with combination of nebulised albuterol and ipratropium in pediatric patients with acute bronchial asthma in winter months (Nibhanipudi). 2006;48:S8 (Research Forum abstracts)
Circadian, seasonal and age patterns in the incidence of emergency department visits for pediatric febrile seizures (Finley et al). 2006;48:S94 (Research Forum abstracts)

Seat belts
Impact of state booster seat belt law on compliance in pediatric traffic crash victims (Ramanujam et al). 2006;48:S56 (Research Forum abstracts)

Seizures
Circadian, seasonal and age patterns in the incidence of emergency department visits for pediatric febrile seizures (Finley et al). 2006;48:S94 (Research Forum abstracts)
National study of emergency department visits for seizure, 1993-2003 (Moussally et al). 2006;48:S19 (Research Forum abstracts)

Self-injurious behavior
A clinical tool for assessing risk after self-harm (Cooper et al). 2006;48:459–66
Improving the design of the assessment of emergency department patients at risk for self-harm (Gaddis). 2006;48:467–9 (Editorial)

Sepsis
External validation of the mortality in emergency department sepsis (MEDS) score: a multi-center prospective cohort study (Sankoff et al). 2006;48:S2 (Research Forum abstracts)
Is the mortality in emergency department sepsis (MEDS) score reliably applied by emergency physicians? (Sankoff and Haukoos). 2006;48:S47 (Research Forum abstracts)
National study of emergency department visits for sepsis, 1992 to 2001 (Strehlow et al). 2006;48:326–31 (Brief research report)
A pilot study in inter-alpha inhibitor protein (Ialp) in the presentation of adult patients with severe sepsis to the emergency department (Laffleur et al). 2006;48:S37 (Research Forum abstracts)
Predictive accuracy of a sepsis-related mortality score in the emergency department: a modification of the mortality in emergency department sepsis (MEDS) score (Sankoff et al). 2006;48:S47 (Research Forum abstracts)
Procalcitonin in emergency department patients with suspected community-acquired pneumonia: results from the GenIMS (Genetic and Inflammatory Markers of Sepsis) Study (Huang et al). 2006;48:S1 (Research Forum abstracts)

The relationship between admission interleukin-6 levels and blood glucose levels in patients presenting with sepsis (Martinez et al). 2006; 48:S35–S36 (Research Forum abstracts)
Sepsis risk factors predictive of mortality in ICU transfers within 72 hours of ED admission (D'Amore et al). 2006;48:S37 (Research Forum abstracts)

Sepsis syndrome
The association of sepsis syndrome and organ dysfunction with mortality in emergency department patients with suspected infection (Shapiro et al). 2006;48:583–90
Dear SIRS: it's time to return to sepsis as we have known it (Talan). 2006;48:591–2 (Editorial)

Septic shock. *See* Shock, septic

Severe acute respiratory syndrome
Anatomy of a pandemic: emergency departments woefully unprepared for bird flu outbreak (McKenna). 2006;48:312–14 (News and Perspective)

Severity of illness index
Comparison of pediatric emergency department severity of illness models: the pediatric risk of admission (PRISA) II and the revised pediatric emergency assessment (rePEAT) tools (Parsapour et al). 2006;48:S123–S124 (Research Forum abstracts)
Dear SIRS: it's time to return to sepsis as we have known it (Talan). 2006;48:591–2 (Editorial)
Development of a long-term scar evaluation scale (Singer et al). 2006;48:S102 (Research Forum abstracts)
Diagnosis of lower limb deep venous thrombosis in emergency department patients: performance of Hamilton and modified Wells scores (Subramaniam et al). 2006;48:678–85
Insular involvement in acute middle cerebral artery stroke patients presenting to the emergency department as a window to stroke severity, stroke subtype, functional outcome and survival (Bhagra et al). 2006;48:S21 (Research Forum abstracts)
Is the emergency severity index reliable for pediatric triage? (Rosenau et al). 2006;48:S62–S63 (Research Forum abstracts)
Thirty-day versus 7-day outcomes in the San Francisco syncope rule (Everett); Reply (Quinn). 2006;48:760 (Correspondence)
The use of an accelerated triage and treatment protocol decreases left without being seen rates and wait times in emergency severity index category 3 patients (Young et al). 2006;48: S25–S26 (Research Forum abstracts)
Validation of Johnson criteria for transient ischemic attack (Ross et al). 2006;48:S118 (Research Forum abstracts)
Validation of the emergency severity index (ESI) in self-referred patients in a European emergency department (Mencl et al). 2006;48: S24 (Research Forum abstracts)

Sex factors
Are advancing age, race, or gender factors in delays to treatment of pain in elderly patients with undifferentiated abdominal pain? (Lee et al). 2006;48:S60 (Research Forum abstracts)
Circadian pattern of visits for congestive heart failure to emergency departments as a function of gender and age (Eskin et al). 2006;48:S113 (Research Forum abstracts)
Does sex matter? Effect of gender in intimate partner violence screening (Gerlach et al). 2006;48:S22–S23 (Research Forum abstracts)
Gender differences in patients presenting to the emergency department with chest pain (Nawaz et al). 2006;48:S11–S12 (Research Forum abstracts)
Gender disparity in non ST elevation myocardial infarction cardiac care: a unique illustration (Greenberg et al). 2006;48:S11 (Research Forum abstracts)
Impact of patient gender on pain management practices in the emergency department: a multi-center study (Safdar et al). 2006;48:S121 (Research Forum abstracts)
Male patient visits to the emergency department increase after the conclusion of media broadcast sporting events (Jerrard and Long). 2006;48:S4 (Research Forum abstracts)
Pain perception in Latino vs. Caucasians and male vs. female patients: is there really a difference? (Wallerich et al). 2006;48:S120–S121 (Research Forum abstracts)
Young female drivers in fatal crashes: recent trends over 10 years 1995-2004 (Tsai et al). 2006;48:S57 (Research Forum abstracts)

Sexually transmitted diseases
Empiric treatment of STDs in the emergency department: are we treating too much or not enough? (Waseem et al). 2006;48:S36 (Research Forum abstracts)

Sexual partners
Characteristics of partner violence perpetrators in the emergency department (Johnson et al). 2006;48:S23 (Research Forum abstracts)
Does sex matter? Effect of gender in intimate partner violence screening (Gerlach et al). 2006;48:S22–S23 (Research Forum abstracts)
Effects of holidays, weekends, and seasons on intimate partner violence incidents (Pawlowski et al). 2006;48:S22 (Research Forum abstracts)
Intimate partner violence related suicidality is lower in Hispanic emergency department patients than NonHispanics (Larkin and Anglin). 2006;48:S22 (Research Forum abstracts)

Shock, septic
The association of early lactate clearance with inflammatory biomarkers in severe sepsis and septic shock (Otero et al). 2006;48:S36 (Research Forum abstracts)
Early antibiotic administration in patients presenting to the emergency department with severe sepsis and septic shock (Engineer and Canterbury). 2006;48:S36 (Research Forum abstracts)
Implementation of the survival sepsis campaign guidelines for severe sepsis and septic shock in the emergency department (Antro et al). 2006; 48:S67 (Research Forum abstracts)
Severe sepsis and septic shock: review of the literature and emergency department management guidelines (Nguyen et al). 2006; 48:28–54 (Review article)

Sin nombre virus
Hantavirus pulmonary syndrome—Five states, 2006 (Centers for Disease Control and Prevention); Commentary (Brillman). 2006; 48:593–5 (CDC Update)

Skin infections
Prevalence and demographics of MRSA in culturable skin and soft tissue infections in an urban emergency department (Jacobus et al). 2006;48:S17 (Research Forum abstracts)
Variables associated with methicillin resistant *Staphylococcus aureus* in patients with skin and soft tissue infections admitted to an observation unit (Schrock et al). 2006;48:S18 (Research Forum abstracts)
Variables of patients with skin and soft tissue infections associated with failure to discharge from an emergency department observation unit (Schrock et al). 2006;48:S18 (Research Forum abstracts)

Skin temperature
Infrared thermography of facial skin temperatures compared with oral thermometry: a device for syndromic surveillance by remote detection (Varney et al). 2006;48:S95 (Research Forum abstracts)

Skin ulcer
Dextrose extravasation causing skin necrosis (Levy and Rosh). 2006;48:236, 239 (Images in Emergency Medicine)

Skull fractures
Efficacy of ultrasound probes in the evaluation of depressed skull fractures (Chaudry et al). 2006;48:S105 (Research Forum abstracts)

Sleep
Improving alertness and performance in emergency department physicians and nurses: the use of planned naps (Smith-Coggins et al). 2006;48:596–604

Sleep deprivation
Effects of mental stress and sleep deprivation on blood pressure and endothelial function in emergency physicians (Marinsek et al). 2006; 48:S79 (Research Forum abstracts)

Smoke inhalation injury
Safety of hydroxocobalamin use in the prehospital setting as an antidote for smoke inhalation-associated cyanide poisoning (Baud and Boron). 2006;48:S55 (Research Forum abstracts)

Smoking cessation
Should emergency physicians help smokers quit? (Schroeder). 2006;48:415–16 (Editorial)
"Should I give you my smoking lecture now or later?" Characterizing emergency physician smoking discussions and cessation counseling (Vokes et al). 2006;48:406–14

Snake bites
Crotaline snakebite management with fab antivenom in pediatric patients (Stanford et al). 2006;48:S94 (Research Forum abstracts)
Efficacy of North American crotalid antivenin against the African viper *Bitis gabonica* (Gaboon viper) (Wiley et al). 2006;48:S99–S100 (Research Forum abstracts)
Skin damage following application of suction (Holstege and Singletary). 2006;48:105, 113 (Images in Emergency Medicine)
Treatment of copperhead envenomation in children (Rowden et al). 2006;48:S101 (Research Forum abstracts)

Social change
Commentary: speeding: socially acceptable but often fatal (Vaca). 2006;48:471–2 (NHTSA Notes commentary)

Social support
A quantitative assessment of the presence of hostility, anger, depression, social support, hazardous alcohol use and comorbidity in the adult trauma population (Hormozdi et al). 2006;48:S83 (Research Forum abstracts)

Societies, medical
Scientific assemblies ordain convention (Singer and Olson). 2006;48:337 (Change of Shift)
Tobacco control interventions in the emergency department: a joint statement of emergency medicine organizations (Bernstein et al). 2006; 48:417–25, 417.e1–e10 (Concepts)
Socioeconomic factors
Socioeconomic and clinical factors associated with prehospital analgesia (Michael et al). 2006;48:S91–S92 (Research Forum abstracts)
Sodium chloride
Does irrigation with bacitracin-infused saline decrease infection rates in high-risk wounds? (Pethe et al). 2006;48:S103 (Research Forum abstracts)
A meta-analysis of wound irrigation comparing tap water versus sterile saline (Moscati et al). 2006;48:S84 (Research Forum abstracts)
Sodium oxybate
Gamma hydroxybutyrate withdrawal syndrome in the emergency department: clinical course and autonomic instability (Zvosec et al). 2006; 48:S100 (Research Forum abstracts)
Preventable deaths from gamma hydroxybutyrate ingestion (Zvosec et al). 2006; 48:S75 (Research Forum abstracts)
Seven days of gamma-hydroxybutyrate (GHB) use produces severe withdrawal (Perez et al). 2006;48:219–20 (Correspondence)
Soft tissue infections
Prevalence and demographics of MRSA in culturable skin and soft tissue infections in an urban emergency department (Jacobus et al). 2006;48:S17 (Research Forum abstracts)
Variables associated with methicillin resistant *Staphylococcus aureus* in patients with skin and soft tissue infections admitted to an observation unit (Schrock et al). 2006;48:S18 (Research Forum abstracts)
Variables of patients with skin and soft tissue infections associated with failure to discharge from an emergency department observation unit (Schrock et al). 2006;48:S18 (Research Forum abstracts)
Space flight
Computer model for the planning of emergency medical management during spaceflight (Summers and Coleman). 2006;48:S87–S88 (Research Forum abstracts)
Spectroscopy, near-infrared
Near infrared spectroscopy as an indicator of systemic perfusion in the emergency department (Otero et al). 2006;48:S99 (Research Forum abstracts)
Non-invasive near infrared spectroscopy-derived StO_2 predicts mortality in severe traumatic injury (Beilman et al). 2006;48:S2 (Research Forum abstracts)
Spinal cord injuries
The evidence for spinal immobilization: an estimate of the magnitude of the treatment benefit (Sundheim and Cruz); Reply (Báez). 2006;48:217–19 (Correspondence)
Spinal injuries
Intact automotive glass associated with absence of cervical spine injury (DeFlorio). 2006;48: S104 (Research Forum abstracts)
Validity of clinical spine clearance criteria for selective out-of-hospital spine immobilization (Kim et al). 2006;48:S70 (Research Forum abstracts)
Spinal puncture
A comparison of characteristics of patients diagnosed with subarachnoid hemorrhage by computed tomography versus lumbar puncture (Buckner et al). 2006;48:S41–S42 (Research Forum abstracts)
Lumbar puncture: a comparison of lateral recumbent and sitting position in the number of attempts and ease of procedure (Byers et al). 2006;48:S40 (Research Forum abstracts)
Splints
A novel wrist splint device reduces dental pressure during intubation (Julian et al). 2006; 48:S15 (Research Forum abstracts)
Sports
Male patient visits to the emergency department increase after the conclusion of media broadcast sporting events (Jerrard and Long). 2006;48:S4 (Research Forum abstracts)
S100 proteins
Evaluation of a serum marker for blood brain barrier integrity in mild traumatic brain injury (Hawthorn and Blyth). 2006;48:S110 (Research Forum abstracts)
Is the serum level of S-100B protein able to predict the immediate result and 1-month neurological outcome for the patient with cardiac arrest? (Ahn et al). 2006;48:S98 (Research Forum abstracts)
Staphylococcus aureus
Prevalence and demographics of MRSA in culturable skin and soft tissue infections in an urban emergency department (Jacobus et al). 2006;48:S17 (Research Forum abstracts)
The prevalence of community-acquired methicillin-resistant *Staphylococcus aureus* in a northeast urban level 1 trauma center (Dalley et al). 2006;48:S17–S18 (Research Forum abstracts)
Variables associated with methicillin resistant *Staphylococcus aureus* in patients with skin and soft tissue infections admitted to an observation unit (Schrock et al). 2006;48:S18 (Research Forum abstracts)
Status epilepticus
What is the preferred first-line therapy for status epilepticus? (Lang and Andruchow). 2006;48: 98–100 (Systematic review abstract)
Stress, psychological
Creation and validation of the standardized test of reported stress (Bahner et al). 2006;48:S125 (Research Forum abstracts)
Effects of mental stress and sleep deprivation on blood pressure and endothelial function in emergency physicians (Marinsek et al). 2006; 48:S79 (Research Forum abstracts)
High fidelity simulations can evoke strong physical and emotional stress responses, but participants want more (Vozenilek et al). 2006; 48:S114 (Research Forum abstracts)
Stress test. *See* Exercise test
Stroke. *See* Cerebrovascular accident
Stroke volume
Correlation of ejection fraction with transcranial Doppler flow rates in acute stroke patients (Wira III et al). 2006;48:S20 (Research Forum abstracts)
Echocardiographic view preference in bedside estimation of ejection fraction by clinicians in critical care patients (Mark et al). 2006;48: S107 (Research Forum abstracts)
Students, medical
The addition of a dedicated medical student teaching attending improves both emergency department faculty and resident satisfaction (Kilgannon et al). 2006;48:S13 (Research Forum abstracts)
The attitude and perception of emergency department patients regarding medical students (Wald et al). 2006;48:S12–S13 (Research Forum abstracts)
Health care concerns for the 21st century-preparing medical students for disasters (Deluhery et al). 2006;48:S50 (Research Forum abstracts)
Inclusion of medical students in hospital mass casualty disaster plans (Deluhery et al). 2006; 48:S50–S51 (Research Forum abstracts)
12-lead electrocardiogram interpretation skills of senior medical students entering emergency medicine, family practice, and internal medicine residency training programs (Wald et al). 2006;48:S31 (Research Forum abstracts)
Subacute care
Sub-acute/transition care and the acute care episode: a comparison of episodic and annual medical costs in a geriatric population (Gunnarson et al). 2006;48:S72 (Research Forum abstracts)
Subarachnoid hemorrhage
A comparison of characteristics of patients diagnosed with subarachnoid hemorrhage by computed tomography versus lumbar puncture (Buckner et al). 2006;48:S41–S42 (Research Forum abstracts)
Submersion. *See* Immersion
Substance-related disorders
ED caregivers rarely assess non-traditional drug abuse (Anderson et al). 2006;48:S101 (Research Forum abstracts)
Hospitalization for caffeine abuse is associated with concomitant abuse of other pharmaceutical products (McCarthy et al). 2006;48:S101 (Research Forum abstracts)
Inhalation of methanol-containing products: a significant source of possible toxicity (Givens et al). 2006;48:S80–S81 (Research Forum abstracts)
Prevalence of drug-related problems in patients visiting the emergency department (Crespi et al). 2006;48:S128 (Research Forum abstracts)
Substance use and violence among emergency department patients with minor injury (Prekker et al). 2006;48:S23 (Research Forum abstracts)
Substance use in emergency medicine training programs (McBeth et al). 2006;48:S32 (Research Forum abstracts)
Substance withdrawal syndrome
Gamma hydroxybutyrate withdrawal syndrome in the emergency department: clinical course and autonomic instability (Zvosec et al). 2006; 48:S100 (Research Forum abstracts)
Seven days of gamma-hydroxybutyrate (GHB) use produces severe withdrawal (Perez et al). 2006;48:219–20 (Correspondence)
Suction
Skin damage following application of suction (Holstege and Singletary). 2006;48:105, 113 (Images in Emergency Medicine)
Suicide
Intimate partner violence related suicidality is lower in Hispanic emergency department patients than NonHispanics (Larkin and

Anglin). 2006;48:S22 (Research Forum abstracts)
Medication use and suicidal ideation in emergency department patients (Larkin and Farman). 2006;48:S53 (Research Forum abstracts)
Occult suicidality and patient outcome in the emergency department (Gasgarth et al). 2006; 48:S126 (Research Forum abstracts)
Survey of California emergency departments about practices for management of suicidal patients and resources available for their care (Baraff et al). 2006;48:452–8

Sulfones
An end to the Yom Kippur (and Ramadan) headache: a double blind placebo controlled trial of prophylactic rofecoxib in preventing ritual fasting headache (Drescher and Elstein). 2006;48:S77–S78 (Research Forum abstracts)

Survival
Predictors of survival among nonagenarians presenting to the emergency department (Mooney et al). 2006;48:S74 (Research Forum abstracts)
Traumatic cardiac arrest: who are the survivors? (Lockey et al). 2006;48:240–4 (Brief research report)

Syncope
Medical decisionmaking and the San Francisco syncope rule (Quinn and McDermott); Reply (Miller and Hoekstra). 2006;48:762–3 (Correspondence)
Thirty-day versus 7-day outcomes in the San Francisco syncope rule (Everett); Reply (Quinn). 2006;48:760 (Correspondence)

Systematic review abstracts
Systematic review abstracts. 2006;48:98–100, 624–6

Systemic inflammatory response syndrome. *See* Sepsis syndrome

T

Teaching
The addition of a dedicated medical student teaching attending improves both emergency department faculty and resident satisfaction (Kilgannon et al). 2006;48:S13 (Research Forum abstracts)
The challenges of teaching professionalism (Knopp). 2006;48:538–9 (Editorial)
Effectiveness of a multi-format approach to teaching emergency medicine residents early goal-directed therapy (Baez et al). 2006;48:S13 (Research Forum abstracts)

Tear gases
Determination of optimal methods of decontamination after tear gas and pepper spray exposure (Winslow et al). 2006;48:S51 (Research Forum abstracts)

Teleradiology
Multicenter trial assessing the impact of an overnight international "Nighthawk" teleradiology system on CT radiology re-interpretation rates (Venieris et al). 2006;48: S16 (Research Forum abstracts)

Terrorism
Evaluation of full scale exercise participation as a tool to improve hospital preparedness for a radiological terrorism event (Jasper et al). 2006;48:S52 (Research Forum abstracts)
A survey of military personnel and civilians to assess individual preparedness for domestic terrorist attacks and natural disasters (Dagrosa et al). 2006;48:S50 (Research Forum abstracts)
Terrorism: would emergency physicians be able to recognize terrorism syndromes? (Lester et al). 2006;48:S51 (Research Forum abstracts)

Tham. *See* Tromethamine

Thermography
Infrared thermography of facial skin temperatures compared with oral thermometry: a device for syndromic surveillance by remote detection (Varney et al). 2006;48:S95 (Research Forum abstracts)

Thoracic injuries
Ultrasound evaluation of the thorax as a component of the focused assessment by sonography in trauma (Dean et al). 2006;48: S87 (Research Forum abstracts)

Thrombolytic therapy
Emergency physicians' outlook on thrombolysis for acute ischemic stroke in a metropolitan matrix of primary stroke centers (Bobrow et al). 2006;48:S41 (Research Forum abstracts)
Prospective validation of the thrombolysis in myocardial infarction risk score in the emergency department chest pain population (Chase et al). 2006;48:252–9

Tibia
Dislocated proximal tibio-fibular joint (Fatovich and Song). 2006;48:759–60, 765 (Images in Emergency Medicine)

Ticlopidine
Clinical policy: critical issues in the evaluation and management of adult patients with non–ST-segment elevation acute coronary syndromes (American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Non–ST-Segment Elevation Acute Coronary Syndromes). 2006; 48:270–301 (Clinical policy)

Time factors
Are patients sicker at night? (Villarin et al). 2006;48:S109 (Research Forum abstracts)
Do emergency department holds impact time to diagnosis and treatment for acute MI patients? (Swor et al). 2006;48:S109 (Research Forum abstracts)
Effects of holidays, weekends, and seasons on intimate partner violence incidents (Pawlowski et al). 2006;48:S22 (Research Forum abstracts)
Time to administration of pain medications as a marker of emergency department overcrowding (Miner and McClain). 2006;48:S120 (Research Forum abstracts)
Trauma center designation, time to operating room and outcome (Flagel and Irvin). 2006; 48:S103–S104 (Research Forum abstracts)

Tinnitus
Tinnitus as a measure of acute salicylate toxicity (Samlan et al). 2006;48:S100 (Research Forum abstracts)

Tissue plasminogen activator
Emergency physician survey: recombinant tissue plasminogen activator for stroke (Mann); Reply (Walsh et al). 2006;48:476–7 (Correspondence)

Tobacco use cessation
Tobacco control interventions in the emergency department: a joint statement of emergency medicine organizations (Bernstein et al). 2006; 48:417–25, 417.e1–e10 (Concepts)

Tomography, spiral computed
Performance of helical CT without oral contrast for the detection of patients with pancreatic injuries (Holmes et al). 2006;48:S82 (Research Forum abstracts)

Tomography, x-ray computed
Abnormal head computed tomography after iatrogenic post-myelogram bacterial meningitis (Smith and Truwit). 2006;48:17, 20 (Images in Emergency Medicine)
Cardiac-gated multidetector CT coronary angiography in evaluation of emergency department chest pain patients (Mahr et al). 2006;48:S16 (Research Forum abstracts)
A comparison of characteristics of patients diagnosed with subarachnoid hemorrhage by computed tomography versus lumbar puncture (Buckner et al). 2006;48:S41–S42 (Research Forum abstracts)
Comparison of ECG gated multidetector CT with stress testing in patients presenting to the emergency department with chest pain (Kuo et al). 2006;48:S111 (Research Forum abstracts)
Computed tomography of the abdomen versus right upper quadrant ultrasonography for diagnosis of acute gallbladder disease (Hsu et al). 2006;48:S17 (Research Forum abstracts)
Computer-assisted categorizing of head computed tomography reports for clinical decision rule research (Wall et al). 2006;48: 551–7, 551.e1–e19
Does CT scan increase the rate of gangrenous or perforated appendicitis in adults presenting to the emergency department? (Perry et al). 2006; 48:S15 (Research Forum abstracts)
How often do emergency department patients with chest pain meet eligibility criteria for multi-detector computerized tomography of the coronary arteries? (Nagurney et al). 2006; 48:S17 (Research Forum abstracts)
Multicenter trial assessing the impact of an overnight international "Nighthawk" teleradiology system on CT radiology re-interpretation rates (Venieris et al). 2006;48: S16 (Research Forum abstracts)
The necessity of head CT scan for elderly patients with head injury (Nguyen et al). 2006; 48:S103 (Research Forum abstracts)
Overuse of CT in ED patients with presenting complaint of headache (Hui et al). 2006;48: S15–S16 (Research Forum abstracts)
A review of significant head CT findings (McClung et al). 2006;48:S15 (Research Forum abstracts)
The usefulness of computed tomography in patients with carpal bone fracture (You et al). 2006;48:S49–S50 (Research Forum abstracts)
The usefulness of contrast-enhanced abdominal computed tomography for patients with suspected Fitz-Hugh-Curtis syndrome (Oh et al). 2006;48:S89 (Research Forum abstracts)

Tonometry. *See* Manometry

Toxicity
Tinnitus as a measure of acute salicylate toxicity (Samlan et al). 2006;48:S100 (Research Forum abstracts)

Tracheotomy
Description and assessment of a new model for cricothyrotomy (Long et al). 2006;48:S33 (Research Forum abstracts)
The impact of the gum elastic bougie on emergency department cricothyrotomy rate

(Greene and Bair). 2006;48:S28 (Research Forum abstracts)

Transient ischemic attack. *See* Ischemic attack, transient

Trauma. *See* Wounds and injuries

Trauma centers

Changing the definition for need for trauma center significantly alters the accuracy of trauma triage criteria (Levin et al). 2006;48:S84 (Research Forum abstracts)

The impact of specialty trained emergency medicine and trauma teams on trauma mortality rates at an academic level I trauma center (Gerardo et al). 2006;48:S102 (Research Forum abstracts)

Is prehospital GCS alone adequate to determine need for a trauma center? (Isaak et al). 2006;48:S53–S54 (Research Forum abstracts)

Matching trauma team response to need in a level 1 trauma system (Norton et al). 2006;48:S84 (Research Forum abstracts)

Trauma center designation, time to operating room and outcome (Flagel and Irvin). 2006;48:S103–S104 (Research Forum abstracts)

Triage

Changing the definition for need for trauma center significantly alters the accuracy of trauma triage criteria (Levin et al). 2006;48:S84 (Research Forum abstracts)

A comparison of in-hospital outcomes based upon the presence or absence of a chest pain complaint at emergency department triage (Waxman et al). 2006;48:S45–S46 (Research Forum abstracts)

A comparison of triage systems and their impact on initial pain management: a multicenter study (Ducharme et al). 2006;48:S61 (Research Forum abstracts)

Is the emergency severity index reliable for pediatric triage? (Rosenau et al). 2006;48:S62–S63 (Research Forum abstracts)

Quality assessment of nurse triage: could a course improve the capability to categorize correctly emergency patients? (Parenti et al). 2006;48:S115 (Research Forum abstracts)

Quality assessment of nurse triage: which factors are associated to mistriage in emergency patients? (Parenti et al). 2006;48:S53 (Research Forum abstracts)

The role of faculty triage on emergency department overcrowding and ambulance division (Han et al). 2006;48:S34–S35 (Research Forum abstracts)

Usability of the advanced bioterrorism triage algorithms (Kuklinski et al). 2006;48:S51–S52 (Research Forum abstracts)

The use of an accelerated triage and treatment protocol decreases left without being seen rates and wait times in emergency severity index category 3 patients (Young et al). 2006;48:S25–S26 (Research Forum abstracts)

Validation of the triage algorithm for psychiatric screening (TAPS) tool in patients with psychiatric chief complaints (Miller et al). 2006;48:S125–S126 (Research Forum abstracts)

Wireless computerized rapid triage in the field: how well does technology perform during mass casualty incidents and disaster events? (Killeen et al). 2006;48:S69 (Research Forum abstracts)

Trichomonas infections

Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* coinfection with *Trichomonas vaginalis* in female emergency department patients: are wet prep results a reliable predictor? (Gordon et al). 2006;48:S37 (Research Forum abstracts)

Tromethamine

Apneic ventilation with tham infusion: life without breath (Greer et al). 2006;48:S98 (Research Forum abstracts)

Troponin

Discordant cardiac biomarkers: frequency and outcomes in emergency department patients with chest pain (Storrow et al). 2006;48:660–5

Does emergency department serum troponin compare with the cerebral infarct volume on diffusion weighted MRI in patients with acute ischemic stroke? (Bhagra et al). 2006;48:S120 (Research Forum abstracts)

Troponin I

Does a 90 minute enzyme set increase the yield for detecting cardiac ischemia? (D'Amore et al). 2006;48:S112 (Research Forum abstracts)

The relationship between rapid ECU troponin-I and cardiac outcome (Chang et al). 2006;48:S46 (Research Forum abstracts)

Truth disclosure

Disclosure of error (Geiderman). 2006;48:631–2 (Change of Shift)

Emergency physicians and disclosure of medical errors (Moskop et al). 2006;48:523–31 (Concepts)

Tympanic membrane perforation

Tympanic membrane perforation as a biomarker of primary barotrauma after blast exposure in Iraq (Harrison et al). 2006;48:S102–S103 (Research Forum abstracts)

U

Ulnar nerve

Feasibility of forearm ultrasonography-guided nerve blocks of the radial, ulnar, and median nerves for hand procedures in the emergency department (Liebmann et al). 2006;48:558–62 (Brief research report)

Ultrasonography

Can compression of the abdominal aorta really stop blood loss in the critical femoral or inguinal penetrating wounds? An ultrasound evaluation (Blaivas et al). 2006;48:S86–S87 (Research Forum abstracts)

Computed tomography of the abdomen versus right upper quadrant ultrasonography for diagnosis of acute gallbladder disease (Hsu et al). 2006;48:S17 (Research Forum abstracts)

Efficacy of ultrasound probes in the evaluation of depressed skull fractures (Chaudry et al). 2006;48:S105 (Research Forum abstracts)

Emergency ultrasound imaging criteria compendium (American College of Emergency Physicians). 2006;48:487–510 (Policy statement)

Emergency ultrasound usage among recent emergency medicine graduates (Breyer et al). 2006;48:S85 (Research Forum abstracts)

Evaluating competency of emergency physicians at pelvic ultrasound after implementation of an ultrasound credentialing process (Colla et al). 2006;48:S106–S107 (Research Forum abstracts)

Feasibility of forearm ultrasonography-guided nerve blocks of the radial, ulnar, and median nerves for hand procedures in the emergency department (Liebmann et al). 2006;48:558–62 (Brief research report)

The focused assessment of sonography for trauma (FAST) exam in a forward-deployed combat emergency department: a prospective observational study (Kolkebeck and Mehta). 2006;48:S87 (Research Forum abstracts)

The learning curve of emergency medicine residents learning to perform limited biliary sonography (Jang et al). 2006;48:S33 (Research Forum abstracts)

The learning curve of emergency medicine residents learning to perform limited obstetric sonography (Jang et al). 2006;48:S105 (Research Forum abstracts)

Metallic foreign body removal with ultrasound guidance (Manson et al). 2006;48:S104–S105 (Research Forum abstracts)

Outcomes for ectopic pregnancy patients with indeterminate pelvic ultrasounds using a modified CMC pregnancy ultrasound protocol with selective non-IUP gynecologic consultation (Tayal et al). 2006;48:S105–S106 (Research Forum abstracts)

Peripheral vein detection using ultrasound and sonographic factors associated with successful peripheral vein cannulation in young children presenting to the pediatric emergency department: a pilot study (Schnadower et al). 2006;48:S93–S94 (Research Forum abstracts)

A prospective comparison and cost analysis of ultrasound-guided and blindly placed radial arterial catheters (Shiver et al). 2006;48:S86 (Research Forum abstracts)

Randomized controlled clinical trial of point-of-care, limited ultrasonography for trauma in the emergency deparment: the first Sonography Outcomes Assessment Program trial (Melniker et al). 2006;48:227–35

Real-time ultrasonographically-guided internal jugular vein catheterization in the emergency department increases success rates and reduces complications: a randomized, prospective study (Leung et al). 2006;48:540–7

Revenue capture in an emergency medicine ultrasound program: a pilot study (Nelson and Baumlin). 2006;48:S106 (Research Forum abstracts)

Role of early bedside transvaginal ultrasonography in the diagnosis of tubo-ovarian abscess (Adhikari et al). 2006;48:S85–S86 (Research Forum abstracts)

Sonographic diagnosis of axillary artery aneurysm presenting as painful axillary mass (Nelson et al). 2006;48:339–40 (Correspondence)

Ultrasonographic guidance for internal jugular vein cannulation: an educational imperative, a desirable practice alternative (Sabbaj and Hedges). 2006;48:548–50 (Editorial)

Ultrasonography and outcomes research: one small step for mankind or another drop in the bucket? (Rose). 2006;48:237–9 (Editorial)

Ultrasound evaluation of the thorax as a component of the focused assessment by sonography in trauma (Dean et al). 2006;48:S87 (Research Forum abstracts)

The use of emergency department bedside ultrasound to determine the correlation between increased intracranial pressure and the optic nerve sheath diameter (Larson et al). 2006;48:S106 (Research Forum abstracts)

Use of focused assessment with sonography for trauma with ancillary laboratory tests to

exclude intra-abdominal injuries (Keith et al). 2006;48:S87 (Research Forum abstracts)
The utility of handheld ultrasound evaluation in an austere medical setting after a natural disaster (Dean et al). 2006;48:S106 (Research Forum abstracts)

Ultrasonography, Doppler, color
Intraosseous line placement: ultrasound/color flow Doppler confirmation of tip location and detection of leakage in a live porcine model (Hailaj et al). 2006;48:S61–S62 (Research Forum abstracts)

Ultrasonography, Doppler, transcranial
Correlation of ejection fraction with transcranial Doppler flow rates in acute stroke patients (Wira III et al). 2006;48:S20 (Research Forum abstracts)

Ultrasonography, prenatal
Diagnosis and management of ectopic pregnancy using bedside transvaginal ultrasonography in the emergency department: a two-year experience (Adhikari et al). 2006: 48:S86 (Research Forum abstracts)

United States
Frequent users of Massachusetts emergency departments: a statewide analysis (Fuda and Immekus). 2006;48:9–16, 9.e1–9.e16
The future of emergency care in the United States: the Institute of Medicine Subcommittee on prehospital emergency medical services (Spaite). 2006;48:126–30 (Editorial)
The future of emergency care in the United States Health System (Institute of Medicine). 2006;48:115–20 (Special contribution)
Multistate outbreak of mumps—United States, January 1–May 2, 2006 (Centers for Disease Control and Prevention); Commentary (Waxman and Abrahamian). 2006;48:332–6 (CDC Update)

United States Centers for Medicare and Medicaid Services
Centers for Medicare and Medicaid services community-acquired pneumonia core measure criteria incorrectly includes patients without pneumonia (Nicks). 2006;48:S34 (Research Forum abstracts)
Complying with the CMS pneumonia quality indicators: a multi-faceted approach to changing physician behavior (Maniago and Ardolic). 2006;48:S26 (Research Forum abstracts)

Upper respiratory tract infections. *See* Respiratory tract infections

Urban health services
Characteristics of pediatric patients in an urban Oregon emergency department (Ping et al). 2006;48:S34 (Research Forum abstracts)
An evaluation of cardiopulmonary resuscitation (CPR) parameters in a large urban EMS system (Buono et al). 2006;48:S97 (Research Forum abstracts)
Internet usage and aptitude in utilizers of urban and suburban emergency departments (Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)
Prevalence and demographics of MRSA in culturable skin and soft tissue infections in an urban emergency department (Jacobus et al). 2006;48:S17 (Research Forum abstracts)

Urinalysis
Is urine dipstick a reliable screening tool for rhabdomyolysis in the suspected heat injury patient? (Young et al). 2006;48:S90 (Research Forum abstracts)
A prospective clinical trial evaluating urinary 5-hydroxyindoleacetic acid (5HIAA) levels in the diagnosis of acute appendicitis (Hernandez et al). 2006;48:S47–S48 (Research Forum abstracts)
Urinalysis is not reliable to detect a urinary tract infection (UTI) in febrile infants presenting to the emergency department (Jones et al). 2006; 48:S61 (Research Forum abstracts)
Urine cultures in emergency department patients with renal stones (Dorfman et al). 2006;48:S68–S69 (Research Forum abstracts)

Urinary tract infections
Determining the incidence of urinary tract infections in infants and children aged 4 months to 6 years with febrile diarrhea (Nibhanipudi et al). 2006;48:S123 (Research Forum abstracts)
Urinalysis is not reliable to detect a urinary tract infection (UTI) in febrile infants presenting to the emergency department (Jones et al). 2006; 48:S61 (Research Forum abstracts)

V

Vaccination
Attitudes and practices regarding influenza vaccination among emergency department personnel (Fernandez et al). 2006;48:S96 (Research Forum abstracts)

Vasopressins
Vasopressin or epinephrine for out-of-hospital cardiac arrest (Wyer et al). 2006;48:86–97 (Evidence–based emergency medicine)

Venous thrombosis
Diagnosis of lower limb deep venous thrombosis in emergency department patients: performance of Hamilton and modified Wells scores (Subramaniam et al). 2006;48:678–85

Ventricular fibrillation
Prehospital intubation is associated with increased mortality in primary cardiac arrest patients with ventricular fibrillation (Garza et al). 2006;48:S91 (Research Forum abstracts)

Veterinarians
Unintended lessons from the veterinarian (Braude). 2006;48:757–8 (Change of Shift)

Video-assisted surgery
Endotracheal intubation with a handheld videoscope: a prospective study for combat and prehospital medical care (Dooley et al). 2006; 48:S26 (Research Forum abstracts)

Videotape recording
An educational HIV pretest counseling video program for off-hours testing in the emergency department (Calderon et al). 2006;48:21–27, 21.e1–21.e8

Violence
Characteristics of partner violence perpetrators in the emergency department (Johnson et al). 2006;48:S23 (Research Forum abstracts)
Does sex matter? Effect of gender in intimate partner violence screening (Gerlach et al). 2006;48:S22–S23 (Research Forum abstracts)
Effects of holidays, weekends, and seasons on intimate partner violence incidents (Pawlowski et al). 2006;48:S22 (Research Forum abstracts)
Intimate partner violence related suicidality is lower in Hispanic emergency department patients than NonHispanics (Larkin and Anglin). 2006; 48:S22 (Research Forum abstracts)
Substance use and violence among emergency department patients with minor injury (Prekker et al). 2006;48:S23 (Research Forum abstracts)

Viperidae
Efficacy of North American crotalid antivenin against the African viper *Bitis gabonica* (Gaboon viper) (Wiley et al). 2006;48:S99–S100 (Research Forum abstracts)

W

War
Endotracheal intubation with a handheld videoscope: a prospective study for combat and prehospital medical care (Dooley et al). 2006; 48:S26 (Research Forum abstracts)
Tympanic membrane perforation as a biomarker of primary barotrauma after blast exposure in Iraq (Harrison et al). 2006;48:S102–S103 (Research Forum abstracts)

Warfarin
The prevalence of nontherapeutic and dangerous international normalized ratios among patients receiving warfarin in the emergency department (Newman and Zhitomirsky). 2006;48:182–9, 182.e1–e9

Water
A meta-analysis of wound irrigation comparing tap water versus sterile saline (Moscati et al). 2006;48:S84 (Research Forum abstracts)

Weather
The effect of weather and air pollution on EMS calls for complaints of chest pain in an urban city (Low et al). 2006;48:S69 (Research Forum abstracts)

Workload
An ergonomic comparison of emergency physician workload (Chisholm et al). 2006;48: S64–S65 (Research Forum abstracts)

Wound infection
Does irrigation with bacitracin-infused saline decrease infection rates in high-risk wounds? (Pethe et al). 2006;48:S103 (Research Forum abstracts)
A meta-analysis of wound irrigation comparing tap water versus sterile saline (Moscati et al). 2006;48:S84 (Research Forum abstracts)

Wounds, gunshot
Gun exposure in an emergency department adolescent population (Fiechtl et al). 2006;48: S74–S75 (Research Forum abstracts)
Recurring adolescent victims of firearms-related injuries: a population at risk (Cox et al). 2006; 48:S22 (Research Forum abstracts)

Wounds, nonpenetrating
Chest radiography: the trauma team point of view (Adams); Reply (Rodriguez and Hendey). 2006;48:637–9 (Correspondence)
Delta GCS: a new predictor of outcome in blunt trauma? (Flagel et al). 2006;48:S104 (Research Forum abstracts)
Evaluation of a modified prediction instrument to identify significant pediatric intracranial injury after blunt trauma (Sun et al). 2006;48: S84 (Research Forum abstracts)
History and physical examination findings alone are inadequate for identification of low-risk pediatric blunt trauma (Holland et al). 2006; 48:S62 (Research Forum abstracts)
Use of focused assessment with sonography for trauma with ancillary laboratory tests to

exclude intra-abdominal injuries (Keith et al). 2006;48:S87 (Research Forum abstracts)

Wounds, penetrating

Can compression of the abdominal aorta really stop blood loss in the critical femoral or inguinal penetrating wounds? An ultrasound evaluation (Blaivas et al). 2006;48:S86–S87 (Research Forum abstracts)

Wounds and injuries

ATLS versus ETC: time for a decision (Kinross et al). 2006;48:761(Correspondence)

Blood pressure variations after rapid sequence intubation using etomidate in emergency department trauma patients (Yealy et al). 2006; 48:S83 (Research Forum abstracts)

Does the presence of physicians at professional football games reduce the number of patient transports? (Pozner et al). 2006;48:S55 (Research Forum abstracts)

The effect of resuscitation on shock index and outcome in adult trauma patients (Duldner et al). 2006;48:S82 (Research Forum abstracts)

EM osteoporosis feasibility screening study in injury prevention (Christopher et al). 2006;48: S56 (Research Forum abstracts)

Evaluation of analgesic use during trauma resuscitation (Khandelwal et al). 2006;48:S58–S59 (Research Forum abstracts)

The focused assessment of sonography for trauma (FAST) exam in a forward-deployed combat emergency department: a prospective observational study (Kolkebeck and Mehta). 2006;48:S87 (Research Forum abstracts)

The impact of specialty trained emergency medicine and trauma teams on trauma mortality rates at an academic level I trauma center (Gerardo et al). 2006;48:S102 (Research Forum abstracts)

Injury prevalence and characterization among emergency department patients from an urban level 1 trauma center (Prekker et al). 2006;48: S57 (Research Forum abstracts)

Mosh-concert-related injuries vs standard concert seating (Janchar et al). 2006;48:S76–S77 (Research Forum abstracts)

Non-invasive near infrared spectroscopy-derived StO_2 predicts mortality in severe traumatic injury (Beilman et al). 2006;48:S2 (Research Forum abstracts)

Oral oxycodone versus intravenous morphine in pediatric patients for the treatment of pain due to acute musculoskeletal injury in the emergency department (Miner and Moore). 2006;48:S121 (Research Forum abstracts)

Performance of helical CT without oral contrast for the detection of patients with pancreatic injuries (Holmes et al). 2006;48:S82 (Research Forum abstracts)

Prospective correlation of arterial and venous blood gas measurements in trauma patients (Rudkin et al). 2006;48:S82–S83 (Research Forum abstracts)

A quantitative assessment of the presence of hostility, anger, depression, social support, hazardous alcohol use and comorbidity in the adult trauma population (Hormozdi et al). 2006;48:S83 (Research Forum abstracts)

Randomized controlled clinical trial of point-of-care, limited ultrasonography for trauma in the emergency deparment: the first Sonography Outcomes Assessment Program trial (Melniker et al). 2006;48:227–35

Substance use and violence among emergency department patients with minor injury (Prekker et al). 2006;48:S23 (Research Forum abstracts)

Wrist

Determining the ideal position for the wrist-cuff blood pressure device (Rosin). 2006;48:S66–S67 (Research Forum abstracts)

A novel wrist splint device reduces dental pressure during intubation (Julian et al). 2006; 48:S15 (Research Forum abstracts)

Wrist injuries

Cost comparison of sedation and reduction of closed wrist fractures in the emergency department versus the operating suite in a community hospital (Charles et al). 2006;48: S59 (Research Forum abstracts)

Z

Zolpidem. ***See*** **Pyridines**

Author Index
July–December 2006

July, pp. 1–114; August, pp. 115–226; September, pp. 227–346;
October, pp. 347–512; November, pp. 513–646; December, pp. 647–832.

A

Abraham E (*see* Nguyen et al). 2006;48:28–54 (Review article)
Abraham WT (*see* Collins et al). 2006;48:341 (Correspondence)
Abrahamian FM. Commentary. 2006;48:57–59 (CDC Update)
Abrahamian FM (*see* Nguyen et al). 2006;48:28–54 (Review article)
Abrahamian FM (*see* Waxman and Abrahamian). 48:335–336 (CDC Update)
Adams AL (*see* Yarris et al). 2006;48:S25 (Research Forum abstracts)
Adams BD. Chest radiography: the trauma team point of view. 2006;48:637–638 (Correspondence)
Adams BD, Cuniowski P, Muck A, Hunter CJ, DeLorenzo RA. Combat airway management: the REACH study (registry of emergency airways arriving at combat hospitals). 2006;48: S26–S27 (Research Forum abstracts)
Adelson ME (*see* Walsh et al). 2006;48:S95 (Research Forum abstracts), 2006;48:S124 (Research Forum abstracts)
Adhikari S (*see* Blaivas et al). 2006;48:S86–S87 (Research Forum abstracts)
Adhikari S, Blaivas M, Lyon M. Diagnosis and management of ectopic pregnancy using bedside transvaginal ultrasonography in the emergency department: a two-year experience. 2006;48:S86 (Research Forum abstracts)
Adhikari S, Blaivas M, Lyon M. Role of early bedside transvaginal ultrasonography in the diagnosis of tubo-ovarian abscess. 2006;48: S85–S86 (Research Forum abstracts)
Aguilar S (*see* Buono et al). 2006;48:S97 (Research Forum abstracts)
Ahl J (*see* Houston et al). 2006;48:S126 (Research Forum abstracts)
Ahlborn EN, Heidorn CR. Timely patient placement: a multi-disciplinary approach to patient safety. 2006;48:S4–S5 (Research Forum abstracts)
Ahn CJ (*see* Camargo et al). 2006;48:S116 (Research Forum abstracts)
Ahn CJ (*see* Sullivan et al). 2006;48:694–701
Ahn K, Shin S, Song K, Kim K, Suh G, Rhee JE. Is the serum level of S-100B protein able to predict the immediate result and 1-month neurological outcome for the patient with cardiac arrest? 2006;48:S98 (Research Forum abstracts)
Aisic I (*see* Wall et al). 2006;48:551–557
Aitchison P (*see* Vozenilek et al). 2006;48:S114 (Research Forum abstracts)
Akhtar S, Demuth-Anderson L, Stoller M, Meyer M, Todd K. Pain assessment and management of hip fractures in the emergency department. 2006;48:S60–S61 (Research Forum abstracts)
Akkinepalli R (*see* Holmes et al). 2006;48:S82 (Research Forum abstracts)
Aks SE (*see* Jordan et al). 2006;48:S81 (Research Forum abstracts)
Alejandro J (*see* Perry et al). 2006;48:S15 (Research Forum abstracts)
Allegra JR (*see* Cochrane et al). 2006;48:S89 (Research Forum abstracts)
Allegra JR (*see* Eskin et al). 2006;48:S113 (Research Forum abstracts)
Allegra JR (*see* Fiesseler et al). 2006;48:S20 (Research Forum abstracts)
Allegra JR (*see* Finley et al). 2006;48:S94 (Research Forum abstracts)
Allgretti J (*see* Kurz et al). 2006;48:S113 (Research Forum abstracts)
Alli F (*see* Byers et al). 2006;48:S40 (Research Forum abstracts)
Almahasneh F (*see* Nawaz et al). 2006;48:S11–S12 (Research Forum abstracts)
Almeida S-L (*see* Bernstein et al). 2006;48:417–425 (Concepts)
Alson RL (*see* Barnes et al). 2006;48:S102 (Research Forum abstracts)
Altman DG (*see* Schriger et al). 2006;48:743–749; 48:750–756
Alvarez M (*see* Salazar et al). 2006;48:S65 (Research Forum abstracts)
Amato C (*see* Finley et al). 2006;48:S94 (Research Forum abstracts)
Ameratunga SN, Norton RN, Connor JL, Robinson E, Civil I, Coverdale J, Bennett D, Jackson RT. A population-based cohort study of longer-term changes in health of car drivers involved in serious crashes. 2006;48:729–736
American College of Emergency Physicians. Assignment of benefits. 2006;48:484 (Policy statement)
American College of Emergency Physicians. Disaster medical response. 2006;48:645 (Policy statement)
American College of Emergency Physicians. Emergency medicine workforce. 2006;48:510 (Policy statement)
American College of Emergency Physicians. Emergency ultrasound imaging criteria compendium. 2006;48:487–510 (Policy statement)
American College of Emergency Physicians. EMTALA and on-call responsibility for emergency department patients. 2006;48:486–487 (Policy statement)
American College of Emergency Physicians. Interpretation of imaging diagnostic studies. 2006;48:645 (Policy statement)
American College of Emergency Physicians. Medical screening of emergency department patients. 2006;48:510 (Policy statement)
American College of Emergency Physicians. Medical services coding. 2006;48:483–484 (Policy statement)
American College of Emergency Physicians. Patient- and family-centered care and the role of the emergency physician providing care to a child in the emergency department. 2006;48: 643–645 (Policy statement)
American College of Emergency Physicians. Pediatric mental health emergencies in the emergency medical services system. 2006;48: 484–486 (Policy statement)
American College of Emergency Physicians. Physician credentialing and delineation of clinical privileges in emergency medicine. 2006;48:511 (Policy statement)
American College of Emergency Physicians. The role of the legacy emergency physician in the 21st century. 2006;48:511 (Policy statement)
Amicucci J (*see* Sevier et al). 2006;48:S5 (Research Forum abstracts)
Amicucci J (*see* Wilson et al). 2006;48:S5 (Research Forum abstracts)
Amoroso B (*see* Wald et al). 2006;48:S14 (Research Forum abstracts)
Amre D (*see* Di Liddo et al). 2006;48:433–440
Amsalem Y (*see* Leiba et al). 2006;48:194–199
Amsterdam E (*see* Peacock et al). 2006;48:S29 (Research Forum abstracts)
Anantharaman V (*see* Lindsell et al). 2006;48:666–677
Ander DS (*see* Bitner et al). 2006;48:S114 (Research Forum abstracts)
Ander DS (*see* Wald et al). 2006;48:S12–S13 (Research Forum abstracts), 2006;48:S31 (Research Forum abstracts)
Anderson AJ, Summers RL, Jackson L, Woodward LH. Does cell phone use cause electromagnetic interference with the function of ECG monitors in the emergency department? 2006; 48:S34 (Research Forum abstracts)
Anderson BB, Mycyk MB, Bhatia R. ED caregivers rarely assess non-traditional drug abuse. 2006; 48:S101 (Research Forum abstracts)
Anderson C (*see* Tsai et al). 2006;48:S57 (Research Forum abstracts)
Andruchow JE (*see* Lang and Andruchow). 2006; 48:98–100 (Systematic review abstract)
Andrus P, Oyama J, Dickson J, Hoxhaj S. Hospital crowding affects the timeliness of pneumonia care. 2006;48:S6 (Research Forum abstracts)
Anglin D (*see* Larkin and Anglin). 2006;48:S22 (Research Forum abstracts)
Angus DC (*see* Huang et al). 2006;48:S1 (Research Forum abstracts)
Angus DC (*see* Shapiro et al). 2006;48:583–590
Ankel FK (*see* McBeth et al). 2006;48:S32 (Research Forum abstracts), 48:S32–S33 (Research Forum abstracts)
Ansari AH (*see* Zosel et al). 2006;48:S120 (Research Forum abstracts)

Antro C, Merico F, Scalabrino E, Noto P, Fascio Pecetto P, Gai V. Implementation of the survival sepsis campaign guidelines for severe sepsis and septic shock in the emergency department. 2006;48:S67 (Research Forum abstracts)
Anwaruddin S (*see* Tung et al). 2006;48:66–74
Appleby L (*see* Cooper et al). 2006;48:459–466
Aran A (*see* Leiba et al). 2006;48:194–199
Arcila M (*see* Larson et al). 2006;48:S106 (Research Forum abstracts)
Ardolic B (*see* Maniago and Ardolic). 2006;48:S26 (Research Forum abstracts)
Ardolic B (*see* Nguyen et al). 2006;S103 (Research Forum abstracts)
Ardolic B (*see* Weizberg et al). 2006;48:S63 (Research Forum abstracts)
Ardolic B, Weizberg M, Cambria B, Dazio F, Hahn B, Farooqui Y, Maniago E. Documentation and coding skills: is there adequate training in emergency medicine residency? 2006;48:S108 (Research Forum abstracts)
Arms JL, Ortega HW, Finkelstein M, Reid SR. Apnea complicating RSV infection in infancy. 2006;48:S95 (Research Forum abstracts)
Aronsky D (*see* Han et al). 2006;48:S34–S35 (Research Forum abstracts)
Aronsky D (*see* Heavrin et al). 2006;48:S115–S116 (Research Forum abstracts)
Arora B (*see* Singer et al). 2006;48:S102 (Research Forum abstracts)
Arora S (*see* Schriger et al). 2006;48:743–749
Arvanitis M (*see* Hyde and Arvanitis). 2006;48:S64 (Research Forum abstracts)
Asarnow JR (*see* Baraff et al). 2006;48:452–458
Asplin BR (*see* McBeth et al). 2006;48:S32 (Research Forum abstracts), 48:S32–S33 (Research Forum abstracts)
Asplin BR. Hospital-based emergency care: a future without boarding? 2006;48:121–125 (Editorial)
Aubin C (*see* Hsu et al). 2006;48:S17 (Research Forum abstracts)
Auerbach A, Hirshon JM, Klemt RM, Heckendorf J, Kopinsk J, Merlis J, Desaulni B. Internet usage and aptitude in utilizers of urban and suburban emergency departments. 2006;48:S39–S40 (Research Forum abstracts)
Auerbach BS (*see* Sullivan et al). 2006;48:694–701
Auerbach C (*see* Wall et al). 2006;48:551–557
Avegno J, Moises J, Tatford S, Herbert K, Zickerman E. A novel civilian-military partnership in emergency medical services during a prolonged disaster: patient characteristics, resource utilization, and future recommendations. 2006;48:S52 (Research Forum abstracts)
Ayala C (*see* Fitch et al). 2006;48:S44 (Research Forum abstracts)
Azami T (*see* Mardimae et al). 2006;48:391–399

B

Baade LM, Herrington RW. Response to: the emergency department utility of Simplify™ D-dimer to exclude pulmonary embolism in patients with pleuritic chest pain. 2006;48:106 (Correspondence)
Babcock C (*see* Kurz et al). 2006;48:S113 (Research Forum abstracts)
Babin S (*see* Schreck and Babin). 2006;48:S9 (Research Forum abstracts)
Badr A (*see* Kolb et al). 2006;48:S19 (Research Forum abstracts)
Baez AA, Giraldez EM, Rogers SO, Pozner C, Rodriguez J. Knowledge and attitudes of out-of-hospital emergency care consumers in the city of Santo Domingo, Dominican Republic. 2006;48:S79 (Research Forum abstracts)
Baez AA, Hou P, Shapiro N, Filbin M, Binstadt E, Pozner C, Barker T, Nelson S, Pallin DJ. Effectiveness of a multi-format approach to teaching emergency medicine residents early goal-directed therapy. 2006;48:S13 (Research Forum abstracts)
Báez AA. The evidence for spinal immobilization: an estimate of the magnitude of the treatment benefit. 2006;48:217–219 (Correspondence reply)
Baggish A (*see* Tung et al). 2006;48:66–74
Bagnaresi A (*see* Parenti et al). 2006;48:S53 (Research Forum abstracts)
Bagwell S (*see* Finnell and Bagwell). 2006;48:S38 (Research Forum abstracts)
Bagwell SH, Seupaul RA. Orbital cellulitis in a child. 2006;48:633 (Images in Emergency Medicine)
Bahl A (*see* Lee et al). 2006;48:S60 (Research Forum abstracts)
Bahner DP, Orlousky SR, Orlousky MP. Creation and validation of the standardized test of reported stress. 2006;48:S125 (Research Forum abstracts)
Bailey B (*see* Di Liddo et al). 2006;48:433–440
Bailey G (*see* Pawlowski et al). 2006;48:S22 (Research Forum abstracts)
Bailey J, Dart RC, RADARS(R) System Poison Center Group. Exposures to oxycodone: demographic differences by formulation. 2006;48:S81–S82 (Research Forum abstracts)
Bailey JM (*see* Vokes et al). 2006;48:406–414
Bailey KR (*see* Schears et al). 2006;48:S112 (Research Forum abstracts)
Bair AE (*see* Caravelli and Bair). 2006;48:S7–S8 (Research Forum abstracts)
Bair AE (*see* Greene and Bair). 2006;48:S28 (Research Forum abstracts)
Bajaj L (*see* Roback et al). 2006;48:605–612
Baker LC (*see* Hsia et al). 2006;48:S117 (Research Forum abstracts)
Baker MB, Hafner JW, Lin GC, Peterson SC. Parenteral antiemetic trends in an emergency department and inpatient population from 1996–2005. 2006;48:S127 (Research Forum abstracts)
Baker SP (*see* Li and Baker). 2006;48:634–635 (Correspondence)
Baker SP, Dodd RS. Helicopter emergency medical service safety. 2006;48:636–637 (Correspondence reply)
Bakes K (*see* Van Groenou and Bakes). 2006;48:532–537 (Concepts)
Balaguer J (*see* Epelde et al). 2006;48:S45 (Research Forum abstracts)
Baldisserri C (*see* Parenti et al). 2006;48:S115 (Research Forum abstracts)
Balise R (*see* Smith-Coggins et al). 2006;48:596–604
Ballew JJ (*see* Jones et al). 2006;48:S88 (Research Forum abstracts)
Banet G (*see* Lewis et al). 2006;48:S66 (Research Forum abstracts)
Banfield CE (*see* Wall et al). 2006;48:551–557
Bangert B (*see* Gewirtz et al). 2006;48:S63 (Research Forum abstracts)
Bania T (*see* Perez et al). 2006;48:219–220 (Correspondence)
Bania TC (*see* Lee et al). 2006;48:S60 (Research Forum abstracts)
Bar-Dayan Y (*see* Leiba et al). 2006;48:194–199
Baraff LJ, Janowicz N, Asarnow JR. Survey of California emergency departments about practices for management of suicidal patients and resources available for their care. 2006;48:452–458
Barata IA, LaMantia J, Riccardi D, Livote E, Litroff A, D'Abbracci P, Ward M, Sama A. Family presence during pediatric procedures: an emergency medicine residents' perspective. 2006;48:S122–S123 (Research Forum abstracts)
Barbara P, Hsu CK. Effect of removal of both soft and hard contacts on ocular pressures as measured by applanation tonometry. 2006;48:S67 (Research Forum abstracts)
Barhorst B (*see* Menci et al). 2006;48:S97–S98 (Research Forum abstracts)
Barker T (*see* Baez et al). 2006;48:S13 (Research Forum abstracts)
Barker T (*see* Pozner et al). 2006;48:S55 (Research Forum abstracts)
Barnes DG Jr, Winslow JE III, Alson RL, Johnson J, Bozeman WP. Cardiac effects of the taser conducted energy weapon. 2006;48:S102 (Research Forum abstracts)
Barr CE, Schulman KL, Iacuzio DA. Reduction in the risk of pneumonia following oseltamivir use for influenza among pediatric patients. 2006;48:S37–S38 (Research Forum abstracts)
Barrett J (*see* Wald et al). 2006;48:S14 (Research Forum abstracts)
Barry JD (*see* Hartstein and Barry). 2006;48:S122 (Research Forum abstracts)
Bartkus E (*see* Lairet et al). 2006;48:S7 (Research Forum abstracts)
Basavaraju SV (*see* Nelson et al). 2006;48:339–340 (Correspondence)
Bascom E, Irvin C, Corsi D, Tognacci R, Huber L, Buckley L, Olmstead M. Building bridges: breast cancer prevention in emergency departments by connecting at-risk women to mammography. 2006;48:S96–S97 (Research Forum abstracts)
Bascom E, Takla R, Sarvpreet B, Cochran C. Emergency department discharge without a safety net: does having insurance make a difference with follow-up care? 2006;48:S96 (Research Forum abstracts)
Bastani A (*see* Compton et al). 2006;48:S97 (Research Forum abstracts)
Bates DW (*see* Shapiro et al). 2006;48:583–590
Battista S (*see* Gai et al). 2006;48:S31 (Research Forum abstracts)
Baud F, Borron S. Safety of hydroxocobalamin use in the prehospital setting as an antidote for smoke inhalation-associated cyanide poisoning. 2006;48:S55 (Research Forum abstracts)
Baud F, Lapostolle F, Borron S. Plasma lactate concentrations correlate with physiological responses in cyanide poisoning but not other types of acute poisoning. 2006;48:S54–S55 (Research Forum abstracts)
Bauer M (*see* LaValley et al). 2006;48:S58 (Research Forum abstracts), 2006;48:S77 (Research Forum abstracts)
Bauman LJ (*see* Calderon et al). 2006;48:21–27
Baumann BM (*see* Kilgannon et al). 2006;48:S13 (Research Forum abstracts)

Baumann BM, Lehrmann J, Egging D, Tanabe P. Disparities in health care provider self-report and practice in the assessment and management of elevated blood pressure in emergency department patients. 2006;48:S30 (Research Forum abstracts)
Baumann BM, Nuthulaganti T, Modarai F, Nairn SJ, Boudreaux ED, Singh SB. English as a second language: caregivers' perceptions and management of febrile infants. 2006;48:S123 (Research Forum abstracts)
Baumann MR, Strout TD. A novel approach to increasing emergency department capacity during times of peak volume. 2006;48:S108–S109 (Research Forum abstracts)
Baumlin K (*see* Nelson et al). 2006;48:339–340 (Correspondence)
Baumlin K (*see* Nelson and Baumlin). 2006;48:S106 (Research Forum abstracts)
Bayly PV (*see* Lewis et al). 2006;48:S109–S110 (Research Forum abstracts)
Bebarta VS (*see* Dooley et al). 2006;48:S26 (Research Forum abstracts)
Bebarta VS (*see* Harrison et al). 2006;48:S102–S103 (Research Forum abstracts)
Bebarta VS (*see* Varney et al). 2006;48:S95 (Research Forum abstracts)
Beede J (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Behera SR (*see* Vaidyanathan et al). 2006;48:S72–S73 (Research Forum abstracts)
Beilman GJ, Nathens AB, Moore FA, Rhee P, Puyana J, Moore EE, Cohn SM. Non-invasive near infrared spectroscopy-derived StO_2 predicts mortality in severe traumatic injury. 2006;48:S2 (Research Forum abstracts)
Bellolio M (*see* Vaidyanathan et al). 2006;48:S117–S118 (Research Forum abstracts)
Bellolio MF, Vaidyanathan L, Irvin AJ, Gilmore RM, Decker WW, Stead LG. Can the emergency department vitals predict the risk of subsequent cerebrovascular events following an acute ischemic stroke? 2006;48:S19–S20 (Research Forum abstracts)
Benfield J (*see* Fitch et al). 2006;48:S44 (Research Forum abstracts)
Benjamin E (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Benjamin L (*see* Chandra et al). 2006;48:S89–S90 (Research Forum abstracts)
Bennett D (*see* Ameratunga et al). 2006;48:729–736
Bentancur AG, Gavendo S, Zakuto A, Sela B, Mandel M. Hypoalbuminemia and elevated ischemia modified albumin (IMA) in stroke and non-traumatic brain hemorrhage. 2006;48:S68 (Research Forum abstracts)
Berg D (*see* Jasper et al). 2006;48:S52 (Research Forum abstracts)
Berger E. Breaking point: report calls for congressional rescue of hospital emergency departments. 2006;48:140–142 (News and Perspective)
Berger E. Crossroads: report calls for EMS standards of care. 2006;48:142–143 (News and Perspective)
Berger E. Geriatrics and the IOM: did report forget the elderly? 2006;48:723–725 (News and Perspective)
Berger E. Growing pains: report notes pediatric emergencies need greater emphasis. 2006;48:143–144 (News and Perspective)
Berger E. Specialty prepares for *The Future of Emergency Care In The United States Health System:* IOM report release anticipated. 2006;48:60–61 (News and Perspective)
Bergstralh EJ (*see* Campbell et al). 2006;48:S67–S68 (Research Forum abstracts)
Bergstralh EJ (*see* Decker et al). 2006;48:S96 (Research Forum abstracts)
Bernard R (*see* Hinfey et al). 2006;48:S110–S111 (Research Forum abstracts)
Bernard R (*see* Ripper et al). 2006;48:S96 (Research Forum abstracts)
Bernstein SL. Frequent emergency department visitors: the end of inappropriateness. 2006;48:18 (Editorial)
Bernstein SL, Boudreaux ED, Cydulka RK, Rhodes KV, Lettman NA, Almeida S-L, McCullough LB, Mizouni S, Kellermann AL, American College of Emergency Physicians Task Force on Smoking Cessation. Tobacco control interventions in the emergency department: a joint statement of emergency medicine organizations (Executive summary). 2006;48:417–425 (Concepts)
Bertrand ME (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Bhagra A (*see* Vaidyanathan et al). 2006;48:S117–S118 (Research Forum abstracts)
Bhagra A, DeJesus RO, Vaidyanathan L, Gilmore RM, Decker WW, Kashyap R, Stead LG. Does emergency department serum troponin compare with the cerebral infarct volume on diffusion weighted MRI in patients with acute ischemic stroke? 2006;48:S120 (Research Forum abstracts)
Bhagra A, Vaidyanathan L, Gilmore RM, De Jesus R, Decker WW, Kashyap R, Stead LG. Insular involvement in acute middle cerebral artery stroke patients presenting to the emergency department as a window to stroke severity, stroke subtype, functional outcome and survival. 2006;48:S21 (Research Forum abstracts)
Bharati A (*see* Nibhanipudi et al). 2006;48:S123 (Research Forum abstracts)
Bhatia R (*see* Anderson et al). 2006;48:S101 (Research Forum abstracts)
Bhatt D (*see* Peacock et al). 2006;48:S29 (Research Forum abstracts)
Bickell N (*see* Hwang and Bickell). 2006;48:S35 (Research Forum abstracts)
Biegun G. Response to: the perils of vinegar and the Heimlich maneuver. 2006;48:340–341 (Correspondence)
Bielory L (*see* Low et al). 2006;48:S69 (Research Forum abstracts)
Bihun J (*see* Heavrin et al). 2006;48:S115–S116 (Research Forum abstracts)
Bijur PE (*see* Calderon et al). 2006;48:21–27
Bijur PE (*see* Chang et al). 2006;48:164–172
Bijur PE (*see* Gallagher et al). 2006;48:150–160
Billows G (*see* Lairet et al). 2006;48:S7 (Research Forum abstracts)
Binder L (*see* Lemmel and Binder). 2006;48:482 (Book and Media Reviews)
Binder LS (*see* Lareau and Binder). 2006;48:481 (Book and Media Reviews)
Binder LS (*see* Thomas et al). 2006;48:e1–e17 (Special contribution)
Bindra M (*see* Greenberg et al). 2006;48:S11 (Research Forum abstracts)
Binstadt E (*see* Baez et al). 2006;48:S13 (Research Forum abstracts)
Birkhahn RH (*see* Melville et al). 2006;48:S88–S89 (Research Forum abstracts)
Birkhahn RH, Khan T, Datillo PA, Melville L, Van Deusen SK, Gaeta TJ. Physician preferences and relative costs for different outcomes in acute appendicitis. 2006;48:S117 (Research Forum abstracts)
Biros MH (*see* Prekker et al). 2006;48:S57 (Research Forum abstracts)
Bitner MD, Click LA, Houry DE, Ander DS. Emergency medicine medical student clerkships: do the patients that students see adequately parallel national trends in emergency department utilization. 2006;48:S114 (Research Forum abstracts)
Black E (*see* Lewis et al). 2006;48:S109–S110 (Research Forum abstracts)
Blaivas M (*see* Adhikari et al). 2006;48:S85–S86 (Research Forum abstracts)
Blaivas M (*see* Shiver et al). 2006;48:S86 (Research Forum abstracts)
Blaivas M, Shiver S, Lyon M, Adhikari S. Can compression of the abdominal aorta really stop blood loss in critical femoral or inguinal penetrating wounds? an ultrasound evaluation. 2006;48:S86–S87 (Research Forum abstracts)
Blanda M, Wilber ST, Davis CS, Reddy VP. Emergency physicians' diagnosis of community acquired pneumonia: is it affected by the 4-hour rule? 2006;48:S19 (Research Forum abstracts)
Blank FS (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Blomkalns AL (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Blomkalns AL (*see* McMullan et al). 2006;48:S45 (Research Forum abstracts)
Blyth BJ (*see* Hawthorn and Blyth). 2006;48:S110 (Research Forum abstracts)
Bobrow B (*see* Murdock et al). 2006;48:S56 (Research Forum abstracts)
Bobrow BJ, Demaerschalk B, Wood J, Jennings A, Clark L, Villarin A Jr. Emergency physicans' outlook on thrombolysis for acute ischemic stroke in a metropolitan matrix of primary stroke centers. 2006;48:S41 (Research Forum abstracts)
Bock PJ, Smith SW. Droperidol for the treatment of conversion disorder in the emergency department. 2006;48:S127 (Research Forum abstracts)
Bogdan GM (*see* Stanford et al). 2006;48:S94 (Research Forum abstracts)
Bohan JS (*see* Manini et al). 2006;48:S12 (Research Forum abstracts), 2006;48:S28 (Research Forum abstracts)
Bohrn MA. Emergency medicine oral board review, 4th edition. 2006;48:224–225 (Book and Media Reviews)
Bohrn MA. Emergency medicine written board review, 6th edition. 2006;48:224–225 (Book and Media Reviews)
Bollinger M (*see* Breyer et al). 2006;48:S114–S115 (Research Forum abstracts)
Bolton L, Robinson K, Burns K, Drescher M. Factors that correlate with patients leaving an emergency department without being seen. 2006;48:S108 (Research Forum abstracts)
Bomann JS (*see* Perry et al). 2006;48:S15 (Research Forum abstracts)
Bond W (*see* Miller et al). 2006;48:S125–S126 (Research Forum abstracts)

Bond WF (*see* Greenberg et al). 2006;48:S11 (Research Forum abstracts)
Bond WF (*see* Kuklinski et al). 2006;48:S51–S52 (Research Forum abstracts)
Bondi CJ (*see* Chang et al). 2006;48:S46 (Research Forum abstracts)
Bonfiglio AX (*see* Sevier et al). 2006;48:S5 (Research Forum abstracts)
Bonfiglio AX (*see* Wilson et al). 2006;48:S5 (Research Forum abstracts)
Bonneville M (*see* Larson et al). 2006;48:S44 (Research Forum abstracts)
Bordo D, Shin P, Kordick MF, Chan SB. Recovery and return to daily activities of patients after discharge from procedural sedation: a prospective telephone questionnaire. 2006;48:S121 (Research Forum abstracts)
Borron S (*see* Baud and Borron). 2006;48:S55 (Research Forum abstracts)
Borron S (*see* Baud et al). 2006;48:S54–S55 (Research Forum abstracts)
Borron SW (*see* Uhl et al). 2006;48:S100–S101 (Research Forum abstracts)
Borunda MR (*see* Martin et al). 2006;48:S18 (Research Forum abstracts)
Borys D (*see* Miller et al). 2006;48:S81 (Research Forum abstracts)
Boseley ME (*see* Collins et al). 2006;48:260–269
Boudreaux ED (*see* Baumann et al). 2006;48:S123 (Research Forum abstracts)
Boudreaux ED (*see* Bernstein et al). 2006;48:417–425 (Concepts)
Boysen MM, Henderson JL, Langdorf MI. Positive cerebrospinal fluid cultures in immunocompetent emergency department patients with normal cell counts and gram stains are all contaminants. 2006;48:S18–S19 (Research Forum abstracts)
Bozeman WP (*see* Barnes et al). 2006;48:S102 (Research Forum abstracts)
Bozeman WP (*see* Winslow et al). 2006;48:S51 (Research Forum abstracts)
Bradford JC (*see* Chang et al). 2006;48:S46 (Research Forum abstracts)
Bradshaw JM (*see* Stiffler et al). 2006;48:S57 (Research Forum abstracts)
Bradshaw JM, Wilber ST, Stiffler KA. End-of-life symptom and pain management in the emergency department. 2006;48:S122 (Research Forum abstracts)
Bradshaw YS (*see* Rothman et al). 2006;48:570–582 (Concepts)
Brady W. Cardiac emergencies. 2006;48:344–345 (Book and Media Reviews)
Brady WJ (*see* Fesmire et al). 2006;48:270–301 (Clinical policy), 2006;48:358–383 (Clinical policy)
Branas CC (*see* Fishman et al). 2006;48:347–353
Brand D (*see* Norton et al). 2006;48:S84 (Research Forum abstracts)
Braude D. Unintended lessons from the veterinarian. 2006;48:757–758 (Change of Shift)
Bravata DM (*see* Holty et al). 2006;48:200–211 (Review article)
Breen LM, Lovett PB, Greenwald RA. Is it useful to measure sedimentation rate (ESR) as a broad screening test in the emergency department? 2006;48:S49–S50 (Research Forum abstracts)
Brehaut J (*see* Stiell et al). 2006;48:S54 (Research Forum abstracts), 2006;48:S55 (Research Forum abstracts)
Brewer KL (*see* Greer et al). 2006;48:S98 (Research Forum abstracts)
Brewer KL (*see* Heflin et al). 2006;48:190–193 (Brief research report)
Brewer KL (*see* Long et al). 2006;48:S33 (Research Forum abstracts)
Brewer KL (*see* Shiber et al). 2006;48:S33 (Research Forum abstracts)
Brewer KL (*see* Wiley et al). 2006;48:S99–S100 (Research Forum abstracts)
Brewer M (*see* Buckley et al). 2006;48:S98 (Research Forum abstracts), 2006;48:S99 (Research Forum abstracts)
Breyer M, Bollinger M, Farley H, Reed J III, O'Connor R. The emergency medicine in-service training examination predicts resident clinical competence. 2006;48:S114–S115 (Research Forum abstracts)
Breyer M, Ku B, Pines J, Halluska M, Dean A. Emergency ultrasound usage among recent emergency medicine graduates. 2006;48:S85 (Research Forum abstracts)
Brice JH (*see* Hawkins and Brice). 2006;48:S75 (Research Forum abstracts)
Brice JH (*see* Zosel et al). 2006;48:S120 (Research Forum abstracts)
Bridevaux P (*see* Rutschmann et al). 2006;48:S128 (Research Forum abstracts)
Briggs WM (*see* Melniker et al). 2006;48:227–235
Brillman J. Commentary. 2006;48:594–595 (CDC Update)
Brisendine E (*see* Chisholm et al). 2006;48:S64–S65 (Research Forum abstracts)
Brison R (*see* Clement et al). 2006;48:245–251
Brogan GX (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Brooks H (*see* Ping et al). 2006;48:S34 (Research Forum abstracts)
Brooks H (*see* Yarris et al). 2006;48:S25 (Research Forum abstracts)
Brown D (*see* Peacock et al). 2006;48:S29 (Research Forum abstracts)
Brown DF (*see* Nagurney et al). 2006;48:S17 (Research Forum abstracts)
Brown LH (*see* Campagna et al). 2006;48:S78 (Research Forum abstracts)
Brown MD (*see* Jones et al). 2006;48:S88 (Research Forum abstracts)
Brown S (*see* Kondamudi et al). 2006;48:S9 (Research Forum abstracts)
Bryant SM (*see* Jordan et al). 2006;48:S81 (Research Forum abstracts)
Bryson S (*see* Givens et al). 2006;48:S80–S81 (Research Forum abstracts)
Buccelletti F (*see* Nguyen et al). 2006;48:S110 (Research Forum abstracts)
Buckley L (*see* Bascom et al). 2006;48:S96–S97 (Research Forum abstracts)
Buckley RG, Dos Santos F, Swenson A, Stehman C, Riffenburgh R, Mjos N, Brewer M. Bedside method to estimate actual body weight (ABW) in the emergency department. 2006;48:S99 (Research Forum abstracts)
Buckley RG, Stehman C, Dos Santos F, Swenson A, Riffenburgh R, Brewer M, Mjos N. Bedside method to estimate ideal body weight (IBW) in the emergency department. 2006;48:S98 (Research Forum abstracts)
Buckner R II, Scheatzle M, Carpenter C, Caterino J, Ricci P, Dutton C, Le A. A comparison of characteristics of patients diagnosed with subarachnoid hemorrhage by computed tomography versus lumbar puncture. 2006;48:S41–S42 (Research Forum abstracts)
Buisine A (*see* Tiras et al). 2006;48:448–451 (Case report)
Bunney E (*see* Sloan and Bunney). 2006;48:S115 (Research Forum abstracts)
Bunney EB (*see* Wright et al). 2006;48:S85 (Research Forum abstracts)
Buono C (*see* Killeen et al). 2006;48:S69 (Research Forum abstracts)
Buono CJ, Aguilar S, Edwards C, Fisher R, Oakes G, Davis DP, Dunford J. An evaluation of cardiopulmonary resuscitation (CPR) parameters in a large urban EMS system. 2006;48:S97 (Research Forum abstracts)
Burg MD (*see* Platts-Mills and Burg). 2006;48:475 (Images in Emergency Medicine)
Burg MD. Smiling in the ED. 2006;48:473–474 (Change of Shift)
Burkhalter LE (*see* Larkin et al). 2006;48:S91 (Research Forum abstracts)
Burns K (*see* Bolton et al). 2006;48:S108 (Research Forum abstracts)
Burstein JL. The myths of disaster education. 2006;48:108–109 (Correspondence reply)
Bush SP (*see* Stanford et al). 2006;48:S94 (Research Forum abstracts)
Butler J (*see* Nagurney et al). 2006;48:S17 (Research Forum abstracts)
Byers SE, O'Malley G, Alli F, Dominici PG. Lumbar puncture: a comparison of lateral recumbent and sitting position in the number of attempts and ease of procedure. 2006;48:S40 (Research Forum abstracts)

C

Cairns CB (*see* Chandra et al). 2006;48:S10 (Research Forum abstracts), 2006;48:S10–S11 (Research Forum abstracts), 2006;48:S89–S90 (Research Forum abstracts), 2006;48:S128–S129 (Research Forum abstracts)
Cairns CB (*see* Gerardo et al). 2006;48:S102 (Research Forum abstracts)
Calderon Y, Haughey M, Bijur PE, Leider J, Moreno-Walton L, Torres S, Gennis P, Bauman LJ. An educational HIV pretest counseling video program for off-hours testing in the emergency department. 2006;48:21–27
Calello DP (*see* Cho et al). 2006;48:109 (Correspondence)
Callaham ML. Journal performance report for 2005. 2006;48:302–303 (Editorial)
Callaham ML (*see* Green and Callaham). 2006;48:304–308 (Editorial)
Callaham ML (*see* Hunt et al). 2006;48:1–8
Camargo C (*see* Moussally et al). 2006;48:S19 (Research Forum abstracts)
Camargo CA Jr (*see* Strehlow et al). 2006;48:326–331 (Brief research report)
Camargo CA Jr (*see* Sullivan et al). 2006;48:694–701
Camargo CA Jr (*see* Tung et al). 2006;48:66–74
Camargo CA Jr, Ahn C, Clark S, Sullivan AF. Current status of US emergency departments. 2006;48:S116 (Research Forum abstracts)
Cambria B (*see* Ardolic et al). 2006;48:S108 (Research Forum abstracts)

Cambria B (*see* Weizberg et al). 2006;48:S63 (Research Forum abstracts)
Campagna JD, Prince LA, Rodriguez E, Brown LH. The prevalence of hyperglycemia in non diabetic emergency department patients. 2006; 48:S78 (Research Forum abstracts)
Campbell RL (*see* Decker et al). 2006;48:S96 (Research Forum abstracts)
Campbell RL, Luke A, Weaver A, St. Sauver JL, Bergstralh EJ, Li JT, Decker WW. Prescriptions for self-injectable epinephrine and allergist referral in emergency department patients presenting with anaphylaxis. 2006;48: S67–S68 (Research Forum abstracts)
Canterbury B (*see* Engineer and Canterbury). 2006;48:S36 (Research Forum abstracts)
Cantrell S (*see* Khandelwal et al). 2006;48:S58–S59 (Research Forum abstracts)
Caraballo H (*see* Nguyen et al). 2006;48:S110 (Research Forum abstracts)
Caravelli RJ, Bair AE. Is the Mallampati assessment feasible in the emergency department? 2006;48:S7–S8 (Research Forum abstracts)
Carlton C (*see* Kini et al). 2006;48:S77 (Research Forum abstracts)
Carpenter C (*see* Buckner et al). 2006;48:S41–S42 (Research Forum abstracts)
Carpenter C (*see* Sandhu and Carpenter). 2006;48: 713–719 (Residents' Perspective)
Carr BC (*see* Dean et al). 2006;48:S87 (Research Forum abstracts)
Carr BC (*see* Mark et al). 2006;48:S107 (Research Forum abstracts)
Carr C (*see* Kini et al). 2006;48:S77 (Research Forum abstracts)
Carroll RG (*see* Greer et al). 2006;48:S98 (Research Forum abstracts)
Carstaris KL (*see* Jones et al). 2006;48:S61 (Research Forum abstracts)
Carter M (*see* Huang et al). 2006;48:S1 (Research Forum abstracts)
Caruso MC, Idrees U, Lee CK, Clark JS, Schoolden GM, Miller MR. Assessing the value and developing performance measures of pharmacy services in a pediatric emergency department. 2006;48:S64 (Research Forum abstracts)
Cassidy-Smith TN (*see* Kilgannon et al). 2006;48: S13 (Research Forum abstracts)
Castillo E (*see* Chan et al). 2006;48; S5 (Research Forum abstracts)
Castillo EM (*see* Vilke et al). 2006;48:S23–S24 (Research Forum abstracts), 2006;48:S90 (Research Forum abstracts)
Caterino J (*see* Buckner et al). 2006;48:S41–S42 (Research Forum abstracts)
Caterino JM (*see* Yealy et al). 2006;48:S83 (Research Forum abstracts)
Caterino JM, Hiestand BC, Martin DR. Elder emergency department patients with pneumonia: outcome and processes of care. 2006;48:S74 (Research Forum abstracts)
Cearnal L. Only six percent of hospitals prepared for pediatric emergencies? The controversy and facts about the fearsome statistic. 2006;48: 403–405 (News and Perspective)
Cearnal L. The birth of the NETT: NIH-funded network will launch emergency neurological trials. 2006;48:726–728 (News and Perspective)
Centers for Disease Control and Prevention. Hantavirus pulmonary syndrome—five states, 2006. 2006;48:593–594 (CDC Update)
Centers for Disease Control and Prevention. Severe *Clostridium difficile*-associated disease in populations previously at low risk—four states, 2005. 2006;48:55–56 (CDC Update)
Centers for Disease Control and Prevention. Update: multistate outbreak of mumps—United States, January 1-May 2, 2006. 2006;48:332–335 (CDC Update)
Centorrino F (*see* Houston et al). 2006;48:S126 (Research Forum abstracts)
Chambers KA (*see* Pethe et al). 2006;48:S103 (Research Forum abstracts)
Chan S (*see* Dorfman et al). 2006;48:S68–S69 (Research Forum abstracts)
Chan S (*see* Samlan et al). 2006;48:S100 (Research Forum abstracts)
Chan S (*see* Wright et al). 2006;48:S85 (Research Forum abstracts)
Chan SB (*see* Bordo et al). 2006;48:S121 (Research Forum abstracts)
Chan SB (*see* Lester et al). 2006;48:S51 (Research Forum abstracts)
Chan T (*see* Davis et al). 2006;48:S66 (Research Forum abstracts)
Chan TC (*see* Killeen et al). 2006;48:S69 (Research Forum abstracts)
Chan TC (*see* Tornabene et al). 2006;48:S59–S60 (Research Forum abstracts)
Chan TC (*see* Venieris et al). 2006;48:S16 (Research Forum abstracts)
Chan TC (*see* Vilke et al). 2006;48:S23–S24 (Research Forum abstracts), 2006;48:S90 (Research Forum abstracts)
Chan TC, Killeen JP, Castillo E, Guss DA. The impact of delayed admissions held in the emergency department on wait time, patient care time and length of stay for other patients. 2006;48:S5 (Research Forum abstracts)
Chandra A (*see* Gerardo et al). 2006;48:S102 (Research Forum abstracts)
Chandra A (*see* Peacock et al). 2006;48:S29 (Research Forum abstracts)
Chandra A, Cairns CB, Miller C, Lindsell CJ, Peacock WF IV, Hollander J, Hoekstra J, Pollack CV Jr, Gibler B, Behalf of the EMCREG-International i-TRACS Investig. Emergency physician high pre-test probability for ACS predicts death, MI, or revascularization independent of initial ECG and cardiac biomarkers. 2006;48:S10–S11 (Research Forum abstracts)
Chandra A, Chiumento AB, Benjamin L, Cairns CB. Lack of pulmonary embolism and aortic dissection in chest pain patients evaluated in a chest pain observation unit. 2006;48:S89–S90 (Research Forum abstracts)
Chandra A, Donnelly M, Clem K, Hocker M, Cairns CB. Low specificity of emergency department diagnosis of community-acquired pneumonia. 2006;48:S128–S129 (Research Forum abstracts)
Chandra A, Greene V, Freeman D, Sprague P, Cairns CB. Incidence and impact of renal dysfunction and acute coronary syndrome in chest pain observation unit patients. 2006;48: S10 (Research Forum abstracts)
Chang AK, Bijur PE, Meyer RH, Kenny MK, Solorzano C, Gallagher EJ. Safety and efficacy of hydromorphone as an analgesic alternative to morphine in acute pain: a randomized clinical trial. 2006;48:164–172
Chang CH (*see* Holmes et al). 2006;48:S82 (Research Forum abstracts)
Chang SS, Bondi CJ, Bradford JC, Williams CJ, Duldner JE Jr. The relationship between rapid ECU Troponin-I and cardiac outcome. 2006; 48:S46 (Research Forum abstracts)
Chansky ME (*see* Kilgannon et al). 2006;48:S13 (Research Forum abstracts)
Chapman DM (*see* Thomas et al). 2006;48:e1–e17 (Special contribution)
Chaput CJ, Deluhery MR, Stake CE, Martens KA, Cichon ME. Mass casualty disaster training for prehospital providers. 2006;48:S51 (Research Forum abstracts)
Char DM (*see* Singer et al). 2006;48:S10 (Research Forum abstracts)
Charles M (*see* Nawaz et al). 2006;48:S11–S12 (Research Forum abstracts)
Charles M, Wehner P, McGinnis H. Cost comparison of sedation and reduction of closed wrist fractures in the emergency department versus the operating suite in a community hospital. 2006;48:S59 (Research Forum abstracts)
Chase M, Hollander JE. Volume and outcome: the more patients the better? 2006;48:657–659 (Editorial)
Chase M, Robey JL, Zogby KE, Sease KL, Shofer FS, Hollander JE. Prospective validation of the Thrombolysis in Myocardial Infarction risk score in the emergency department chest pain population. 2006;48:252–259
Chathampally Y (*see* Imran et al). 2006;48:S9–S10 (Research Forum abstracts)
Chathampally Y (*see* Rosin et al). 2006;48:S28 (Research Forum abstracts)
Chaudhry A, Leber M, Hsu C. Efficacy of ultrasound probes in the evaluation of depressed skull factures. 2006;48:S105 (Research Forum abstracts)
Chen A (*see* Tung et al). 2006;48:66–74
Chen AY (*see* Diercks et al). 2006;48:S29 (Research Forum abstracts)
Chern C-H, How C-K, Huang L-J. Necrotizing fasciitis caused by aeromonas hydrophila. 2006;48:216 (Images in Emergency Medicine)
Chevret L (*see* Tiras et al). 2006;48:448–451 (Case report)
Chiricolo G (*see* D'Amore et al). 2006;48:S112 (Research Forum abstracts)
Chiricolo G (*see* Young et al). 2006;48:S85 (Research Forum abstracts)
Chisholm C, Weaver C, Rodgers K, Whenmouth L, Giles B, Brisendine E. An ergonomic comparison of emergency physican workload. 2006;48:S64–S65 (Research Forum abstracts)
Chiumento AB (*see* Chandra et al). 2006;48:S89–S90 (Research Forum abstracts)
Cho CS, Calello DP, Osterhoudt KC. Exploratory buprenorphine ingestion in an infant. 2006;48: 109 (Correspondence)
Cho JH (*see* Moon et al). 2006;48:S14 (Research Forum abstracts)
Cho JH, Moon JB, Ohk TG, Park CW, Kim YS. Is it appropriate to take 2 minutes for shift-time of chest compression during in-hospital cardiopulmonary resuscitation (CPR)? 2006; 48:S14–S15 (Research Forum abstracts)

Cho YS (*see* Oh et al). 2006;48:S89 (Research Forum abstracts)
Choi H (*see* June et al). 2006;48:S16–S17 (Research Forum abstracts)
Choi J (*see* Hwang et al). 2006;48:S43 (Research Forum abstracts)
Choiniere M (*see* Ducharme et al). 2006;48:S61 (Research Forum abstracts)
Choiniere M (*see* Forsnocht et al). 2006;48:S60 (Research Forum abstracts)
Choiniere M (*see* Safdar et al). 2006;48:S121 (Research Forum abstracts)
Choy H (*see* Hustey et al). 2006;48:S71–S72 (Research Forum abstracts)
Christenson J (*see* Rosin et al). 2006;48:S28 (Research Forum abstracts)
Christopher TA, Lopez BL, Davis-Moon LG, Parikh V, Riviello R. EM osteoporosis feasibility screening study in injury prevention. 2006;48:S56 (Research Forum abstracts)
Christos S (*see* Lester et al). 2006;48:S51 (Research Forum abstracts)
Chu J (*see* Lee et al). 2006;48:S60 (Research Forum abstracts)
Chu J (*see* Perez et al). 2006;48:219–220 (Correspondence)
Chudnofsky C (*see* Villarin et al). 2006;48:S109 (Research Forum abstracts)
Chung HS (*see* Oh et al). 2006;48:S49 (Research Forum abstracts)
Chung HS (*see* You et al). 2006;48:S89 (Research Forum abstracts)
Chung S (*see* Kim et al). 2006;48:S100 (Research Forum abstracts)
Chung SP (*see* Oh et al). 2006;48:S89 (Research Forum abstracts)
Chung SP (*see* You et al). 2006;48:S49 (Research Forum abstracts)
Cichon ME (*see* Chaput et al). 2006;48:S51 (Research Forum abstracts)
Cichon ME (*see* Deluhery et al). 2006;48:S50 (Research Forum abstracts)
Cincotta S (*see* Houston et al). 2006;48:S126 (Research Forum abstracts)
Civil I (*see* Ameratunga et al). 2006;48:729–736
Clapprood A (*see* Lafleur et al). 2006;48:S37 (Research Forum abstracts)
Clark JS (*see* Caruso et al). 2006;48:S64 (Research Forum abstracts)
Clark L (*see* Bobrow et al). 2006;48:S41 (Research Forum abstracts)
Clark S (*see* Camargo et al). 2006;48:S116 (Research Forum abstracts)
Clark S (*see* Stern et al). 2006;48:S73 (Research Forum abstracts)
Clark S (*see* Sullivan et al). 2006;48:694–701
Clavell AL (*see* Schears et al). 2006;48:S112 (Research Forum abstracts)
Clem K (*see* Chandra et al). 2006;48:S128–S129 (Research Forum abstracts)
Clement CM (*see* Stiell et al). 2006;48:S54 (Research Forum abstracts), 2006;48:S55 (Research Forum abstracts)
Clement CM, Stiell IG, Schull MJ, Rowe BH, Brison R, Lee JS, Perry JJ, Wells GA, the CCC Study Group. Clinical features of head injury patients presenting with a Glasgow Coma Scale score of 15 and who require neurosurgical intervention. 2006;48:245–251
Click LA (*see* Bitner et al). 2006;48:S114 (Research Forum abstracts)
Cline DM (*see* Fitch et al). 2006;48:S44 (Research Forum abstracts)
Cochran C (*see* Bascom et al). 2006;48:S96 (Research Forum abstracts)
Cochrane D (*see* Fiesseler et al). 2006;48:S20 (Research Forum abstracts)
Cochrane DG (*see* Eskin et al). 2006;48:S113 (Research Forum abstracts)
Cochrane DG, Allegra JR, Shih R, Fiesseler F. Ability of the patient's chief complaint to predict pneumonia. 2006;48:S89 (Research Forum abstracts)
Cocuzza T (*see* Low et al). 2006;48:S69 (Research Forum abstracts)
Cohn SM (*see* Beilman et al). 2006;48:S2 (Research Forum abstracts)
Colby DC (*see* Hunt et al). 2006;48:1–8
Cole J (*see* Lewis et al). 2006;48:S70 (Research Forum abstracts)
Coleman TG (*see* Summers and Coleman). 2006;48:S87 (Research Forum abstracts)
Colla JS, Lindsell CJ, Moak JH. Evaluating competency of emergency physicans at pelvic ultrasound after implementation of an ultrasound credentialing process. 2006;48:S106–S107 (Research Forum abstracts)
Collins C (*see* Murdock et al). 2006;48:S56 (Research Forum abstracts)
Collins S, Schauer D, Storrow A, Eckman M. Cost-effectiveness analysis of emergency department disposition decisions in non-high risk heart failure patients. 2006;48:S78–S79 (Research Forum abstracts)
Collins SP (*see* Holland et al). 2006;48:S62 (Research Forum abstracts)
Collins SP (*see* Lindsell et al). 2006;48:S88 (Research Forum abstracts)
Collins SP, Lindsell CJ, Storrow AB, Abraham WT. Response to: misleading negative chest radiographs: should we ADHERE to the conclusions? 2006;48:341 (Correspondence)
Collins SP, Mielniczuk LM, Whittingham HA, Boseley ME, Schramm DR, Storrow AB. The use of noninvasive ventilation in emergency department patients with acute cardiogenic pulmonary edema: a systematic review. 2006;48:260–269
Colorado RA, Nath AR. Research overdue on subterfuge versus forced treatment in psychiatric emergencies. 2006;48:479 (Correspondence)
Compton S (*see* Levy et al). 2006;48:S30–S31 (Research Forum abstracts)
Compton S (*see* Medado et al). 2006;48:S119 (Research Forum abstracts)
Compton S (*see* Ross et al). 2006;48:S118 (Research Forum abstracts)
Compton S, Ryder A, Medado P, Bastani A, O'Neil BJ. An exploratory analysis to assess the potential role for non-invasive monitoring of cerebral oxygenation in cardiac arrest. 2006;48:S97 (Research Forum abstracts)
Conforto A (*see* Shih et al). 2006;48:S31–S32 (Research Forum abstracts)
Connelly HE (*see* Duldner et al). 2006;48:S82 (Research Forum abstracts)
Conner J (*see* Harrison et al). 2006;48:S102–S103 (Research Forum abstracts)
Connolly S (*see* Jehle et al). 2006;48:S77 (Research Forum abstracts)
Connor JL (*see* Ameratunga et al). 2006;48:729–736
Conocenti P (*see* Shapiro et al). 2006;48:426–432 (Concepts)
Cook DJ (*see* Wyer et al). 2006;48:86–97 (Evidence-based emergency medicine review)
Coon TP (*see* Miller et al). 2006;48:S43 (Research Forum abstracts)
Cooper J, Kapur N, Dunning J, Guthrie E, Appleby L, Mackway-Jones K. A clinical tool for assessing risk after self-harm. 2006;48:459–466
Cooper RJ. Response to: misleading negative chest radiographs: should we ADHERE to the conclusions? 2006;48:341–342 (Correspondence reply)
Corbella X (*see* Ferre et al). 2006;48:S73–S74 (Research Forum abstracts)
Corcoran KJ (*see* Long et al). 2006;48:S33 (Research Forum abstracts)
Cordero DR, Medina C, Helfgott A. Cocaine body packing in pregnancy. 2006;48:323–325 (Case report)
Cornuz J (*see* Rutschmann et al). 2006;48:S128 (Research Forum abstracts)
Corsi D (*see* Bascom et al). 2006;48:S96–S97 (Research Forum abstracts)
Corujo O, Sahai M, Gonzalez JA. Most common post-operative emergency complications of bariatric surgery patients. 2006;48:S92–S93 (Research Forum abstracts)
Coverdale J (*see* Ameratunga et al). 2006;48:729–736
Cox JA, Davidson DJ, Smock WS. Recurring adolescent victims of firearms-related injuries: a population at risk. 2006;48:S22 (Research Forum abstracts)
Cox RD (*see* Thompson et al). 2006;48:S49 (Research Forum abstracts)
Crandall C (*see* Ducharme et al). 2006;48:S61 (Research Forum abstracts)
Crandall C (*see* Forsnocht et al). 2006;48:S60 (Research Forum abstracts)
Crandall C (*see* LaValley et al). 2006;48:S58 (Research Forum abstracts), 2006;48:S77 (Research Forum abstracts)
Crandall C (*see* Safdar et al). 2006;48:S121 (Research Forum abstracts)
Crawford J (*see* Otero et al). 2006;48:S99 (Research Forum abstracts)
Creeley K (*see* Lewis et al). 2006;48:S109–S110 (Research Forum abstracts)
Crespi Monjo M, Rudis MI, Escalante P, Mallon WK. Prevalence of drug-related problems in patients visiting the emergency department. 2006;48:S128 (Research Forum abstracts)
Crewdson K (*see* Lockey et al). 2006;48:240–244 (Brief research report)
Cronin KA, Johnson S, Thode HC Jr, Henry MC. Acute stroke: a descriptive study of mode of arrival, pre-hospital diagnosis, duration of symptoms, and treatment. 2006;48:S42 (Research Forum abstracts)
Croskerry P. Critical thinking and decisionmaking: avoiding the perils of thin-slicing. 2006;48:720–722 (Editorial)
Cruz M (*see* Sundheim and Cruz). 2006;48:217–219 (Correspondence)
Crystal CS (*see* Young et al). 2006;48:S90 (Research Forum abstracts)
Crystal CS, Luszczak MH, Herold T, Young SE, Miller MA. Analysis of patients who leave without being seen from an academic community emergency department. 2006;48:S24 (Research Forum abstracts)
Culica D (*see* Givens and Culica). 2006;48:S79 (Research Forum abstracts)

Cuniowski P (*see* Adams et al). 2006;48:S26–S27 (Research Forum abstracts)
Cydulka R (*see* Schrock et al). 2006;48:S18 (Research Forum abstracts)
Cydulka RK (*see* Bernstein et al). 2006;48:417–425 (Concepts)

D

D'Abbracci P (*see* Barata et al). 2006;48:S122–S123 (Research Forum abstracts)
D'Amore J (*see* Ward et al). 2006;48:S24 (Research Forum abstracts)
D'Amore J, Chiricolo G, Lee D, Zhou Q, Kiriaki S, Lewis V, Litroff A, Lukin M, Ward MF, Sama A. Does a 90 minute enzyme set increase the yield for detecting cardiac ischemia. 2006; 48:S112 (Research Forum abstracts)
D'Amore JZ, Panebianco N, Hussain E, Nelson M, Ward MF, Sama A, Wang H, Slesinger T. Sepsis risk factors predictive of mortality in ICU transfers within 72 hours of ED admission. 2006;48:S37 (Research Forum abstracts)
D'Angelo A (*see* Di Liddo et al). 2006;48:433–440
D'Onofrio G (*see* Safdar et al). 2006;48:173–181; 48:S112–S113 (Research Forum abstracts)
Dagrosa RL, McManus JG Jr, Schwartz RB. A survey of military personnel and civilians to assess individual preparedness for domestic terrorist attacks and natural disasters. 2006;48: S50 (Research Forum abstracts)
Dagum A (*see* Singer et al). 2006;48:S102 (Research Forum abstracts)
Dahlem KL (*see* Ward et al). 2006;48:S24 (Research Forum abstracts)
Dailey M, Frisch A, Triner W. Effects of spinal immobilization on patients over age 65. 2006; 48:S73 (Research Forum abstracts)
Dalley MT, Schneid S, Gernsheimer J, Hosford K. The prevelence of community-acquired methicillin-resistant *Staphylococcus aureus* in a northeast urban level 1 trauma center. 2006; 48:S17–S18 (Research Forum abstracts)
Dalton JD Jr, Schweinle J. Randomized controlled noninferiority trial to compare extended release acetaminophen and ibuprofen for the treatment of ankle sprains. 2006;48:615–623
Dart RC (*see* Bailey et al). 2006;48:S81–S82 (Research Forum abstracts)
Dart RC (*see* Heard et al). 2006;48:315–318
Dart RC (*see* Mendoza et al). 2006;48:637 (Correspondence)
Dart RC (*see* Stanford et al). 2006;48:S94 (Research Forum abstracts)
Darzi A (*see* Kinross et al). 2006;48:761–762 (Correspondence)
Datillo PA (*see* Birkhahn et al). 2006;48:S117 (Research Forum abstracts)
Datillo PA (*see* Melville et al), 2006;48:S88–S89 (Research Forum abstracts)
Datner EM (*see* Gerlach et al). 2006;48:S22–S23 (Research Forum abstracts)
Datner EM (*see* Pines et al). 2006;48:S35 (Research Forum abstracts)
Davidson DJ (*see* Cox et al). 2006;48:S22 (Research Forum abstracts)
Davies G (*see* Lockey et al). 2006:48:240–244 (Brief research report)
Davis CS (*see* Blanda et al). 2006;48:S19 (Research Forum abstracts)
Davis D, Salazar A, Vilke G, Chan T. The utility of a novel decision rule to diagnose spinal epidural abscess in ED patients with back pain. 2006;48:S66 (Research Forum abstracts)
Davis DP (*see* Buono et al). 2006;48:S97 (Research Forum abstracts)
Davis DP (*see* Tornabene et al). 2006;48:S59–S60 (Research Forum abstracts)
Davis G (*see* Hui et al). 2006:48:S15–S16 (Research Forum abstracts)
Davis G (*see* Milzman et al). 2006;48:S93 (Research Forum abstracts)
Davis G, Milzman D, Hui M, Weiler T, Hill J. Over-utilization of diagnostic tools on daily surge days in the emergency department. 2006; 48:S92 (Research Forum abstracts)
Davis MA (*see* Levine et al). 2006;48:S93 (Research Forum abstracts)
Davis-Moon LG (*see* Christopher et al). 2006;48: S56 (Research Forum abstracts)
Dawson D (*see* Hogg et al). 2006;48:107 (Correspondence reply)
Daya M (*see* McConnell et al). 2006;48:702–710
Dayan PS (*see* Schnadower et al). 2006;48:S93–S94 (Research Forum abstracts)
Dazio F (*see* Ardolic et al). 2006;48:S108 (Research Forum abstracts)
Dazio F (*see* Weizberg et al). 2006;48:S63 (Research Forum abstracts)
De Jesus R (*see* Bhagra et al). 2006;48:S21 (Research Forum abstracts)
De Micheli A (*see* Gai et al). 2006;48:S31 (Research Forum abstracts)
De Nonno LJ (*see* Imran et al). 2006;48:S9–S10 (Research Forum abstracts)
Dean A (*see* Breyer et al). 2006:48:S85 (Research Forum abstracts)
Dean AJ (*see* Mark et al). 2006;48:S107 (Research Forum abstracts)
Dean AJ, Carr BC, Gracias VH, Huang N, Ku BS. Ultrasound evaluation of the thorax as a component of the focused assessment by sonography in trauma. 2006;48:S87 (Research Forum abstracts)
Dean AJ, Zeserson EM, Ku BS. The utility of handheld ultrasound evaluation in an austere medical setting after a natural disaster. 2006; 48:S106 (Research Forum abstracts)
Decker WW (*see* Bellolio et al). 2006;48:S19–S20 (Research Forum abstracts)
Decker WW (*see* Campbell et al). 2006:48:S67–S68 (Research Forum abstracts)
Decker WW (*see* Fesmire et al). 2006;48:270–301 (Clinical policy), 2006;48:358–383 (Clinical policy)
Decker WW (*see* Bhagra et al). 2006;48:S21 (Research Forum abstracts), 2006;48:S120 (Research Forum abstracts)
Decker WW (*see* Vaidyanathan et al). 2006;48: S72–S73 (Research Forum abstracts), 2006;48: S111–S112 (Research Forum abstracts), 2006; 48:S117–S118 (Research Forum abstracts)
Decker WW, Campbell RL, St. Sauver JL, Weaver A, Luke A, Bergstralh EJ, Li JT. Etiology and incidence of anaphylaxis in Rochester, Minnesota: a report from the Rochester Epidemiology Project. 2006;48:S96 (Research Forum abstracts)
Decker WW, Sampson HA, Muñoz-Furlong A. symposium on the definition and management of anaphylaxis. 2006;48:762 (Correspondence reply)
Decobert M (*see* Tiras et al). 2006;48:448–451 (Case report)
DeFlorio P. Intact automotive glass associated with absence of cervical spine injury. 2006;48:S104 (Research Forum abstracts)
Degelau JG (*see* Gunnarson et al). 2006;48:S72 (Research Forum abstracts)
Degenhardt E (*see* Houston et al). 2006;48:S126 (Research Forum abstracts)
Degutis LC (*see* Safdar et al). 2006;48:173–181
Deitch K (*see* Sankoff et al). 2006;48:S2 (Research Forum abstracts), 2006;48:S47 (Research Forum abstracts)
DeJesus RO (*see* Bhagra et al). 2006;48:S120 (Research Forum abstracts)
Delgado G (*see* Levy et al). 2006;48:S30–S31 (Research Forum abstracts)
DeLia D. Annual bed statistics give a misleading picture of hospital surge capacity. 2006;48: 384–388 (Brief research report)
DeLorenzo RA (*see* Adams et al). 2006;48:S26–S27 (Research Forum abstracts)
Deluhery MR (*see* Chaput et al). 2006;48:S51 (Research Forum abstracts)
Deluhery MR, Martens KA, Stake CE. Inclusion of medical students in hospital mass casualty disaster plans. 2006;48:S50–S51 (Research Forum abstracts)
Deluhery MR, Mueller JG, Cichon ME, McNally PB, Gruener G, Stake CE. Health care concerns for the 21st century-preparing medical students for disasters. 2006;48:S50 (Research Forum abstracts)
Demaerschalk B (*see* Bobrow et al). 2006:48:S41 (Research Forum abstracts)
Demuth-Anderson L (*see* Akhtar et al). 2006;48: S60–S61 (Research Forum abstracts)
Derr C, O'Connor B, Klash A, Galwankar S, MacLeod S. The use of continuous positive airway pressure for the treatment of acute severe pulmonary edema in the prehospital setting. 2006;48:S92 (Research Forum abstracts)
Desaulni B (*see* Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)
DesLauriers C (*see* McCarthy et al). 2006;48:S101 (Research Forum abstracts)
Desnoyers J. Helicopter crashes and probability. 2006;48:634 (Correspondence)
Deutsch R (*see* Tornabene et al). 2006;48:S59–S60 (Research Forum abstracts)
Devictor D (*see* Tiras et al). 2006;48:448–451 (Case report)
Dharmar M (*see* Parsapour et al). 2006;48:S123–S124 (Research Forum abstracts)
Di Liddo L, D'Angelo A, Nguyen B, Bailey B, Amre D, Stanciu C. Etomidate versus midazolam for procedural sedation in pediatric outpatients: a randomized controlled trial. 2006;48:433–440
Dial L (*see* Nawaz et al). 2006;48:S11–S12 (Research Forum abstracts)
Dickson J (*see* Andrus et al). 2006;48:S6 (Research Forum abstracts)
Diercks DB (*see* Fesmire et al). 2006;48:270–301 (Clinical policy), 2006;48:358–383 (Clinical policy)
Diercks DB (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Diercks DB (*see* Lindsell et al). 2006;48:666–677
Diercks DB (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)

Diercks DB (*see* Peacock et al). 2006;48:S29 (Research Forum abstracts)
Diercks DB, Roe MT, Peacock WF, Kirk JD, Pollack CV Jr, Chen AY, Gibler WB, Smith SC Jr, Ohman EM, Peterson ED. Prolonged emergency department length of stay is associated with worse guideline compliance and increased adverse events. 2006;48:S29 (Research Forum abstracts)
Dietrich AM (*see* Gewirtz et al). 2006;48:S63 (Research Forum abstracts)
Dikranian K (*see* Lewis et al). 2006;48:S109–S110 (Research Forum abstracts)
Ding R, McCarthy ML, Li G, Kirsch TD, Jung JJ, Kelen GD. Patients who leave without being seen: their characteristics and history of emergency department use. 2006;48:686–693
Dixon S (*see* Medado et al). 2006;48:S119 (Research Forum abstracts)
Dixon S (*see* Truong et al). 2006;48:S11 (Research Forum abstracts)
Docherty MA (*see* Young et al). 2006;48:S90 (Research Forum abstracts)
Dodd RS (*see* Baker and Dodd). 2006;48:636–637 (Correspondence reply)
Dolich MO (*see* Rudkin et al). 2006;48:S82–S83 (Research Forum abstracts)
Dominguez S (*see* Murdock et al). 2006;48:S56 (Research Forum abstracts)
Dominici PG (*see* Byers et al). 2006;48:S40 (Research Forum abstracts)
Dominici PG (*see* Kelly et al). 2006;48:S8 (Research Forum abstracts)
Dominici PG (*see* Villarin et al). 2006;48:S107–S108 (Research Forum abstracts)
Donnelly M (*see* Chandra et al). 2006;48:S128–S129 (Research Forum abstracts)
Donnino M (*see* Walsh et al). 2006;48:477 (Correspondence reply)
Donovan J (*see* Fernandez et al). 2006;48:S96 (Research Forum abstracts)
Dooley MJ, Varney SM, Elder JW, Schmelz JO, Bebarta VS. Endotracheal intubation with a handheld videoscope: a prospective study for combat and prehospital medical care. 2006;48:S26 (Research Forum abstracts)
Dorfman M, Chan S, Kohler L. Urine cultures in emergency department patients with renal stones. 2006;48:S68–S69 (Research Forum abstracts)
Dos Santos F (*see* Buckley et al). 2006;48:S98 (Research Forum abstracts), 2006;48:S99 (Research Forum abstracts)
Doty C (*see* Moon and Doty). 2006;48:354 (Images in Emergency Medicine)
Downs D (*see* Larkin et al). 2006;48:S91 (Research Forum abstracts)
Drescher MJ (*see* Bolton et al). 2006;48:S108 (Research Forum abstracts)
Drescher MJ, Dziedzic M, Robinson K, Smalley AJ. A predictable weekly pattern in admitted patients awaiting beds in the ED and correlation with elective admissions. 2006;48:S107 (Research Forum abstracts)
Drescher MJ, Elstein Y. An end to the Yom Kippur (and Ramadan) headache: a double blind placebo controlled trial of prophylactic rofecoxib in preventing ritual fasting headache. 2006;48:S77–S78 (Research Forum abstracts)
Dries D (*see* Knopp and Dries). 2006;48:161–163 (Editorial)
Drumheller BC (*see* Goyal et al). 2006;48:S2 (Research Forum abstracts)
Ducharme J (*see* Forsnocht et al). 2006;48:S60 (Research Forum abstracts)
Ducharme J (*see* Safdar et al). 2006;48:S121 (Research Forum abstracts)
Ducharme J, Tanabe P, Todd K, Homel P, Fosnocht D, Choiniere M, Crandall C. A comparison of triage systems and their impact on initial pain management: a multicenter study. 2006;48:S61 (Research Forum abstracts)
Dueffer H (*see* Hoffman et al). 2006;48:S27 (Research Forum abstracts)
Duffy M (*see* Leung et al). 2006;48:540–547
Duldner JE Jr (*see* Chang et al). 2006;48:S46 (Research Forum abstracts)
Duldner JE Jr (*see* Mandel et al). 2006;48:S38 (Research Forum abstracts)
Duldner JE Jr, Connelly HE, Rinto EE, Frey M, Williams CJ. The effect of resuscitation on shock index and outcome in adult trauma patients. 2006;48:S82 (Research Forum abstracts)
Dunford J (*see* Buono et al). 2006;48:S97 (Research Forum abstracts)
Dunn M (*see* McKenna et al). 2006;48:S80 (Research Forum abstracts)
Dunne R (*see* Levy et al). 2006;48:S30–S31 (Research Forum abstracts), 2006;48:S48 (Research Forum abstracts)
Dunning J (*see* Cooper et al). 2006;48:459–466
Durand P (*see* Tiras et al). 2006;48:448–451 (Case report)
Durrani N (*see* Martinez et al). 2006;48:S35–S36 (Research Forum abstracts)
Duseja R (*see* Pines et al). 2006;48:S35 (Research Forum abstracts)
Dutterer L (*see* Patterson et al). 2006;48:S5–S6 (Research Forum abstracts)
Dutton C (*see* Buckner et al). 2006;48:S41–S42 (Research Forum abstracts)
Dyer JE (*see* Zvosec et al). 2006;48:S75 (Research Forum abstracts)
Dyne P (*see* Jang et al). 2006;48:S105 (Research Forum abstracts), 2006;48:S33 (Research Forum abstracts)
Dziedzic M (*see* Drescher et al). 2006;48:S107 (Research Forum abstracts)

E

Eadie JS (*see* Mason et al). 2006;48:S104 (Research Forum abstracts)
Eagles D (*see* Stiell et al). 2006;48:S54 (Research Forum abstracts), 2006;48:S55 (Research Forum abstracts)
Eastes L (*see* Norton et al). 2006;48:S84 (Research Forum abstracts)
Eberhardt M (*see* Kuklinski et al). 2006;48:S51–S52 (Research Forum abstracts)
Eberhardt M (*see* Quazi et al). 2006;48:S61 (Research Forum abstracts)
Eberhardt M (*see* Wiand et al). 2006;48:S94–S95 (Research Forum abstracts)
Eckman M (*see* Collins et al). 2006;48:S78–S79 (Research Forum abstracts)
Ederheimer JA (*see* Vilke et al). 2006;48:S23–S24 (Research Forum abstracts)
Edlund T (*see* Ping et al). 2006;48:S34 (Research Forum abstracts)
Edwards C (*see* Buono et al). 2006;48:S97 (Research Forum abstracts)
Edwards E (*see* Fernandez et al). 2006;48:S96 (Research Forum abstracts)
Egging D (*see* Baumann et al). 2006;48:S30 (Research Forum abstracts)
Ehsan K (*see* Guzman et al). 2006;48:S62 (Research Forum abstracts)
Ekstrom RM (*see* Morgan et al). 2006;48:S39 (Research Forum abstracts)
Elder JW (*see* Dooley et al). 2006;48:S26 (Research Forum abstracts)
Elshove-Bolk J (*see* Mencl et al). 2006;48:S24 (Research Forum abstracts)
Elstein Y (*see* Drescher and Elstein). 2006;48:S77–S78 (Research Forum abstracts)
Emerman C (*see* Pollack et al). 2006;48:S3–S4 (Research Forum abstracts)
Emerman CL (*see* Singer et al). 2006;48:S10 (Research Forum abstracts)
Emond SD (*see* Strehlow et al). 2006;48:326–331 (Brief research report)
Engeldinger L (*see* Gisondi et al). 2006;48:S109 (Research Forum abstracts)
Engineer R, Canterbury B. Early antibiotic administration in patients presenting to the emergency department with severe sepsis and septic shock. 2006;48:S36 (Research Forum abstracts)
Enright-Smith S (*see* Ernst et al). 2006;48:S57–S58 (Research Forum abstracts)
Enslow W (*see* Miller et al). 2006;48:S43 (Research Forum abstracts)
Epelde F, Santal M, Temboury F, Povar J, Balaguer J, and the RESIM group. Causes of nonadministration of fibrinolysis in acute myocardial infarction in Spain. 2006;48:S45 (Research Forum abstracts)
Ernst AA, Enright-Smith S, Hansen JP, Weiss SJ. Positive outcomes from an immediate and ongoing intervention for children who witness IPV (intimate partner violence). 2006;48:S57–S58 (Research Forum abstracts)
Ertz-Berger B (*see* Ping et al). 2006;48:S34 (Research Forum abstracts)
Escalante P (*see* Crespi Monjo et al). 2006;48:S128 (Research Forum abstracts)
Eskin B, Allegra JR, Cochrane DG. Circadian pattern of visits for congestive heart failure to emergency departments as a function of gender and age. 2006;48:S113 (Research Forum abstracts)
Eskin B, Readie JE. Should proton pump inhibitors be used for acute peptic ulcer bleeding? 2006;48:624–626 (Systematic review abstract)
Esses D (*see* Gallagher et al). 2006;48:150–160
Estrada C (*see* Salazar et al). 2006;48:S65 (Research Forum abstracts)
Evancho-Chapman M (*see* Menci et al). 2006;48:S97–S98 (Research Forum abstracts)
Evans J (*see* Zosel et al). 2006;48:S120 (Research Forum abstracts)
Everett WW (*see* Mark et al). 2006;48:S107 (Research Forum abstracts)
Everett WW (*see* Pines et al). 2006;48:S35 (Research Forum abstracts)
Everett WW, Pines JM. Thirty-day versus 7-day outcomes in the San Francisco Syncope Rule. 2006;48:760 (Correspondence)

F

Falcone RA (*see* Holland et al). 2006;48:S62 (Research Forum abstracts)
Farley H (*see* Breyer et al). 2006;48:S114–S115 (Research Forum abstracts)

Farman DB (*see* Larkin and Farman). 2006;48:S53 (Research Forum abstracts)
Farmer SA, Higginson IJ. Chest pain: physician perceptions and decisionmaking in a London emergency department. 2006;48:77–85
Farooqui Y (*see* Ardolic et al). 2006;48:S108 (Research Forum abstracts)
Farooqui Y (*see* Weizberg et al). 2006;48:S63 (Research Forum abstracts)
Fascio Pecetto P (*see* Antro et al). 2006;48:S67 (Research Forum abstracts)
Fatovich DM, Song S. Dislocated proximal tibiofibular joint. 2006;48:759 (Images in Emergency Medicine)
Fearheiley C (*see* Julian et al). 2006;48:S15 (Research Forum abstracts)
Fedorko L (*see* Mardimae et al). 2006;48:391–399
Feinberg DM (*see* Meisel et al). 2006;48:S71 (Research Forum abstracts)
Feldman J (*see* Fernandez et al). 2006;48:S96 (Research Forum abstracts)
Feola M (*see* Walsh et al). 2006;48:S124 (Research Forum abstracts), 2006;48:S95 (Research Forum abstracts)
Fermann GJ (*see* Jacobus et al). 2006;48:S17 (Research Forum abstracts)
Fernandez WG, Oyama L, Mitchell P, Edwards E, St. George J, Donovan J, Feldman J. Attitudes and practices regarding influenza vaccination among emergency department personnel. 2006;48:S96 (Research Forum abstracts)
Ferrario CM (*see* Fitch et al). 2006;48:S44 (Research Forum abstracts)
Ferre C, Corbella X, Salazar A, Llopis F, Jacob J, Juan A. Should the very old be admitted to an emergency department short stay unit? 2006; 48:S73–S74 (Research Forum abstracts)
Fesmire FM, Brady WJ, Hahn S, Decker WW, Diercks DB, Ghaemmaghami CA, Nazarian D, Jagoda AS, from the American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Reperfusion Therapy in Emergency Department Patients with Suspected Acute Myocardial Infarction. Clinical policy: indications for reperfusion therapy in emergency department patients with suspected acute myocardial infarction. 2006;48:358–383 (Clinical policy)
Fesmire FM, Decker WW, Diercks DB, Ghaemmaghami CA, Nazarian D, Brady WJ, Hahn S, Jagoda AS, from the American College of Emergency Physicians Clinical Policies Subcommittee (Writing Committee) on Non–ST-Segment Elevation Acute Coronary Syndromes. Clinical policy: critical issues in the evaluation and management of adult patients with non–ST-segment elevation acute coronary syndromes. 2006;48:270–301 (Clinical policy)
Fiechtl JF (*see* Jones et al). 2006;48:S88 (Research Forum abstracts)
Fiechtl JF, Roe GJ, Leake JA, Parthemore RP, Muesing E, Pruitt AC, Pelucio MT. Gun exposure in an emergency department adolescent population. 2006;48:S74–S75 (Research Forum abstracts)
Fiesseler F (*see* Cochrane et al). 2006;48:S89 (Research Forum abstracts)
Fiesseler F (*see* Riggs et al). 2006;48:S40–S41 (Research Forum abstracts)
Fiesseler F, Allegra J, Shih R, Cochrane D. Clinical predictors of migraine reoccurrence following emergency department visit. 2006;48:S20 (Research Forum abstracts)
Filbin M (*see* Baez et al). 2006;48:S13 (Research Forum abstracts)
Finckh A (*see* Leung et al). 2006;48:540–547
Fine K (*see* Pryor et al). 2006;48:S8–S9 (Research Forum abstracts)
Finkelstein M (*see* Arms et al). 2006;48:S95 (Research Forum abstracts)
Finley K, Allegra JR, Amato C, Rothman J. Circadian, seasonal and age patterns in the incidence of emergency department visits for pediatric febrile seizures. 2006;48:S94 (Research Forum abstracts)
Finnell J, Bagwell S. Automated collection of emergency department vital signs. 2006;48:S38 (Research Forum abstracts)
Fisher JA (*see* Mardimae et al). 2006;48:391–399
Fisher JA (*see* Tibbles et al). 2006;48:S124–S125 (Research Forum abstracts)
Fisher JA (*see* Villarin et al). 2006;48:S107–S108 (Research Forum abstracts), 2006;48:S109 (Research Forum abstracts)
Fisher JA (*see* Wald et al). 2006;48:S12–S13 (Research Forum abstracts)
Fisher R (*see* Buono et al). 2006;48:S97 (Research Forum abstracts)
Fishman PE, Shofer FS, Robey JL, Zogby KE, Reilly PM, Branas CC, Pines JM, Hollander JE. The impact of trauma activations on the care of emergency department patients with potential acute coronary syndromes. 2006;48: 347–353
Fitch MT, Benfield J, Hargraves J, Ferrario CM, Ayala C, Lekiachvili A, Neiberg R, Cline DM. Hospital admission rate for chest pain: are racial differences due to bias or disease characteristics? 2006;48:S44 (Research Forum abstracts)
Fix ML, Listwa TM, Nelson SW, Goldstein JN, Thomas SH. Comparison of a radial artery compression device with invasive radial artery blood pressure monitoring. 2006;48:S68 (Research Forum abstracts)
Flagel B, Irvin C. Trauma center designation, time to operating room, and outcome. 2006;48: S103–S104 (Research Forum abstracts)
Flagel B, Irvin C, Sherifali S. Delta GCS in head-injured patients. 2006;48:S83 (Research Forum abstracts)
Flagel B, Irvine C, Sherifali S. Delta GCS: a new predictor of outcome in blunt trauma? 2006; 48:S104 (Research Forum abstracts)
Flaherty JJ Jr (*see* Mahr et al). 2006;48:S16 (Research Forum abstracts)
Fliorini MM. Management and treatment of patients with acute uncomplicated diverticulitis who present to the emergency department. 2006;48:S49 (Research Forum abstracts)
Flomenbaum NE (*see* Stern et al). 2006;48:S73 (Research Forum abstracts)
Flottemesch TJ (*see* Gunnarson et al). 2006;48:S72 (Research Forum abstracts)
Flottemesch TJ (*see* McBeth et al). 2006;48:S32 (Research Forum abstracts), 2006;48:S32–S33 (Research Forum abstracts)
Flottemesch TJ (*see* Morgan et al). 2006;48:S39 (Research Forum abstracts)
Flukinger T (*see* Kuo et al). 2006;48:S111 (Research Forum abstracts)
Flynn G. 'Charity' suffers long: emergency medicine revives the spirit of centuries-old New Orleans institution. 2006;48:309–311 (News and Perspective)
Flynn G. One stop health care shopping? The rise of "McClinics" and their impact on emergency care. 2006;48:566–569 (News and Perspective)
Foody JM (*see* Safdar et al). 2006;48:S112–S113 (Research Forum abstracts)
Forgash AJ (*see* Tayal et al). 2006;48:S105–S106 (Research Forum abstracts)
Fosnocht D (*see* Ducharme et al). 2006;48:S61 (Research Forum abstracts)
Fosnocht D, Homel P, Todd K, Crandall C, Choiniere M, Ducharme J, Tanabe P. What does a pain score of "x" mean anyway? Classification of NRS pain severity scores for ED patients based upon interference with function. 2006;48:S60 (Research Forum abstracts)
Fosnocht DE (*see* Safdar et al). 2006;48:S121 (Research Forum abstracts)
Fowler R (*see* Mardimae et al). 2006;48:391–399
Fox JC (*see* Larson et al). 2006;48:S106 (Research Forum abstracts)
Frakes B (*see* Yarris et al). 2006;48:S25 (Research Forum abstracts)
France DJ (*see* Han et al). 2006;48:S34–S35 (Research Forum abstracts)
Frazier J (*see* Stanford et al). 2006;48:S94 (Research Forum abstracts)
Frederick RC. The clinical diagnosis of infantile pneumonia. 2006;48:627–630 (Rational clinical examination abstract)
Freed L (*see* Safdar et al). 2006;48:S112–S113 (Research Forum abstracts)
Freeman D (*see* Chandra et al). 2006;48:S10 (Research Forum abstracts)
Frey M (*see* Duldner et al). 2006;48:S82 (Research Forum abstracts)
Frisch A (*see* Dailey et al). 2006;48:S73 (Research Forum abstracts)
Fromm G (*see* Walsh et al). 2006;48:477 (Correspondence reply)
Fry RB Jr (*see* Rothman et al). 2006;48:570–582 (Concepts)
Fuchs BD (*see* Goyal et al). 2006;48:S2 (Research Forum abstracts)
Fuda KK, Immekus R. Frequent users of Massachusetts emergency departments: a statewide analysis. 2006;48:9–16

G

Gaba DM (*see* Smith-Coggins et al). 2006;48:596–604
Gaddis GM. Improving the design of the assessment of emergency department patients at risk for self-harm. 2006;48:467–469 (Editorial)
Gaeta TJ (*see* Birkhahn et al). 2006;48:S117 (Research Forum abstracts)
Gaeta TJ (*see* van Amerongen et al). 2006;48:S63 (Research Forum abstracts)
Gai V (*see* Antro et al). 2006;48:S67 (Research Forum abstracts)
Gai V, Vitolo P, De Micheli A, Battista S. ACLS and BLS courses in Italy: the Italian Society of Emergency Medicine. 2006;48:S31 (Research Forum abstracts)
Gaieski DF (*see* Goyal et al). 2006;48:S2 (Research Forum abstracts)

Gaieski DF (*see* Sankoff et al). 2006;48:S47 (Research Forum abstracts)
Gain M (*see* Rudkin et al). 2006;48:S82–S83 (Research Forum abstracts)
Gallagher EJ (*see* Chang et al). 2006;48:164–172
Gallagher EJ, Esses D, Lee C, Lahn M, Bijur PE. Randomized clinical trial of morphine in acute abdominal pain. 2006;48:150–160
Galli R (*see* Kolb et al). 2006;48:S19 (Research Forum abstracts)
Galwankar S (*see* Derr et al). 2006;48:S92 (Research Forum abstracts)
Garcia J (*see* Martinez et al). 2006;48:S35–S36 (Research Forum abstracts)
Gardner R (*see* Liebmann et al). 2006;48:558–562 (Brief research report)
Garza AG, Gratton MC, McElroy J, Lindholm D. Environmental factors influencing intubation failure in out-of-hospital adult cardiac arrest patients. 2006;48:S69 (Research Forum abstracts)
Garza AG, Gratton MC, McElroy J, Lindholm D. Prehospital intubation is associated with increased mortality in primary cardiac arrest patients with ventricular fibrillation. 2006;48: S91 (Research Forum abstracts)
Gasgarth R (*see* Johnson et al). 2006;48:S23 (Research Forum abstracts)
Gasgarth R, Johnson B, Kemball RS, Vickers M, Houry DE. Occult suicidality and patient outcome in the emergency department. 2006; 48:S126 (Research Forum abstracts)
Gates E (*see* Jasper et al). 2006;48:S52 (Research Forum abstracts)
Gates JD (*see* Shewakramani et al). 2006;48:S53 (Research Forum abstracts)
Gathers S, Kuperman G, Kannry J, Kushniruk AW, Shapiro JS, NYCLIX Clinical Advisory Subcommittee. Regional health information exchange: surveying emergency physician attitudes and date requirements. 2006;48:S39 (Research Forum abstracts)
Gausche-Hill M. Integrating children into our emergency care system: achieving the vision. 2006;48:131–134 (Editorial)
Gautschi OP, Zellweger R. Extensive groin abscess and myositis after intravenous cubital buprenorphine injection. 2006;48:656 (Images in Emergency Medicine)
Gavendo S (*see* Bentancur et al). 2006;48:S68 (Research Forum abstracts)
Geib A (*see* Levine et al). 2006;48:S80 (Research Forum abstracts)
Geiderman JM. Disclosure of error. 2006;48:631–632 (Change of Shift)
Geiderman JM (*see* Marco et al). 2006;48:513–521 (Concepts)
Geiderman JM (*see* Moskop et al). 2006;48:523–531 (Concepts)
Gennis P (*see* Calderon et al). 2006;(*see* Wall et al). 2006;48:21–27; 48:551–557
Gerardo CJ, Vaslef SN, Chandra A, McCormick C, Pietrobon R, Cairns CB. The impact of specialty trained emergency medicine and trauma teams on trauma mortality rates at an academic level 1 trauma center. 2006;48:S102 (Research Forum abstracts)
Gerlach LB, Datner EM, Hollander JE, Zogby KE, Robey JL, Wiebe DJ. Does sex matter? Effect of gender in intimate partner violence screening. 2006;48:S22–S23 (Research Forum abstracts)
Germann CA. Hemopneumopericardium. 2006; 48:149 (Images in Emergency Medicine)
Gernsheimer J (*see* Dalley et al). 2006;48:S17–S18 (Research Forum abstracts)
Gerson LW (*see* Stiffler et al). 2006;48:S57 (Research Forum abstracts)
Gewirtz YR, Dietrich AM, Nuss K, Rusin J, Wright M, Bangert B, Taylor H, Yeates KO. Acute clinical findings in pediatric mild head injury: do they correlate with magnetic resonance imaging abnormalities or post-concussive symptoms? 2006;48:S63 (Research Forum abstracts)
Ghaemmaghami CA (*see* Fesmire et al). 2006;48: 270–301 (Clinical policy), 2006;48:358–383 (Clinical policy)
Ghebreyesus TA (*see* Levine et al). 2006;48:S93 (Research Forum abstracts)
Ghetti G (*see* Parenti et al). 2006;48:S53 (Research Forum abstracts)
Gibbons R (*see* Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)
Gibler WB (*see* Chandra et al). 2006;48:S10–S11 (Research Forum abstracts)
Gibler WB (*see* Diercks et al). 2006;48:S29 (Research Forum abstracts)
Gibler WB (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Gibler WB (*see* Lindsell et al). 2006;48:660–665, 2006;48:666–677
Gibler WB (*see* Storrow et al). 2006;48:S3 (Research Forum abstracts)
Giles B (*see* Chisholm et al). 2006;48:S64–S65 (Research Forum abstracts)
Gill R (*see* Hinfey et al). 2006;48:S110–S111 (Research Forum abstracts)
Gilliland M (*see* Hack et al). 2006;48:522 (Images in Emergency Medicine)
Gilmore R (*see* Stead and Gilmore). 2006;48:S21–S22 (Research Forum abstracts)
Gilmore RM (*see* Bellolio et al). 2006;48:S19–S20 (Research Forum abstracts)
Gilmore RM (*see* Bhagra et al). 2006;48:S120 (Research Forum abstracts)
Gilmore RM (*see* Vaidyanathan et al). 2006;48: S72–S73 (Research Forum abstracts)
Gilmore RM (*see* Vaidynathan et al) 2006;48:S21 (Research Forum abstracts), 2006;48:S111–S112 (Research Forum abstracts), 2006;48: S117–S118 (Research Forum abstracts)
Gilmore RM, Stead LG. Admission serum glucose level in known diabetics: no impact stroke severity or functional outcome. 2006;48:S118 (Research Forum abstracts)
Gilmore RM, Stead LG. Hyperglycemia and acute ischemic stroke: worse outcomes in patients with no prior history of diabetes mellitus. 2006;48:S119–S120 (Research Forum abstracts)
Giraldez EM (*see* Baez et al). 2006;48:S79 (Research Forum abstracts)
Giraldez EM, Morrissey J, Kosowsky JM. Comparison of point-of-care and laboratory D-dimer immunoassays in emergency department patients with suspected pulmonary embolus. 2006;48:S90 (Research Forum abstracts)
Gisondi M, Tanabe P, Lucenti M, Metcalf S, Engeldinger L, Graham L. Should you close your waiting room? An operational solution to ED overcrowding. 2006;48:S109 (Research Forum abstracts)
Givens ML, Culica D. Characterization of computer algorithm classified emergency department visits. 2006;48:S79 (Research Forum abstracts)
Givens ML, Kalbfleisch K, Bryson S. Inhalation of methanol-containing products: a significant source of possible toxicity. 2006;48:S80–S81 (Research Forum abstracts)
Glassman GD (*see* Lovett et al). 2006;48:S113–S114 (Research Forum abstracts)
Gloria FK, Lazo R. A comparative study on the effectiveness of sublingual clonidine versus oral clonidine in the management of hypertensive urgencies. 2006;48:S113 (Research Forum abstracts)
Gluckman W (*see* Low et al). 2006;48:S69 (Research Forum abstracts)
Godzala M (*see* Jehle et al). 2006;48:S77 (Research Forum abstracts)
Goldberg A (*see* Leiba et al). 2006;48:194–199
Goldberg E (*see* Shapiro et al). 2006;48:426–432 (Concepts)
Goldstein J (*see* Moussally et al). 2006;48:S19 (Research Forum abstracts)
Goldstein JN (*see* Fix et al). 2006;48:S68 (Research Forum abstracts)
Gonzalez JA (*see* Corujo et al). 2006;48:S92–S93 (Research Forum abstracts)
Gonzalez MG (*see* Mason and Gonzalez). 2006;48: S3 (Research Forum abstracts)
Gordon JS, Pham KH, Matz TP. Prevalence of *Chlamydia trachomatis* and *Neisseria gonorrhoeae* coinfection with *Trichomonas vaginalis* in female emergency department patients: are wet prep results a reliable predictor? 2006;48:S37 (Research Forum abstracts)
Gordon P (*see* Levy et al). 2006;48:S70 (Research Forum abstracts)
Goyal M (*see* Pines et al). 2006;48:S35 (Research Forum abstracts)
Goyal M (*see* Sankoff et al). 2006;48:S2 (Research Forum abstracts), 2006;48:S47 (Research Forum abstracts)
Goyal M, Fuchs BD, Drumheller BC, Shofer F, Zogby K, Gaieski DF. Validation of point-of-care fingertip lactate measurement in the emergency department. 2006;48:S2 (Research Forum abstracts)
Gracias VH (*see* Dean et al). 2006;48:S87 (Research Forum abstracts)
Gracias VH (*see* Mark et al). 2006;48:S107 (Research Forum abstracts)
Graham L (*see* Gisondi et al). 2006;48:S109 (Research Forum abstracts)
Grant GA (*see* Harrison et al). 2006;48:S102–S103 (Research Forum abstracts)
Grant S (*see* Stiell et al). 2006;48:S46–S47 (Research Forum abstracts)
Gratton MC (*see* Garza et al). 2006;48:S69 (Research Forum abstracts), 2006;48:S91 (Research Forum abstracts)
Gray A (*see* Liebmann et al). 2006;48:558–562 (Brief research report)
Gray R (*see* Martel and Gray). 2006;48:S125 (Research Forum abstracts)
Green J. Billing unveiled: calculating the value of emergency physician work. 2006;48:400–402 (News and Perspective)
Green RS. Response to: critical care medicine training and certification for emergency physicians. 2006;48:342–343 (Correspondence)

Green SM, Callaham ML. Current status of peer review at *Annals of Emergency Medicine*. 2006; 48:304–308 (Editorial)
Green SM, Krauss B. Should I give ketamine IV or IM? 2006;48:613–614 (Editorial)
Greenberg MR, Llaguri R, Bindra M, Rupp V, Kimmel SR, Bond WF, Mackenzie R. Gender disparity in non ST elevation myocardial infarction cardiac care: a unique illustration. 2006;48:S11 (Research Forum abstracts)
Greene AE, Bair AE. The impact of the gum elastic bougie on emergency department cricothyrotomy rate. 2006;48:S28 (Research Forum abstracts)
Greene V (*see* Chandra et al). 2006;48:S10 (Research Forum abstracts)
Greenes DS (*see* Willwerth et al). 2006;48:441–447
Greenwald RA (*see* Breen et al). 2006;48:S49–S50 (Research Forum abstracts)
Greer JP, Brewer KL, Reeder TJ, Carroll RG, Meggs WJ. Apneic ventilation with Tham infusion: life without breath. 2006;48:S98 (Research Forum abstracts)
Gress T (*see* Nawaz et al). 2006;48:S11–S12 (Research Forum abstracts)
Griswold W (*see* Killeen et al). 2006;48:S69 (Research Forum abstracts)
Grow RW, Sztajnkrycer M, Moore B. Frequency of reported causes of prehospital care delays in the state of Minnesota. 2006;48:S70–S71 (Research Forum abstracts)
Gruener G (*see* Deluhery et al). 2006;48:S50 (Research Forum abstracts)
Gulliver AH (*see* Houston et al). 2006;48:S126 (Research Forum abstracts)
Gunnarson TM, Flottemesch TJ, Whitebird RW, Martinson BC, Degelau JG. Sub-acute/transition care and the acute care episode: a comparison of episodic and annual medical costs in a geriatric population. 2006; 48:S72 (Research Forum abstracts)
Gupta S (*see* Manson et al). 2006;48:S104–S105 (Research Forum abstracts)
Gupta S (*see* Suarez et al). 2006;48:S124 (Research Forum abstracts)
Gupta S, Ryan J, Suarez A. The correlation of metabolic acidosis to the anion gap in the dehydrated pediatric patient. 2006;48:S124 (Research Forum abstracts)
Guss DA (*see* Chan et al). 2006;48:S5 (Research Forum abstracts)
Guthrie E (*see* Cooper et al). 2006;48:459–466
Guyatt GH (*see* Wyer et al). 2006;48:86–97 (Evidence-based emergency medicine review)
Guzman N, Ehsan K, Radeos M, Waseem M. Do infants positive for RSV need further extrapulmonary search for serious bacterial infection? 2006;48:S62 (Research Forum abstracts)

H

Haas V (*see* Tiras et al). 2006;48:448–451 (Case report)
Hack JB (*see* Heflin et al). 2006;48:190–193 (Brief research report)
Hack JB (*see* Wiley et al). 2006;48:S99–S100 (Research Forum abstracts)
Hack JB, Gilliland M, Meggs WJ. Activated charcoal aspiration: death in a dose. 2006;48: 522 (Images in Emergency Medicine)
Hafner JW (*see* Baker et al). 2006;48:S127 (Research Forum abstracts)
Hafner JW, Parrish SE, Hubler JR, Sullivan DJ. Repeat assessment of abnormal vital signs and patient re-examination in U.S. emergency department patients. 2006;48:S66 (Research Forum abstracts)
Hafner JW, Parrish SE, Hubler JR, Sullivan DJ. Risk factor documentation for life-threatening disease in US emergency department patients. 2006;48:S65 (Research Forum abstracts)
Hahn B (*see* Ardolic et al). 2006;48:S108 (Research Forum abstracts)
Hahn B (*see* Weizberg et al). 2006;48:S63 (Research Forum abstracts)
Hahn I (*see* Hoffman et al). 2006;48:S27 (Research Forum abstracts), 2006;48:S58 (Research Forum abstracts)
Hahn S (*see* Fesmire et al). 2006;48:270–301 (Clinical policy)
Hahn, S (*see* Fesmire et al). 2006;48:358–383 (Clinical policy)
Hallaj M, Leber M, Hsu C. Intraosseous line placement: ultrasound/color flow doppler confirmation of tip location and detection of leakage in a live porcine model. 2006;48:S61 (Research Forum abstracts)
Halluska M (*see* Breyer et al). 2006;48:S85 (Research Forum abstracts)
Han J (*see* Mardimae et al). 2006;48:391–399
Han J (*see* Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)
Han JH (*see* Heavrin et al). 2006;48:S115–S116 (Research Forum abstracts)
Han JH (*see* Lindsell et al). 2006;48:666–677
Han JH (*see* Storrow et al). 2006;48:660–665, 2006;48:S3 (Research Forum abstracts)
Han JH, Zhou C, Jones ID, Storrow AB, France DJ, Levin SR, Aronsky D. The role of faculty triage on emergency department overcrowding and ambulance diversion. 2006;48:S34–S35 (Research Forum abstracts)
Hankins DG (*see* Kwon et al). 2006;48:S92 (Research Forum abstracts)
Hansen J (*see* Prekker et al). 2006;48:S23 (Research Forum abstracts)
Hansen JP (*see* Ernst et al). 2006;48:S57–S58 (Research Forum abstracts)
Harchelroad F (*see* Yealy et al). 2006;48:S83 (Research Forum abstracts)
Hargraves J (*see* Fitch et al). 2006;48:S44 (Research Forum abstracts)
Haro LH (*see* Schears et al). 2006;48:S112 (Research Forum abstracts)
Harper MB (*see* Willwerth et al). 2006;48:441–447
Harrigan RA (*see* Wald et al). 2006;48:S31 (Research Forum abstracts)
Harris B (*see* Hwang et al). 2006;48:S43 (Research Forum abstracts), 2006;48:S117 (Research Forum abstracts)
Harris J (*see* Larson et al). 2006;48:S44 (Research Forum abstracts)
Harrison A (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Harrison CH, Bebarta VS, Xydakis MS, Grant GA, Conner J. Tympanic membrane perforation as a biomarker of primary barotrauma after blast exposure in Iraq. 2006; 48:S102–S103 (Research Forum abstracts)
Harrison TH (*see* Shewakramahi et al). 2006;48: S53 (Research Forum abstracts), 2006;48:S71 (Research Forum abstracts)
Hartmann T (*see* Martel and Hartmann). 2006;48: S125 (Research Forum abstracts)
Hartstein BH, Barry JD. Pain management during intravenous catheter placement using a topical skin coolant in the emergency department. 2006;48:S122 (Research Forum abstracts)
Hasa JE (*see* Shah et al). 2006;48:S41 (Research Forum abstracts)
Haughey M (*see* Calderon et al). 2006;48:21–27
Haukoos J (*see* Sankoff and Haukoos). 2006;48: S47 (Research Forum abstracts)
Haukoos J (*see* Sankoff et al). 2006;48:S2 (Research Forum abstracts)
Hawkins ER, Brice JH. Fire jumpers: the impact of a novel injury mechanism during a spontaneous mass gathering on an academic emergency department. 2006;48:S75 (Research Forum abstracts)
Hawkins SC. A mistaken choice. 2006;48:215 (Change of Shift)
Hawthorn B, Blyth BJ. Evaluation of a serum marker for blood brain barrier integrity in mild traumatic brain injury. 2006;48:S110 (Research Forum abstracts)
Hays S (*see* Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)
Hazan A (*see* Shah et al). 2006;48:S6 (Research Forum abstracts)
Heard K (*see* Mendoza et al). 2006;48:637 (Correspondence)
Heard K (*see* Nordenholz and Heard). 2006:48: S111 (Research Forum abstracts)
Heard K, Sloss D, Weber S, Dart RC. Overuse of over-the-counter analgesics by emergency department patients. 2006;48:315–318
Heath R (*see* Lafleur et al). 2006;48:S37 (Research Forum abstracts)
Heath R (*see* Subramaniam et al). 2006;48:678–685
Heavrin BS, Aronsky D, Bihun J, Han JH. Does Medicaid disenrollment correlate with increased emergency department utilization among the uninsured? 2006;48:S115–S116 (Research Forum abstracts)
Heckendorf J (*see* Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)
Hedges JR (*see* Norton et al). 2006;48:S84 (Research Forum abstracts)
Hedges JR (*see* Sabbaj and Hedges). 2006;48:548–550 (Editorial)
Heffner AC (*see* Lueken et al). 2006;48:319–322 (Case report)
Heflin CR, Brewer KL, Hack JB, Meggs WJ. Heparin reverses anaphylactoid shock in a porcine model. 2006;48:190–193 (Brief research report)
Hegarty CB (*see* Morgan and Hegarty). 2006;48: S32 (Research Forum abstracts)
Heidorn CR (*see* Ahlborn and Heidorn). 2006;48: S4–S5 (Research Forum abstracts)
Helfgott A (*see* Cordero et al). 2006;48:323–325 (Case report)
Heller M (*see* Jacob et al). 2006;48:S54 (Research Forum abstracts)
Heller M (*see* Quazi et al). 2006;48:S61 (Research Forum abstracts)
Heller M (*see* Wallerich et al). 2006;48:S120–S121 (Research Forum abstracts)
Heller M (*see* Wiand et al). 2006;48:S94–S95 (Research Forum abstracts)
Henderson JL (*see* Boysen et al). 2006;48:S18–S19 (Research Forum abstracts)

Henderson S (*see* Hernandez et al). 2006;48:S47–S48 (Research Forum abstracts)
Henderson S (*see* McClung et al). 2006;48:S15 (Research Forum abstracts)
Hendey GW (*see* Rodriguez and Hendey). 2006;48:638–639 (Correspondence reply)
Henneman EA (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Henneman PL, Blank FS, Smithline HA, Ling D, Stefan M, Mastroberti M, Odgren R, Kerr G, Morsi D, Longworth D, Benjamin E, Henneman EA. 2006;48:S75–S76 (Research Forum abstracts)
Henry MC (*see* Cronin et al). 2006;48:S42 (Research Forum abstracts)
Henry T (*see* Hokanson et al). 2006;48:S45 (Research Forum abstracts)
Henry TD (*see* Larson et al). 2006;48:S44 (Research Forum abstracts)
Herbert K (*see* Avegno et al). 2006;48:S52 (Research Forum abstracts)
Hernandez R, Jain A, Rosiere L, Henderson S. A prospective clinical trial evaluating urinary 5-hydroxyindoleacetic acid (5HIAA) levels in the diagnosis of acute appendicitis. 2006;48:S47–S48 (Research Forum abstracts)
Herold T (*see* Crystal et al). 2006;48:S24 (Research Forum abstracts)
Herold TS (*see* Young et al). 2006;48:S25–S26 (Research Forum abstracts)
Herrington RW (*see* Baade and Herrington). 2006;48:106 (Correspondence)
Hersey S (*see* Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)
Hexdall A (*see* Levy et al). 2006;48:S70 (Research Forum abstracts)
Heywood JT (*see* Singer et al). 2006;48:S10 (Research Forum abstracts)
Hickey RW. Response to: out-of-hospital pediatric cardiac arrest: an epidemiologic review and assessment of current knowledge. 2006;48:219 (Correspondence)
Hiestand B (*see* Yealy et al). 2006;48:S83 (Research Forum abstracts)
Hiestand BC (*see* Caterino et al). 2006;48:S74 (Research Forum abstracts)
Hiestand BC. Automated cardiac gallop detection and stress testing in low risk ED chest pain patients. 2006;48:S44–S45 (Research Forum abstracts)
Higginson IJ (*see* Farmer and Higginson). 2006;48:77–85
Hill J (*see* Davis et al). 2006;48:S92 (Research Forum abstracts)
Hill J (*see* Hui et al). 2006;48:S76 (Research Forum abstracts)
Hill J (*see* Janchar et al). 2006;48:S76–S77 (Research Forum abstracts)
Hill J (*see* Milzman et al). 2006;48:S93 (Research Forum abstracts)
Hill KD (*see* Winslow et al). 2006;48:S51 (Research Forum abstracts)
Hinfey P, Salo D, Bernard R, Gill R, Stroop A, Okpala V. Analysis of glomerular filtration rate, creatinine and factors associated with persistent hyperkalemia in emergency department patients with hemolysis-associated hyperkalemia. 2006;48:S110–S111 (Research Forum abstracts)
Hirshon J (*see* Rothman et al). 2006;48:570–582 (Concepts)
Hirshon JM (*see* Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)
Hobgood CD (*see* Moskop et al). 2006;48:523–531 (Concepts)
Hocker M (*see* Chandra et al). 2006;48:S128–S129 (Research Forum abstracts)
Hoeker GS (*see* Wilson et al). 2006;48:S12 (Research Forum abstracts)
Hoekstra J (*see* Chandra et al). 2006;48:S10–S11 (Research Forum abstracts)
Hoekstra JW (*see* Lindsell et al). 2006;48:666–677
Hoekstra JW (*see* Miller and Hoekstra). 2006;48:763 (Correspondence reply)
Hoekstra JW (*see* Miller et al). 2006;48:S46 (Research Forum abstracts)
Hoekstra JW (*see* Pollack et al). 2006;48:S3–S4 (Research Forum abstracts)
Hoekstra JW (*see* Storrow et al). 2006;48:660–665, 2006;48:S3 (Research Forum abstracts)
Hoekstra JW, Manoukian SV, Miller CD, Hollander JE, Diercks DB, Peacock WF, Brogan GX, Biomkains AL, Gibler WB, Larson DM, Rokos IC, Bertrand ME, Lincoff AM, White HD, Moses JW, Ohman EM, Pollack CV, Stone GW. Early, upstream, and consistent antithrombotic therapy in high risk non-ST-elevation ACS: should bivalirudin be initiated in the ED prior to coronary angiography? 2006;48:S30 (Research Forum abstracts)
Hoffman J (*see* Sun et al). 2006;48:S84 (Research Forum abstracts)
Hoffman RJ, Parwani V, Kaban J, Dueffer H, Howell A, Sturmann K. Comparison of two common techniques for inflating endotracheal tube cuffs: set volume of air vs. palpation of the pilot balloon. 2006;48:S27 (Research Forum abstracts)
Hoffman RJ, Parwani V, Lee Y, Scott G, Hahn I. High endotracheal tube cuff pressure is typical in endotracheally intubated emergency department patients. 2006;48:S58 (Research Forum abstracts)
Hoffman RJ, Sturmann K, Dueffer H, Kilpela K, Howell A, Hahn I. Do endotracheal tube cuff pressure and volume have a linear or nonlinear relationship? 2006;48:S27 (Research Forum abstracts)
Hoffmann U (*see* Nagurney et al). 2006;48:S17 (Research Forum abstracts)
Hogg K, Dawson D, Mackway-Jones K. Response to: the emergency department utility of Simplify™ D-dimer to exclude pulmonary embolism in patients with pleuritic chest pain. 2006;48:107 (Correspondence reply)
Hokanson J, Menssen K, Newell M, Kapsner C, Unger B, Henry T, Larson D. Transfer for direct percutaneous coronary intervention in elderly ST-elevation myocardial infarction patients. 2006;48:S45 (Research Forum abstracts)
Holder AD (*see* Mason et al). 2006;48:S104 (Research Forum abstracts)
Holder AD (*see* Varney et al). 2006;48:S95 (Research Forum abstracts)
Holland CK, Lindsell CJ, Collins SP, Falcone RA. History and physical examination findings alone are inadequate for identification of low-risk pediatric blunt trauma. 2006;48:S62 (Research Forum abstracts)
Hollander J (*see* Chandra et al). 2006;48:S10–S11 (Research Forum abstracts)
Hollander JE (*see* Chase et al). 2006;48:252–259
Hollander JE (*see* Chase and Hollander). 2006;48:657–659 (Editorial)
Hollander JE (*see* Fishman et al). 2006;48:347–353
Hollander JE (*see* Gerlach et al). 2006;48:S22–S23 (Research Forum abstracts)
Hollander JE (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Hollander JE (*see* Lindsell et al). 2006;48:666–677
Hollander JE (*see* Pollack et al). 2006;48:S3–S4 (Research Forum abstracts)
Hollander JE (*see* Singer et al). 2006;48:S10 (Research Forum abstracts), 2006;48:S102 (Research Forum abstracts)
Hollander JE (*see* Storrow et al). 48:660–665, 2006;48:S3 (Research Forum abstracts)
Hollander JE (*see* Takakuwa et al). 2006;48:S28 (Research Forum abstracts)
Holmes JF Jr, Akkinepalli R, Chang CH, Offerman S, Wisner DH. Performance of helical CT without oral contrast for the detection of patients with pancreatic injuries. 2006;48:S82 (Research Forum abstracts)
Holstege CP (*see* Rowden et al). 2006;48:S101 (Research Forum abstracts)
Holstege CP, Singletary EM. Skin damage following application of suction device for snakebite. 2006;48:105 (Images in Emergency Medicine)
Holty J-EC, Kim RY, Bravata DM. Anthrax: a systematic review of atypical presentations. 2006;48:200–211 (Review article)
Homel P (*see* Ducharme et al). 2006;48:S121 (Research Forum abstracts)
Homel P (*see* Fosnocht et al). 2006;48:S60 (Research Forum abstracts)
Homel P (*see* Safdar et al). 2006;48:S61 (Research Forum abstracts)
Hong H (*see* June et al). 2006;48:S16–S17 (Research Forum abstracts)
Horbatuk E (*see* Viccellio et al). 2006;48:S116 (Research Forum abstracts), 2006;48:S116–S117 (Research Forum abstracts)
Hormozdi SM, Ward MF, Ramos A, Smith C, Panabianco N, Projansky M, Litroff A, Kuznewski S, Ricardi D. A quantitative assessment of the presence of hostility, anger, depression, social support, hazardous alcohol use and comorbidity in the adult trauma population. 2006;48:S83 (Research Forum abstracts)
Horst M (*see* Martinez et al). 2006;48:S35–S36 (Research Forum abstracts)
Horwitz C (*see* Tibbles et al). 2006;48:S124–S125 (Research Forum abstracts)
Hosford K (*see* Dalley et al). 2006;48:S17–S18 (Research Forum abstracts)
Hou P (*see* Baez et al). 2006;48:S13 (Research Forum abstracts)
Hourvitz A (*see* Leiba et al). 2006;48:194–199
Houry D (*see* Johnson et al). 2006;48:S23 (Research Forum abstracts)
Houry DE (*see* Bitner et al). 2006;48:S114 (Research Forum abstracts)
Houry DE (*see* Gasgarth et al). 2006;48:S126 (Research Forum abstracts)
Houston JP, Centorrino F, Cincotta S, Zun L, Meyers AL, Ahl J, Degenhardt E, Gulliver AH, Kinon BJ. An observational study of intramuscular olanzapine treatment in acutely agitated patients with bipolar I disorder or schizophrenia. 2006;48:S126 (Research Forum abstracts)

How C-K (*see* Chern et al). 2006;48:216 (Images in Emergency Medicine)
Howard SK (*see* Smith-Coggins et al). 2006;48:596–604
Howell A (*see* Hoffman et al). 2006;48:S27 (Research Forum abstracts)
Howell MD (*see* Shapiro et al). 2006;48:583–590
Hoxhaj S (*see* Andrus et al). 2006;48:S6 (Research Forum abstracts)
Hsia R, MacIsaac D, Tsai AC, Baker LC. Declining reimbursements for ED visits across payor groups from 1996–2003. 2006;48:S117 (Research Forum abstracts)
Hsu C (*see* Chaudhry et al). 2006;48:S105 (Research Forum abstracts)
Hsu C (*see* Hallaj et al). 2006;48:S61 (Research Forum abstracts)
Hsu CK (*see* Barbara and Hsu). 2006;48:S67 (Research Forum abstracts)
Hsu CK (*see* Quash et al). 2006;48:S7 (Research Forum abstracts)
Hsu CK (*see* Yarde et al). 2006;48:S114 (Research Forum abstracts)
Hsu EB, Subbarao I. The myths of disaster education. 2006;48:107–108 (Correspondence)
Hsu L, Rozeski JE, Aubin C, Peterson CM, Menias CO, Lewis LM. Computed tomography of the abdomen versus right upper quadrant ultrasonagraphy for diagnosis of acute gallbladder disease. 2006;48:S17 (Research Forum abstracts)
Huang DT (*see* Nguyen et al). 2006;48:28–54 (Review article)
Huang DT, CRISMA Laboratory, Weissfeld LA, Carter M, Kong L, Kellum JA, Yealy DA, Angus DC. Procalcitonin in emergency department patients with suspected community-acquired pneumonia: results from the GenIMS (Genetic and Inflammatory Markers of Sepsis) study. 2006;48:S1 (Research Forum abstracts)
Huang L-J (*see* Chern et al). 2006;48:216 (Images in Emergency Medicine)
Huang N (*see* Dean et al). 2006;48:S87 (Research Forum abstracts)
Huber L (*see* Bascom et al). 2006;48:S96–S97 (Research Forum abstracts)
Hubler JR (*see* Hafner et al). 2006;48:S65 (Research Forum abstracts), 2006;48:S66 (Research Forum abstracts)
Hughes MJ (*see* McKeown et al). 2006;48:S13 (Research Forum abstracts)
Hugli O (*see* Rutschmann et al). 2006;48:S128 (Research Forum abstracts)
Hui M (*see* Davis et al). 2006;48:S92 (Research Forum abstracts)
Hui M (*see* Janchar et al). 2006;48:S76–S77 (Research Forum abstracts)
Hui M (*see* Milzman et al). 2006;48:S93 (Research Forum abstracts)
Hui M, Hill J, Weiler T, Milzman D. Safety of third row passenger seating in fatal vehicle crashes. 2006;48:S76 (Research Forum abstracts)
Hui MA, Davis G, Milzman DA. Overuse of CT in ED patients with presenting complaint of headache. 2006;48:S15–S16 (Research Forum abstracts)
Hunt KA, Weber EJ, Showstack JA, Colby DC, Callaham ML. Characteristics of frequent users of emergency departments. 2006;48:1–8
Hunter CJ (*see* Adams et al). 2006;48:S26–S27 (Research Forum abstracts)
Husk G (*see* Waxman et al). 2006;48:S45–S46 (Research Forum abstracts)
Hussain E (*see* D'Amore et al). 2006;48:S37 (Research Forum abstracts)
Hustey FM, Yen S, Choy H, Tallman T. The use of a clock drawing test as a screen for cognitive impairment in older emergency department patients. 2006;48:S71–S72 (Research Forum abstracts)
Hutchinson CH (*see* Wilson et al). 2006;48:S5 (Research Forum abstracts)
Hwang U, Bickell N. Factors associated with delays in patient care for small bowel obstruction. 2006;48:S35 (Research Forum abstracts)
Hwang U, Choi J, Harris B, Mitchell EA, Oyama J. Use of hospital administrative date to estimate emergency department patient census. 2006;48:S43 (Research Forum abstracts)
Hwang U, Harris B, Morrison RS, Richardson LD. The effect of emergency department crowding factors on pain management. 2006;48:S117 (Research Forum abstracts)
Hyde M, Arvanitis M. The effect of emergency department point-of-service fee collection on patient satisfaction scores. 2006;48:S64 (Research Forum abstracts)

I

Iacuzio DA (*see* Barr et al). 2006;48:S37–S38 (Research Forum abstracts)
Idrees U (*see* Caruso et al). 2006;48:S64 (Research Forum abstracts)
Immekus R (*see* Fuda and Immekus). 2006;48:9–16
Imran A, Chathampally Y, De Nonno LJ. A description of maternal demographics and exposure to known asthma risk factors among a sample of pregnant women in Harlem and the South Bronx. 2006;48:S9–S10 (Research Forum abstracts)
Institute of Medicine. The future of emergency care in the United States health system. 2006;48:115–120 (Special contribution)
Irvin AJ (*see* Bellolio et al). 2006;48:S19–S20 (Research Forum abstracts)
Irvin C (*see* Bascom et al). 2006;48:S96–S97 (Research Forum abstracts)
Irvin C (*see* Flagel and Irvin). 2006;48:S103–S104 (Research Forum abstracts)
Irvin C (*see* Flagel et al). 2006;48:S83 (Research Forum abstracts)
Irvin CB (*see* Rothman et al). 2006;48:570–582 (Concepts)
Irvine C (*see* Flagel et al). 2006;48:S104 (Research Forum abstracts)
Isaak S (*see* Levin et al). 2006;48:S84 (Research Forum abstracts)
Isaak S, Levin L, Silvestri S, Papa L. Is prehospital GCS alone adequate to determine need for a trauma center? 2006;48:S53–S54 (Research Forum abstracts)
Isakson SR (*see* Nowak et al). 2006;48:S2–S3
Iturregui J (*see* Menci et al). 2006;48:S97–S98 (Research Forum abstracts)
Iyer G (*see* Wira et al). 2006;48:S20–S21 (Research Forum abstracts)

J

Jackson JL (*see* Yarde et al). 2006;48:S114 (Research Forum abstracts)
Jackson L (*see* Anderson et al). 2006;48:S34 (Research Forum abstracts)
Jackson RE (*see* Swor et al). 2006;48:S109 (Research Forum abstracts)
Jackson RT (*see* Ameratunga et al). 2006;48:729–736
Jacob J (*see* Ferre et al). 2006;48:S73–S74 (Research Forum abstracts)
Jacob S, Jacoby J, James R, Heller M. Ambulance transport: why ED patients choose as they do. 2006;48:S54 (Research Forum abstracts)
Jacobsen G (*see* Otero et al). 2006;48:S36 (Research Forum abstracts)
Jacobus CH, Leach SD, Lindsell CJ, Kressel AB, Fermann GJ, Rue LE. Prevalence and demographics of MRSA in culturable skin and soft tissue infections in an urban emergency department. 2006;48:S17 (Research Forum abstracts)
Jacoby J (*see* Jacob et al). 2006;48:S54 (Research Forum abstracts)
Jacoby J (*see* Patterson et al). 2006;48:S5–S6 (Research Forum abstracts)
Jacoby J (*see* Quazi et al). 2006;48:S61 (Research Forum abstracts)
Jacoby J (*see* Wallerich et al). 2006;48:S120–S121 (Research Forum abstracts)
Jacoby J (*see* Wiand et al). 2006;48:S94–S95 (Research Forum abstracts)
Jacoby L (*see* Triner et al). 2006;48:S42–S43 (Research Forum abstracts)
Jagoda AS (*see* Fesmire et al). 2006;48:270–301 (Clinical policy), 2006;48:358–383 (Clinical policy)
Jain A (*see* Hernandez et al). 2006;48:S47–S48 (Research Forum abstracts)
James R (*see* Jacob et al). 2006;48:S54 (Research Forum abstracts)
Jamison J (*see* Shih et al). 2006;48:S31–S32 (Research Forum abstracts)
Janchar T, Milzman D, Hill J, Hui M, Weiler T. Mosh-concert-related injuries vs standard concert seating. 2006;48:S76–S77 (Research Forum abstracts)
Jang T, Rueggeri W, Dyne P. The learning curve of emergency medicine residents learning to perform limited biliary sonography. 2006;48:S33 (Research Forum abstracts)
Jang T, Rueggeri W, Dyne P. The learning curve of emergency medicine residents learning to perform limited obstetric sonography. 2006;48:S105 (Research Forum abstracts)
Janowicz N (*see* Baraff et al). 2006;48:452–458
Januzzi J (*see* Peacock et al). 2006;48:S29 (Research Forum abstracts)
Januzzi JL Jr (*see* Tung et al). 2006;48:66–74
Jasper E, Lewis J, Berg D, Gates E. Evaluation of full scale exercise participation as a tool to improve hospital preparedness for a radiological terrorism event. 2006;48:S52 (Research Forum abstracts)
Jay GD (*see* Lafleur et al). 2006;48:S37 (Research Forum abstracts)
Je J (*see* June et al). 2006;48:S16–S17 (Research Forum abstracts)
Jehle DV, Connolly S, Godzala M, Mayrose J. Speed kills? Not always: the New York State thruway experience. 2006;48:S77 (Research Forum abstracts)

Jennett A (*see* Levy et al). 2006;48:S30–S31 (Research Forum abstracts)
Jennings A (*see* Bobrow et al). 2006;48:S41 (Research Forum abstracts)
Jerrard DA, Long S. Male patient visits to the emergency department increase after the conclusion of media broadcast sporting events. 2006;48:S4 (Research Forum abstracts)
Jeyaraj D (*see* Wilson et al). 2006;48:S12 (Research Forum abstracts)
Jimenez S (*see* Waseem et al). 2006;48:S36 (Research Forum abstracts)
Jin Z (*see* Wyer et al). 2006;48:86–97 (Evidence-based emergency medicine review)
Johnson A (*see* Young et al). 2006;48:S85 (Research Forum abstracts)
Johnson B (*see* Gasgarth et al). 2006;48:S126 (Research Forum abstracts)
Johnson BD, Gasgarth R, Kemball RS, Houry D. Characteristics of partner violence perpetrators in the emergency department. 2006;48:S23 (Research Forum abstracts)
Johnson C (*see* Kuklinski et al). 2006;48:S51–S52 (Research Forum abstracts)
Johnson J (*see* Barnes et al). 2006;48:S102 (Research Forum abstracts)
Johnson S (*see* Cronin et al). 2006;48:S42 (Research Forum abstracts)
Johnson W (*see* Vilke et al). 2006;48:S23–S24 (Research Forum abstracts)
Joho B (*see* Miller et al). 2006;48:S125–S126 (Research Forum abstracts)
Jolliff HA. Manual of overdoses and poisonings. 2006;48:641–642 (Book and Media Reviews)
Jolliff HA. Pearls of wisdom: medical toxicology review, 2nd edition. 2006;48:764 (Book and Media Reviews)
Jolliff HA. Pearls of wisdom: the poison quiz book, 2nd edition. 2006;48:764–765 (Book and Media Reviews)
Jolliff HA. The top 100 drug interactions: a guide to patient management, 2006 edition. 2006;48:641 (Book and Media Reviews)
Jones AE, Fiechtl JF, Ballew JJ, Brown MD, Kline JA. Procalcitonin test in the diagnosis of bacteremia: a metaanalysis. 2006;48:S88 (Research Forum abstracts)
Jones ID (*see* Han et al). 2006;48:S34–S35 (Research Forum abstracts)
Jones JR, Carstaris KL, Tanen DA. Urinalysis is not reliable to detect a urinary tract infection (UTI) in febrile infants presenting to the emergency department. 2006;48:S61 (Research Forum abstracts)
Jordan M (*see* Samlan et al). 2006;48:S100 (Research Forum abstracts)
Jordan MT, Bryant SM, Aks SE, Wahl M. A five-year review of the medical outcome of heroin body stuffers. 2006;48:S81 (Research Forum abstracts)
Josephine EB (*see* Rothman et al). 2006;48:570–582 (Concepts)
Juan A (*see* Ferre et al). 2006;48:S73–S74 (Research Forum abstracts)
Jubanyik K (*see* Safdar et al). 2006;48:S112–S113 (Research Forum abstracts)
Judy J (*see* Kuo et al). 2006;48:S111 (Research Forum abstracts)
Julian C, Fearheiley C, Marco CA. A novel wrist splint device reduces dental pressure during intubation. 2006;48:S15 (Research Forum abstracts)
June YC, Choi H, Ko Y, Hong H, Seol S, Je J. A study for diagnostic clue of pro-ARDS in the mice's lung induced by ischemia-reperfusion injuries by using phase-contrast x-ray microscopy. 2006;48:S16–S17 (Research Forum abstracts)
Jung JJ (*see* Ding et al). 2006;48:686–693

K

Kaban J (*see* Hoffman et al). 2006;48:S27 (Research Forum abstracts)
Kahn C (*see* Rudkin et al). 2006;48:S82–S83 (Research Forum abstracts)
Kahn CA, Vaca F. Commentary: scoping out reciprocity, career mobility and recognition. 2006;48:213–214 (NHTSA Notes)
Kalbfleisch K (*see* Givens et al). 2006;48:S80–S81 (Research Forum abstracts)
Kandace LA (*see* Schears et al). 2006;48:S112 (Research Forum abstracts)
Kannry J (*see* Gathers et al). 2006;48:S39 (Research Forum abstracts)
Kannry J (*see* Shapiro et al). 2006;48:426–432 (Concepts)
Kapsner C (*see* Hokanson et al). 2006;48:S45 (Research Forum abstracts)
Kapur N (*see* Cooper et al). 2006;48:459–466
Kashyap R (*see* Bhagra et al). 2006;48:S120 (Research Forum abstracts), 2006;48:S21 (Research Forum abstracts)
Kashyap R (*see* Vaidyanathan et al). 2006;48:S117–S118 (Research Forum abstracts)
Keith J, Valley V, Patino G. Use of focused assessment with sonography for trauma with ancillary laboratory tests to exclude intra-abdominal injuries. 2006;48:S87 (Research Forum abstracts)
Kelen GD (*see* Ding et al). 2006;48:686–693
Kellermann A (*see* Stiell et al). 2006;48:S55 (Research Forum abstracts)
Kellermann A (*see* Stiell et al). 2006;48:S54 (Research Forum abstracts)
Kellermann AL (*see* Bernstein et al). 2006;48:417–425 (Concepts)
Kellermann AL. Defining the future of emergency care. 2006;48:135–137 (Editorial)
Kellum JA (*see* Huang et al). 2006;48:S1 (Research Forum abstracts)
Kelly A (*see* Stiell et al). 2006;48:S54 (Research Forum abstracts), 2006;48:S55 (Research Forum abstracts)
Kelly JJ, Ryan K, Restrepo R, Dominici PG. AIR (Asthma Intervention & Retraining) for severe asthmatics in an academic urban ED. 2006;48:S8 (Research Forum abstracts)
Kemball RS (*see* Gasgarth et al). 2006;48:S126 (Research Forum abstracts)
Kemball RS (*see* Johnson et al). 2006;48:S23 (Research Forum abstracts)
Kenny MK (*see* Chang et al). 2006;48:164–172
Kerr G (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Khan T (*see* Birkhahn et al). 2006;48:S117 (Research Forum abstracts)
Khan T (*see* Melville et al). 2006;48:S88–S89 (Research Forum abstracts)
Khandelwal S, Perez LA, Richardson S, Williams S, White L, Cantrell S. Evaluation of analgesic use during trauma resuscitation. 2006;48:S58–S59 (Research Forum abstracts)
Kharasch M (*see* Vozenilek et al). 2006;48:S114 (Research Forum abstracts)
Kilgannon JH, Cassidy-Smith TN, Nyce AL, Chansky ME, Baumann BM. The addition of a dedicated medical student teaching attending improves both emergency department faculty and resident satisfaction. 2006;48:S13 (Research Forum abstracts)
Kilian B (*see* Waxman et al). 2006;48:S45–S46 (Research Forum abstracts)
Killeen J (*see* Venieris et al). 2006;48:S16 (Research Forum abstracts)
Killeen JP (*see* Chan et al). 2006;48:S5 (Research Forum abstracts)
Killeen JP, Chan TC, Vilke GM, Buono C, Griswold W, Rao R, Lenert L. Wireless computerized rapid triage in the field: how well does technology perform during mass casualty incidents and disaster events? 2006;48:S69 (Research Forum abstracts)
Kilpela K (*see* Hoffman et al). 2006;48:S27 (Research Forum abstracts)
Kim H. The resuscitation outcomes and clinical characteristics of non-traumatic out-of-hospital geriatric cardiac arrest. 2006;48:S73 (Research Forum abstracts)
Kim K (*see* Ahn et al). 2006;48:S98 (Research Forum abstracts)
Kim RY (*see* Holty et al). 2006;48:200–211 (Review article)
Kim T, Lee J, Chung S, Lee H. Is N-acetylcysteine treatment based on initial history taking valid acetaminophen overdose patients? 2006;48:S100 (Research Forum abstracts)
Kim Y, Shin S, Park J, Suh G, Kwak Y. Validity of clinical spine clearance criteria for selective out-of-hospital spine immobilization. 2006;48:S70 (Research Forum abstracts)
Kim YS (*see* Cho et al). 2006;48:S14–S15 (Research Forum abstracts)
Kim YS (*see* Moon et al). 2006;48:S14 (Research Forum abstracts)
Kimmel L (*see* Walsh et al). 2006;48:S124 (Research Forum abstracts), 2006;48:S95 (Research Forum abstracts)
Kimmel S (*see* Miller et al). 2006;48:S125–S126 (Research Forum abstracts)
Kimmel SR (*see* Greenberg et al). 2006;48:S11 (Research Forum abstracts)
Kimmel SR (*see* Kuklinski et al). 2006;48:S51–S52 (Research Forum abstracts)
King RV (*see* Larkin et al). 2006;48:S91 (Research Forum abstracts)
Kini S, Veser F, Carr C, McGary B, Carlton C, Limehouse W, Saef S, Raney L. Why do people come to the emergency department with colds? Survey results of otherwise healthy subjects. 2006;48:S77 (Research Forum abstracts)
Kinon BJ (*see* Houston et al). 2006;48:S126 (Research Forum abstracts)
Kinross J, Warren O, Darzi A. ATLS versus ETC: time for a decision? 2006;48:761–762 (Correspondence)
Kiriaki S (*see* D'Amore et al). 2006;48:S112 (Research Forum abstracts)
Kirk J (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Kirk JD (*see* Diercks et al). 2006;48:S29 (Research Forum abstracts)
Kirk JD (*see* Lindsell et al). 2006;48:666–677
Kirk JD (*see* Singer et al). 2006;48:S10 (Research Forum abstracts)

Kirk MA (*see* Rowden et al). 2006;48:S101 (Research Forum abstracts)
Kirsch TD (*see* Ding et al). 2006;48:686–693
Kitt TM (*see* Stiell et al). 2006;48:S46–S47 (Research Forum abstracts)
Klash A (*see* Derr et al). 2006;48:S92 (Research Forum abstracts)
Klein K (*see* Larkin et al). 2006;48:S91 (Research Forum abstracts)
Klemt RM (*see* Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)
Kline J (*see* Mitchell and Kline). 2006;48:S42 (Research Forum abstracts)
Kline JA (*see* Jones et al). 2006;48:S88 (Research Forum abstracts)
Knopp RK, Dries D. Analgesia in acute abdominal pain: what's next? 2006;48:161–163 (Editorial)
Knopp RK. The challenges of teaching professionalism. 2006;48:538–539 (Editorial)
Ko Y (*see* June et al). 2006;48:S16–S17 (Research Forum abstracts)
Kohler L (*see* Dorfman et al). 2006;48:S68–S69 (Research Forum abstracts)
Kohn N (*see* Ward et al). 2006;48:S24 (Research Forum abstracts)
Kolb JC, Badr A, Galli R. Incidence of intracranial hemorrhages meeting criteria for activated factor VII. 2006;48:S19 (Research Forum abstracts)
Kolecki P (*see* Wald et al). 2006;48:S31 (Research Forum abstracts)
Kolkebeck TE, Mehta S. The focused assessment of sonography for trauma (FAST) exam in a forward-deployed combat emergency department: a prospective observational study. 2006;48:S87 (Research Forum abstracts)
Kondamudi N, Voddi M, Brown S. Body mass index among asthmatic children presenting to the ED. 2006;48:S9
Kong L (*see* Huang et al). 2006;48:S1 (Research Forum abstracts)
Kopinsk J (*see* Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)
Kordick MF (*see* Bordo et al). 2006;48:S121 (Research Forum abstracts)
Kordick MF (*see* Lester et al). 2006;48:S51 (Research Forum abstracts)
Koscove E. Symposium on the definition and management of anaphylaxis. 2006;48:762 (Correspondence)
Kosowsky JM (*see* Giraldez et al). 2006;48:S90 (Research Forum abstracts)
Kovacic D (*see* Marinsek et al). 2006;48:S79 (Research Forum abstracts)
Krakover B (*see* Larkin et al). 2006;48:S91 (Research Forum abstracts)
Kramer DA (*see* Thomas et al). 2006;48:e1–e17 (Special contribution)
Krause GS (*see* Kumar et al). 2006;48:S82 (Research Forum abstracts).
Krauser D (*see* Tung et al). 2006;48:66–74
Krauss B (*see* Green and Krauss). 2006;48:613–614 (Editorial)
Kressel AB (*see* Jacobus et al). 2006;48:S17 (Research Forum abstracts)
Kruus L (*see* Wald et al). 2006;48:S12–S13 (Research Forum abstracts), 2006;48:S14 (Research Forum abstracts), 2006;48:S31 (Research Forum abstracts)
Ku B (*see* Breyer et al). 2006;48:S85 (Research Forum abstracts)
Ku BS (*see* Dean et al). 2006;48:S106 (Research Forum abstracts), 2006;48:S87 (Research Forum abstracts)
Ku BS (*see* Mark et al). 2006;48:S107 (Research Forum abstracts)
Kuklinski JM, Bond WF, Subbarao I, Johnson C, Kimmel SR, Eberhardt M, McGee DL, Vozenilek J. Usability of the advanced bioterrorism triage algorithms. 2006;48:S51–S52 (Research Forum abstracts)
Kumar R, Sanderson TH, Wright JL, Krause GS. Insulin or IGF-1 blocks cytochrome c release from mitochondria following global brain ischemia. 2006;48:S82 (Research Forum abstracts)
Kummer J (*see* Wira et al). 2006;48:S20–S21 (Research Forum abstracts)
Kuo D (*see* LaMonte et al). 2006;48:S40 (Research Forum abstracts)
Kuo DC, White CS, Thorn E, Martinez J, Judy J, Flukinger T, Read K. Comparison of ECG gated multidetector CT with stress testing in patients presenting to the emergency department with chest pain. 2006;48:S111 (Research Forum abstracts)
Kuperman G (*see* Gathers et al). 2006;48:S39 (Research Forum abstracts)
Kuperman G (*see* Shapiro et al). 2006;48:426–432 (Concepts)
Kurz MC, Babcock C, Tupesis JP, Sinha S, Allgretti J. Emergency physician initiated primary percutaneous coronary intervention decreases median door-to-balloon time for ST-segment elevation myocardial infarction. 2006;48:S113 (Research Forum abstracts)
Kushniruk AW (*see* Gathers et al). 2006;48:S39 (Research Forum abstracts)
Kuznewski S (*see* Hormozdi et al). 2006;48:S83 (Research Forum abstracts)
Kwak Y (*see* Kim et al). 2006;48:S70 (Research Forum abstracts)
Kwan S (*see* Smith-Coggins et al). 2006;48:596–604
Kwon CC, Sztajnkrycer MD, Hankins DG. Prehospital and inter-facility psychiatric transportation: the state of Minnesota experience. 2006;48:S92 (Research Forum abstracts)

L

Labovitz DL (*see* Shah et al). 2006;48:S41 (Research Forum abstracts)
Ladmer D (*see* Zvosec et al). 2006;48:S100 (Research Forum abstracts)
Ladner H (*see* Manson et al). 2006;48:S104–S105 (Research Forum abstracts)
Lafleur J, Jay GD, Plante T, Clapprood A, Heath R, Lim YP. A pilot study of inter-alpha inhibitor protein (Ialp) in the presentation of adult patients with severe sepsis to the emergency department. 2006;48:S37 (Research Forum abstracts)
Lahn M (*see* Gallagher et al). 2006;48:150–160
Lairet JR, Miramonti C, Bartkus E, Billows G. A comparison of endotracheal intubation success rates between providers of a metropolitan air medical transport service. 2006;48:S7 (Research Forum abstracts)
Lala M (*see* Wright et al). 2006;48:S85 (Research Forum abstracts)
LaMantia J (*see* Barata et al). 2006;48:S122–S123 (Research Forum abstracts)
LaMantia J (*see* Thomas et al). 2006;48:e1–e17 (Special contribution)
Lamba S (*see* Low et al). 2006;48:S69 (Research Forum abstracts)
LaMonte MP, Kuo D, Yarbrough KL, Zink EK, Lifebridge A. Rapid assessment of transient ischemic attack etiology (RATE). 2006;48:S40 (Research Forum abstracts)
Landry K (*see* Safdar et al). 2006;48:173–181
Lang ES, Andruchow JE. What is the preferred first-line therapy for status epilepticus?, 2006;48:98–100 (Systematic review abstract)
Langdorf MI (*see* Boysen et al). 2006;48:S18–S19 (Research Forum abstracts)
Langdorf MI (*see* Rudkin et al). 2006;48:S82–S83 (Research Forum abstracts)
Lanigan MD, Newman DH, Quaas J, Mason C, Niyazova R, Saldivar P, Rago O. History and physical exam variables as a predictor of important abdominal pathology in emergency department patients with undifferentiated abdominal pain. 2006;48:S67 (Research Forum abstracts)
Lanzoni S (*see* Parenti et al). 2006;48:S115 (Research Forum abstracts); 2006;48:S53 (Research Forum abstracts)
Lapostolle F (*see* Baud et al). 2006;48:S54–S55 (Research Forum abstracts)
Lareau A, Binder LS. Pediatric emergency medicine board review. 2006;48:481 (Book and Media Reviews)
Larkin GL (*see* Marco et al). 2006;48:513–521 (Concepts)
Larkin GL (*see* Moskop et al). 2006;48:523–531 (Concepts)
Larkin GL, Anglin D. Intimate partner violence related suicidality is lower in Hispanic emergency department patients than Non Hispanics. 2006;48:S22 (Research Forum abstracts)
Larkin GL, Farman DB. Medication use and suicidal ideation in emergency department patients. 2006;48:S53 (Research Forum abstracts)
Larkin GL, North CS, King RV, Burkhalter LE, Klein K, Krakover B, Downs D, Pepe PE. The top 10 core competencies of EMS/disaster response: defining the "right stuff." 2006;48:S91 (Research Forum abstracts)
Larkin GL. Trends in the emergency department use of gastric lavage for poisoning events in the United States, 1993–2003. 2006;48:S71 (Research Forum abstracts)
Larson D (*see* Hokanson et al). 2006;48:S45 (Research Forum abstracts)
Larson DM (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Larson DM, Unger BT, Menssen KM, Sipprell K, Thayer M, Bonneville M, Harris J, Henry TD. Safety of inter-hospital transfer of ST segment elevation myocardial infarction patients for percutaneous coronary invervention. 2006;48:S44 (Research Forum abstracts)
Larson E (*see* Veser et al). 2006;48:S126–S127 (Research Forum abstracts)
Larson J (*see* Lewis et al). 2006;48:S66 (Research Forum abstracts)
Larson J, Fox JC, Lulloff L, Arcila M, Neches E. The use of emergency department bedside ultrasound to determine the correlation between increased intracranial pressure and the optic nerve sheath diameter. 2006;48:S106 (Research Forum abstracts)

Laskey S (*see* Schrock et al). 2006;48:S18 (Research Forum abstracts)
Laurita KR (*see* Wilson et al). 2006;48:S12 (Research Forum abstracts)
LaValley J, Martin D, Schmidt P, Sklar D, Bauer M, Crandall C. Using emergency department records to enhance bicycle injury suveillance in New Mexico. 2006;48:S58 (Research Forum abstracts)
LaValley J, Schmidt P, Sklar DP. Opportunities for intervention: epidemiology and injury patterns associated with fatal and non-fatal bicycle crashes in New Mexico. 2006;48:S76 (Research Forum abstracts)
LaValley J, Schmidt P, Sklar DP, Martin D, Bauer M, Crandall C. Alcohol intoxication, helmet use and traumatic injury among pedalcyclists in New Mexico. 2006;48:S77 (Research Forum abstracts)
Lazo R (*see* Gloria and Lazo). 2006;48:S113 (Research Forum abstracts)
Le A (*see* Buckner et al). 2006;48:S41–S42 (Research Forum abstracts)
Leach SD (*see* Jacobus et al). 2006;48:S17 (Research Forum abstracts)
Leake JA (*see* Fiechtl et al). 2006;48:S74–S75 (Research Forum abstracts)
Leber M (*see* Chaudhry et al). 2006;48:S105 (Research Forum abstracts)
Leber M (*see* Hallaj et al). 2006;48:S61 (Research Forum abstracts)
Ledyard HK (*see* Rothman et al). 2006;48:570–582 (Concepts)
Lee C (*see* Gallagher et al). 2006;48:150–160
Lee C (*see* Singer et al). 2006;48:S10 (Research Forum abstracts); 2006;48:S48–S49 (Research Forum abstracts)
Lee CK (*see* Carušo et al). 2006;48:S64 (Research Forum abstracts)
Lee D (*see* D'Amore et al). 2006;48:S112 (Research Forum abstracts)
Lee DC, Chu J, Bania TC, Rudolph GS, Perez E, Bahl A. Are advancing age, race, or gender factors in delays to treatment of pain in elderly patients with undifferentiated abdominal pain? 2006;48:S60 (Research Forum abstracts)
Lee E, Panagos P. High-sensitivity C-Reactive Protein in patients presenting to the emergency department with a transient ischemic attack: can it predict further ischemic events? 2006;48:S41 (Research Forum abstracts)
Lee H (*see* Kim et al). 2006;48:S100 (Research Forum abstracts);
Lee H (*see* Pines et al). 2006;48:S35 (Research Forum abstracts)
Lee HS (*see* Oh et al). 2006;48:S89 (Research Forum abstracts)
Lee HS (*see* You et al). 2006;48:S49 (Research Forum abstracts)
Lee J (*see* Kim et al). 2006;48:S100 (Research Forum abstracts)
Lee JS (*see* Clement et al). 2006;48:245–251
Lee Y (*see* Hoffman et al). 2006;48:S58 (Research Forum abstracts)
Lehrmann J (*see* Baumann et al). 2006;48:S30 (Research Forum abstracts)
Leiba A, Goldberg A, Hourvitz A, Amsalem Y, Aran A, Weiss G, Leiba R, Yehezkelli Y, Goldberg A, Levi Y, Bar-Dayan Y. Lessons learned from clinical anthrax drills: evaluation of knowledge and preparedness for a bioterrorist threat in Israeli emergency departments. 2006;48:194–199
Leiba R (*see* Leiba et al). 2006;48:194–199
Leibelt EL (*see* Stanford et al). 2006;48:S94 (Research Forum abstracts)
Leibner E (*see* Melniker et al). 2006;48:227–235
Leider J (*see* Calderon et al). 2006;48:21–27
Lekiachvili A (*see* Fitch et al). 2006;48:S44 (Research Forum abstracts)
Lemmel D, Binder L. Pediatric emergency medicine quick glance. 2006;48:482 (Book and Media Reviews)
Lenert L (*see* Killeen et al). 2006;48:S69 (Research Forum abstracts)
Lenzi T (*see* Parenti et al). 2006;48:S115 (Research Forum abstracts); 2006;48:S53 (Research Forum abstracts)
Lester J, Christos S, Kordick MF, Chan SB. Terrorism: would emergency physicians be able to recognize terrorism syndromes? 2006;48:S51 (Research Forum abstracts)
Lettman NA (*see* Bernstein et al). 2006;48:417–425 (Concepts)
Leung J, Duffy M, Finckh A. Real-time ultrasonographically-guided internal jugular vein catheterization in the emergency department increases success rates and reduces complications: a randomized, prospective study. 2006;48:540–547
Levi Y (*see* Leiba et al). 2006;48:194–199
Levick N. Helicopter emergency medical service safety. 2006;48:635–636 (Correspondence)
Levin L (*see* Isaak et al). 2006;48:S53–S54 (Research Forum abstracts)
Levin L, Isaak S, Silvestri S, Papa L. Changing the definition for need for trauma center significantly alters the accuracy of trauma triage criteria. 2006;48:S84 (Research Forum abstracts)
Levin SR (*see* Han et al). 2006;48:S34–S35 (Research Forum abstracts)
Levine AC, Presser DZ, Rosborough SN, Ghebreyesus TA, Davis MA. Understanding barriers to emergency care in low income countries. 2006;48:S93 (Research Forum abstracts)
Levine M (*see* Pozner et al). 2006;48:S55 (Research Forum abstracts)
Levine M, Thomas S, Geib A, Thomsen T, Pozner C. Serum glucose concentrations as a marker of severity in calcium channel blocker overdose. 2006;48:S80 (Research Forum abstracts)
Levis J (*see* Smith-Coggins et al). 2006;48:596–604
Levsky ME (*see* Miller et al). 2006;48:S43 (Research Forum abstracts); 2006;48:S81 (Research Forum abstracts)
Levsky ME (*see* Young et al). 2006;48:S25–S26 (Research Forum abstracts)
Levy PD, Compton S, Welch R, Dunne R, Delgado G, Jennett A, Zalenski R. A prospective, open label comparison trial of high-dose intravenous nitroglycerin versus nesiritide for the treatment of acute decompensated heart failure. 2006;48:S30–S31 (Research Forum abstracts)
Levy PD, Mango L, Sherwin R, Dunne R. Non-invasive pneumothorax detection using micropower impulse radar (MIR): a pilot study. 2006;48:S48 (Research Forum abstracts)
Levy PD, Sadock J, Gordon P, Hexdall A, McRae J. Development of a model lay-person ambulance service in rural Jamaica. 2006;48:S70 (Research Forum abstracts)
Levy PD, Wech R, Zalenski R. Endotracheal intubation in patients being treated for acute decompensated heart failure: a predictive model. 2006;48:S6 (Research Forum abstracts)
Levy SB, Rosh AJ. Dextrose extravasation causing skin necrosis. 2006;48:236 (Images in Emergency Medicine)
Lewandowski C (*see* Wira et al). 2006;48:S20 (Research Forum abstracts); 2006;48:S20–S21 (Research Forum abstracts)
Lewin MR (*see* Montauk et al). 2006;48:479–480 (Correspondence reply)
Lewis C (*see* Miller et al). 2006;48:S125–S126 (Research Forum abstracts)
Lewis GM, Phrampus P, Cole J, Wang H. Use of task checklists to optimize crisis management during air medical transport. 2006;48:S70 (Research Forum abstracts)
Lewis J (*see* Jasper et al). 2006;48:S52 (Research Forum abstracts)
Lewis LM (*see* Hsu et al). 2006;48:S17 (Research Forum abstracts)
Lewis LM, Dikranian K, Bayly PV, Creeley K, Black E, Olney J. Histologic assessment of free radical injury and apoptotic cell death after severe traumatic brain injury. 2006;48:S109–S110 (Research Forum abstracts)
Lewis LM, Larson J, Banet G. Do emergency physicians underutilize epinephrine in the treatment of anaphylaxis? 2006;48:S66 (Research Forum abstracts)
Lewis RJ (*see* Lipsky and Lewis). 2006;48:S43–S44 (Research Forum abstracts)
Lewis V (*see* D'Amore et al). 2006;48:S112 (Research Forum abstracts)
Lewis VV (*see* Ward et al). 2006;48:S24 (Research Forum abstracts)
Li G (*see* Ding et al). 2006;48:686–693
Li G, Baker SP. Helicopter crashes and probability. 2006;48:634–635 (Correspondence)
Li JT (*see* Campbell et al). 2006;48:S67–S68 (Research Forum abstracts)
Li JT (*see* Decker et al). 2006;48:S96 (Research Forum abstracts)
Liebmann O, Price D, Mills C, Gardner R, Wang R, Wilson S, Gray A. Feasibility of forearm ultrasonography-guided nerve blocks of the radial, ulnar, and median nerves for hand procedures in the emergency department. 2006;48:558–562 (Brief research report)
Lifebridge A (*see* LaMonte et al). 2006;48:S40 (Research Forum abstracts)
Lim S-H (*see* Lindsell et al). 2006;48:666–677
Lim YP (*see* Lafleur et al). 2006;48:S37 (Research Forum abstracts)
Limehouse W (*see* Kini et al). 2006;48:S77 (Research Forum abstracts)
Limehouse W (*see* Veser et al). 2006;48:S126–S127 (Research Forum abstracts)
Limkakeng AT Jr (*see* Takakuwa et al). 2006;48:S28 (Research Forum abstracts)
Lin GC (*see* Baker et al). 2006;48:S127 (Research Forum abstracts)
Lin S (*see* Schnadower et al). 2006;48:S93–S94 (Research Forum abstracts)
Lin Z (*see* Safdar et al). 2006;48:S112–S113 (Research Forum abstracts)
Lincoff AM (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Lindholm D (*see* Garza et al). 2006;48:S69 (Research Forum abstracts); 2006;48:S91 (Research Forum abstracts)

Lindsell CJ (*see* Chandra et al). 2006;48:S10–S11 (Research Forum abstracts);
Lindsell CJ (*see* Colla et al). 2006;48:S106–S107 (Research Forum abstracts)
Lindsell CJ (*see* Collins et al). 2006;48:341 (Correspondence)
Lindsell CJ (*see* Holland et al). 2006;48:S62 (Research Forum abstracts)
Lindsell CJ (*see* Jacobus et al). 2006;48:S17 (Research Forum abstracts)
Lindsell CJ (*see* McMullan et al). 2006;48:S45 (Research Forum abstracts)
Lindsell CJ (*see* Storrow et al). 2006;48:660–665; 2006;48:S3 (Research Forum abstracts)
Lindsell CJ, Anantharaman V, Diercks D, Han JH, Hoekstra JW, Hollander JE, Kirk JD, Lim S-H, Peacock WF, Tiffany B, Wilke EK, Gibler WB, Pollack CV Jr, for the EMCREG-International i*tr*ACS* Invesigators. The Internet tracking registry of acute coronary syndromes (i*tr*ACS*): a multicenter registry of patients with suspicion of acute coronary syndromes reported using the standardized reporting guidelines for emergency department chest pain studies. 2006;48:666–677
Lindsell CJ, Storrow AB, Peacock WF, Collins SP. A clinical prediction rule for an emergency department diagnosis of acute decompensated heart failure. 2006;48:S88 (Research Forum abstracts)
Ling D (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Ling LJ (*see* McBeth et al). 2006;48:S32 (Research Forum abstracts); 2006;48:S32–S33 (Research Forum abstracts)
Lipsky A (*see* Shah et al). 2006;48:S6 (Research Forum abstracts)
Lipsky AM, Lewis RJ. Optimizing trial participants' outcomes: a Bayesian decision-theoretic approach. 2006;48:S43–S44 (Research Forum abstracts)
Lipton M (*see* Shapiro et al). 2006;48:426–432 (Concepts)
Listwa T (*see* Pozner et al). 2006;48:S55 (Research Forum abstracts)
Listwa TM (*see* Fix et al). 2006;48:S68 (Research Forum abstracts)
Litroff A (*see* Barata et al). 2006;48:S122–S123 (Research Forum abstracts)
Litroff A (*see* D'Amore et al). 2006;48:S112 (Research Forum abstracts)
Litroff A (*see* Hormozdi et al). 2006;48:S83 (Research Forum abstracts)
Litroff AH (*see* Ward et al). 2006;48:S24 (Research Forum abstracts)
Little A (*see* McKenna et al). 2006;48:S80 (Research Forum abstracts)
Liu PY (*see* Schriger et al). 2006;48:750–756
Livote E (*see* Barata et al). 2006;48:S122–S123 (Research Forum abstracts)
Llaguri R (*see* Greenberg et al). 2006;48:S11 (Research Forum abstracts)
Llopis F (*see* Ferre et al). 2006;48:S73–S74 (Research Forum abstracts)
Lockette W (*see* Park and Lockette). 2006;48:S8 (Research Forum abstracts)
Lockey D, Crewdson K, Davies G. Traumatic cardiac arrest: who are the survivors?, 2006;48: 240–244 (Brief research report)
Lolo M (*see* Salazar et al). 2006;48:S65 (Research Forum abstracts)
Long KH (*see* Schears et al). 2006;48:S112 (Research Forum abstracts)
Long MA, Robey WC III, Corcoran KJ, Brewer KL. Description and assessment of a new model for cricothyrotomy. 2006;48:S33 (Research Forum abstracts)
Long S (*see* Jerrard and Long). 2006;48:S4 (Research Forum abstracts)
Longley MB (*see* Shiber et al). 2006;48:S33 (Research Forum abstracts)
Longworth D (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Loomba M (*see* Otero et al). 2006;48:S36 (Research Forum abstracts)
Lopez BL (*see* Christopher et al). 2006;48:S56 (Research Forum abstracts)
Lopez P (*see* Melniker et al). 2006;48:227–235
Louis-Paul R (*see* Waseem et al). 2006;48:S36 (Research Forum abstracts)
Lovett PB (*see* Breen et al). 2006;48:S49–S50 (Research Forum abstracts)
Lovett PB, Sayan OR, Glassman GD, Petrik R. Applicants report that their rankings of EM programs are most driven by wellness, morale, happiness and rapport. 2006;48:S113–S114 (Research Forum abstracts)
Lowe RA (*see* McConnell et al). 2006;48:702–710
Lowe RA (*see* Ping et al). 2006;48:S34 (Research Forum abstracts)
Lowe RA (*see* Spiro and Lowe). 2006;48:480 (Correspondence)
Low RB, Lamba S, Gluckman W, Cocuzza T, Bielory L. The effect of weather and air pollution on EMS calls for complaints of chest pain in an urban city. 2006;48:S69 (Research Forum abstracts)
Lowenstein S (*see* Rubio et al). 2006;48:S39 (Research Forum abstracts)
Lowy N (*see* Nguyen et al). 2006;48:S103 (Research Forum abstracts)
Lucenti M (*see* Gisondi et al). 2006;48:S109 (Research Forum abstracts)
Lucenti MJ (*see* Powell et al). 2006;48:S24–S25 (Research Forum abstracts)
Lueken RJ, Heffner AC, Parks PD. Treatment of severe carbon monoxide poisoning using a portable hyperbaric oxygen chamber. 2006;48: 319–322 (Case report)
Luke A (*see* Campbell et al). 2006;48:S67–S68 (Research Forum abstracts)
Luke A (*see* Decker et al). 2006;48:S96 (Research Forum abstracts)
Lukin M (*see* D'Amore et al). 2006;48:S112 (Research Forum abstracts)
Lulloff L (*see* Larson et al). 2006;48:S106 (Research Forum abstracts)
Lush S (*see* Rudkin et al). 2006;48:S82–S83 (Research Forum abstracts)
Luszczak MH (*see* Crystal et al). 2006;48:S24 (Research Forum abstracts)
Lynn EW, Rios K. Covert administration of psychotropic medications in the emergency department: an opposing view. 2006;48:478 (Correspondence)
Lyon M (*see* Adhikari et al). 2006;48:S85–S86 (Research Forum abstracts)
Lyon M (*see* Blaivas et al). 2006;48:S86 (Research Forum abstracts)
Lyon M (*see* Shiver et al). 2006;48:S86–S87 (Research Forum abstracts)

M

Mac DT (*see* Smith-Coggins et al). 2006;48:596–604
Mace SE. Adverse events of emergency department procedural sedation. 2006;48:S59 (Research Forum abstracts)
MacIsaac D (*see* Hsia et al). 2006;48:S117 (Research Forum abstracts)
Mackenzie R (*see* Greenberg et al). 2006;48:S11 (Research Forum abstracts)
MacKenzie T (*see* Roback et al). 2006;48:605–612
Mackway-Jones K (*see* Cooper et al). 2006;48: 459–466
Mackway-Jones K (*see* Hogg et al). 2006;48:107 (Correspondence reply)
MacLeod S (*see* Derr et al). 2006;48:S92 (Research Forum abstracts)
Magaret N (*see* Yarris et al). 2006;48:S25 (Research Forum abstracts)
Mahr CW, Flaherty JJ Jr, Mylonas I, Salanitri J. Cardiac-gated multidetector CT coronary angiography in evaluation of emergency department chest pain patients. 2006;48:S16 (Research Forum abstracts)
Maisel AS (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Malcolm GE (*see* Young et al). 2006;48:S85 (Research Forum abstracts)
Mallon WK (*see* Crespi Monjo et al). 2006;48: S128 (Research Forum abstracts)
Mancuso CA (*see* Melniker et al). 2006;48:227–235
Mandel JB, Duldner JE Jr, McAllister P, Williams CJ. Emergency department management of disaster situations with use of a radio frequency identification microchip. 2006;48:S38 (Research Forum abstracts)
Mandel M (*see* Bentancur et al). 2006;48:S68 (Research Forum abstracts)
Manfredi R (*see* Parenti et al). 2006;48:S115 (Research Forum abstracts); 2006;48:S53 (Research Forum abstracts)
Mangal B (*see* Stiell et al). 2006;48:S46–S47 (Research Forum abstracts)
Mango L (*see* Levy et al). 2006;48:S48 (Research Forum abstracts)
Maniago E (*see* Ardolic et al). 2006;48:S108 (Research Forum abstracts)
Maniago E (*see* Weizberg et al). 2006;48:S63 (Research Forum abstracts)
Maniago E, Ardolic B. Complying with the CMS pneumonia quality indicators: a multi-faceted approach to changing physician behavior. 2006;48:S26 (Research Forum abstracts)
Manini AF (*see* Nagurney et al). 2006;48:S17 (Research Forum abstracts)
Manini AF, McAfee AT, Noble VE, Bohan JS. Risk stratification of emergency department patients with chest pain using C-reactive protein. 2006;48:S28 (Research Forum abstracts)
Manini AF, McAfee AT, Noble VE, Bohan JS. Utility of acute cardiac ischemia time-insensitive predictive instrument in the chest pain observation unit. 2006;48:S12 (Research Forum abstracts)
Mann J. Emergency physician survey: recombinant tissue plasminogen activator for stroke. 2006; 48:476 (Correspondence)
Manoukian SV (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Manson W, Ryan JG, Ladner H, Gupta S. Metallic foreign body removal with ultrasound guidance. 2006;48:S104–S105 (Research Forum abstracts)

Manthey D (*see* Wald et al). 2006;48:S12–S13 (Research Forum abstracts); 2006;48:S14 (Research Forum abstracts)
Marcin JP (*see* Parsapour et al). 2006;48:S123–S124 (Research Forum abstracts)
Marco CA (*see* Julian et al). 2006;48:S15 (Research Forum abstracts)
Marco CA, Moskop JC, Solomon RC, Geiderman JM, Larkin GL. Gifts to physicians from the pharmaceutical industry: an ethical analysis. 2006;48:513–521 (Concepts)
Mardimae A, Slessarev M, Han J, Sasano H, Sasano N, Azami T, Fedorko L, Savage T, Fowler R, Fisher JA. Modified N95 mask delivers high inspired oxygen concentrations while effectively filtering aerosolized microparticles. 2006;48:391–399
Marinsek M, Pekolj-Bicanic M, Kovacic D, Zuran I, Podbregar M. Effects of mental stress and sleep deprivation on blood pressure and endothelial function in emergency physicans. 2006;48:S79 (Research Forum abstracts)
Mark DG, Ku BS, Carr BC, Gracias VH, Okusanya G, Vining DK, Everett WW, Dean AJ. Echocardiographic view preference in bedside estimation of ejection fraction by clinicians in critical care patients. 2006;48:S107 (Research Forum abstracts)
Marsteller K (*see* Patterson et al). 2006;48:S5–S6 (Research Forum abstracts)
Martel M; Gray R. A novel route of sedative administrative in the management of acute undifferentiated agitation in the emergency department. 2006;48:S125 (Research Forum abstracts)
Martel M, Hartmann T. Emergency department management of acute undifferentiated agitation: utility of intramuscular olanzapine. 2006;48:S125 (Research Forum abstracts)
Martens CA (*see* Chaput et al). 2006;48:S51 (Research Forum abstracts)
Martens KA (*see* Deluhery et al). 2006;48:S50–S51 (Research Forum abstracts)
Martin D (*see* LaValley et al). 2006;48:S58 (Research Forum abstracts); 2006;48:S77 (Research Forum abstracts)
Martin DR (*see* Caterino et al). 2006;48:S74 (Research Forum abstracts)
Martin DR, Borunda MR, Mujumdar MA, Plouffe JF. Antibiotics less than 4 hours did not improve survival or hospital length of stay for community-acquired pneumonia. 2006;48:S18 (Research Forum abstracts)
Martinez C, Durrani N, Otero R, Rivers E, Garcia J, Mlynarek M, Horst M. The relationship between admission interleukin-6 levels and blood glucose levels in patients presenting with sepsis. 2006;48:S35–S36 (Research Forum abstracts)
Martinez J (*see* Kuo et al). 2006;48:S111 (Research Forum abstracts)
Martinez-Capolino C (*see* Wira et al). 2006;48:S20 (Research Forum abstracts); 2006;48:S20–S21 (Research Forum abstracts)
Martini U (*see* Parenti et al). 2006;48:S115 (Research Forum abstracts)
Martinovich Z (*see* Zosel et al). 2006;48:S120 (Research Forum abstracts)
Martinson BC (*see* Gunnarson et al). 2006;48:S72 (Research Forum abstracts)
Masneri DA (*see* Miller et al). 2006;48:S81 (Research Forum abstracts)
Mason C (*see* Lanigan et al). 2006;48:S67 (Research Forum abstracts)
Mason E (*see* McBeth et al). 2006;48:S32 (Research Forum abstracts); 2006;48:S32–S33 (Research Forum abstracts)
Mason PE, Eadie JS, Holder AD. United States Air Force Critical Care Air Transport Teams in Operation Iraqi Freedom: a prospective study. 2006;48:S104 (Research Forum abstracts)
Mason PE, Gonzalez MG. Utility of the Charlotte criteria and the Liatest d-dimer assay in the exclusion of pulmonary embolism in the emergency department. 2006;48:S3 (Research Forum abstracts)
Mason S (*see* Stiell et al). 2006;48:S54 (Research Forum abstracts); 2006;48:S55 (Research Forum abstracts)
Mastroberti M (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Matero DT. Traumatic avulsion. 2006;48:338 (Images in Emergency Medicine)
Matz TP (*see* Gordon et al). 2006;48:S37 (Research Forum abstracts)
Mayorga O (*see* Wall et al). 2006;48:551–557
Mayrose J (*see* Jehle et al). 2006;48:S77 (Research Forum abstracts)
Mayrose J (*see* Moscati et al). 2006;48:S84 (Research Forum abstracts)
McAfee AT (*see* Manini et al). 2006;48:S12 (Research Forum abstracts); 2006;48:S28 (Research Forum abstracts)
McAllister P (*see* Mandel et al). 2006;48:S38 (Research Forum abstracts)
McBeth BD, Ankel FK, Ling LJ, McNamara RM, Flottemesch TJ, Asplin BR, Mason E. Substance use in emergency medicine training programs. 2006;48:S32 (Research Forum abstracts)
McBeth BD, McNamara RM, Ankel FK, Ling LJ, Flottemesch TJ, Asplin BR, Mason E. Modafinil and zolpidem use among emergency medicine residents. 2006;48:S32–S33 (Research Forum abstracts)
McCarthy D, Mycyk MB, DesLauriers C. Hospitalization for caffeine abuse is associated with concomitant abuse of other pharmaceutical products. 2006;48:S101 (Research Forum abstracts)
McCarthy ML (*see* Ding et al). 2006;48:686–693
McClain C (*see* Miner and McClain). 2006;48:S120 (Research Forum abstracts)
McClung C, Schroeder K, Wan T, Henderson S. A review of significant head CT findings. 2006;48:S15 (Research Forum abstracts)
McConnell KJ, Richards CF, Daya M, Weathers CC, Lowe RA. Ambulance diversion and lost hospital revenues. 2006;48:702–710
McCormick C (*see* Gerardo et al). 2006;48:S102 (Research Forum abstracts)
McCullough LB (*see* Bernstein et al). 2006;48:417–425 (Concepts)
McDermott D (*see* Quinn and McDermott). 2006;48:762–763 (Correspondence)
McElroy J (*see* Garza et al). 2006;48:S69 (Research Forum abstracts); 2006;48:S91 (Research Forum abstracts)
McFadden K (*see* Miller et al). 2006;48:S125–S126 (Research Forum abstracts)
McGary B (*see* Kini et al). 2006;48:S77 (Research Forum abstracts)
McGee DL (*see* Kuklinski et al). 2006;48:S51–S52 (Research Forum abstracts)
McGee G (*see* Triner et al). 2006;48:S42–S43 (Research Forum abstracts)
McGinnis H (*see* Charles et al). 2006;48:S59 (Research Forum abstracts)
McGuire K (*see* Menci et al). 2006;48:S97–S98 (Research Forum abstracts)
McKay M (*see* Roberts and McKay). 2006;48:S72 (Research Forum abstracts)
McKenna DP, Triner W, Little A, Dunn M. Awareness of "ICE" (In Case of Emergency) on cell phones and willingness to allow "ICE" to be added to a cell phone while in the emergency department. 2006;48:S80 (Research Forum abstracts)
McKenna M. Anatomy of a pandemic: emergency departments woefully unprepared for bird flu outbreak. 2006;48:312–314 (News and Perspective)
McKenna M. Debate rages over the "future of emergency care." 2006;48:138–140 (News and Perspective)
McKenna M. PolyHeme and the ethics of informed consent. 2006;48:563–566 (News and Perspective)
McKenney MG (*see* Melniker et al). 2006;48:227–235
McKeown NJ, Tews M, Hughes MJ. The evolution of computer-based learning styles in medical education. 2006;48:S13 (Research Forum abstracts)
McKinney J (*see* Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)
McManus JG Jr (*see* Dagrosa et al). 2006;48:S50 (Research Forum abstracts)
McMullan JT, Blomkains AL, Lindsell CJ. Prognostic implications of a normal coronary angiogram. 2006;48:S45 (Research Forum abstracts)
McNally PB (*see* Deluhery et al). 2006;48:S50 (Research Forum abstracts)
McNamara RM (*see* McBeth et al). 2006;48:S32 (Research Forum abstracts); 2006;48:S32–S33 (Research Forum abstracts)
McNamara RM (*see* Satz et al). 2006;48:S38 (Research Forum abstracts)
McRae J (*see* Levy et al). 2006;48:S70 (Research Forum abstracts)
Mechem CC (*see* Meisel et al). 2006;48:S71 (Research Forum abstracts)
Medado P (*see* Compton et al). 2006;48:S97 (Research Forum abstracts)
Medado P (*see* Ross et al). 2006;48:S118 (Research Forum abstracts)
Medado P (*see* Truong et al). 2006;48:S11 (Research Forum abstracts)
Medado P, Ryder A, Robinson D, Dixon S, Compton S, O'Neil BJ. The prognostic value of early EEG after therapeutic hypothermia. 2006;48:S119 (Research Forum abstracts)
Medina C (*see* Cordero et al). 2006;48:323–325 (Case report)
Meggs WJ (*see* Greer et al). 2006;48:S98 (Research Forum abstracts)
Meggs WJ (*see* Hack et al). 2006;48:190–193 (Images in Emergency Medicine)
Meggs WJ (*see* Heflin et al). 2006;48:522 (Brief research report)
Meggs WJ (*see* Wiley et al). 2006;48:S99–S100 (Research Forum abstracts)
Mehta S (*see* Kolkebeck and Mehta). 2006;48:S87 (Research Forum abstracts)

Meisel ZF, Mechem CC, Shofer FS, Feinberg DM, Pollack CV. Discrepancies between the prehospital and hospital record: what is the value of the trip sheet?, 2006;48:S71 (Research Forum abstracts)
Melniker LA, Leibner E, McKenney MG, Lopez P, Briggs WM, Mancuso CA. Randomized controlled clinical trial of point-of-care, limited ultrasonography for trauma in the emergency department: the first Sonography Outcomes Assessment Program trial. 2006;48:227–235
Melville L (*see* Birkhahn et al). 2006;48:S117 (Research Forum abstracts)
Melville L, Datillo PA, Van Deusen SK, Khan T, Neighbor G, Birkhahn RH. An evidence-based appraisal of the clinical exam in acute appendicitis. 2006;48:S88–S89 (Research Forum abstracts)
Menci F, Weigand J, Teermann G, Iturregui J, Rajjappannair L, Barhorst B, Evancho-Chapman M, McGuire K. Histopathologic effect of endotracheal drug administration on porcine lung tissue. 2006;48:S97–S98 (Research Forum abstracts)
Mencl F, Elshove-Bolk J, van Rijswijck BT, Simons M, van Vugt AB. Validation of the Emergency Severity Index (ESI) in self-referred patients in a European Emergency Department. 2006;48:S24 (Research Forum abstracts)
Mendoza CD, Heard K, Dart RC. Coma, metabolic acidosis and normal liver function in a child with a large serum acetaminophen level. 2006;48:637 (Correspondence)
Menias CO (*see* Hsu et al). 2006;48:S17 (Research Forum abstracts)
Menssen K (*see* Hokanson et al). 2006;48:S45 (Research Forum abstracts)
Menssen KM (*see* Larson et al). 2006;48:S44 (Research Forum abstracts)
Merico F (*see* Antro et al). 2006;48:S67 (Research Forum abstracts)
Merlis J (*see* Auerbach et al). 2006;48:S39–S40 (Research Forum abstracts)
Metcalf S (*see* Gisondi et al). 2006;48:S109 (Research Forum abstracts)
Metlay JP (*see* Pines et al). 2006;48:S35 (Research Forum abstracts)
Metz MA (*see* Vilke et al). 2006;48:S90 (Research Forum abstracts)
Meyer M (*see* Akhtar et al). 2006;48:S60–S61 (Research Forum abstracts)
Meyer RH (*see* Chang et al). 2006;48:164–172
Meyers AL (*see* Houston et al). 2006;48:S126 (Research Forum abstracts)
Meyers S (*see* Villarin et al). 2006;48:S107–S108 (Research Forum abstracts)
Michael GE, Sporer KA, Youngblood GM. Socioeconomic and clinical factors associated with prehospital analgesia. 2006;48:S91–S92 (Research Forum abstracts)
Mielniczuk LM (*see* Collins et al). 2006;48:260–269
Millard WB. Too POSH for the public: are physician-owned hospitals a drain on emergency care? (Part II). 2006;48:144–148 (News and Perspective)
Millard WB. Too POSH for the public: are physician-owned specialty hospitals a drain on emergency care? 2006;48:62–63 (News and Perspective)
Miller A, Lewis C, Bond W, Rupp V, Joho B, Kimmel S, McFadden K, Weinstock M. Validation of the triage algorithm for psychiatric screening (TAPS) tool in patients with psychiatric cheif complaints. 2006;48:S125–S126 (Research Forum abstracts)
Miller C (*see* Chandra et al). 2006;48:S10–S11 (Research Forum abstracts)
Miller CD (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Miller CD, Hoekstra JW. Medical decisionmaking and the San Francisco Syncope Rule. 2006;48:763 (Correspondence reply)
Miller CD, Warner RA, Hoekstra JW. The utility of electronically recorded S3 and S4 gallops to predict cardiac events in emergency department patients with chest pain. 2006;48:S46 (Research Forum abstracts)
Miller KF (*see* Storrow et al). 2006;48:660–665; 2006;48:S3 (Research Forum abstracts)
Miller MA (*see* Crystal et al). 2006;2006;48:S24 (Research Forum abstracts)
Miller MA (*see* Young et al). 2006;48:S90 (Research Forum abstracts)
Miller MA, Levsky ME, Enslow W, Coon TP, Rosin AS. A descriptive analysis of authorship within medical journals, 1995–2005. 2006;48:S43 (Research Forum abstracts)
Miller MA, Levsky ME, Masneri DA, Borys D. FABULOSO®: a cleaning product that tastes and smells good enough to drink. 2006;48:S81 (Research Forum abstracts)
Miller MR (*see* Caruso et al). 2006;48:S64 (Research Forum abstracts)
Mills C (*see* Liebmann et al). 2006;48:558–562 (Brief research report)
Miloslavsky E, Ragin DF, Richardson LD. Young adults: a unique ED patient population?, 2006;48:S69–S70 (Research Forum abstracts)
Milzman D (*see* Davis et al). 2006;48:S92 (Research Forum abstracts)
Milzman D (*see* Hui et al). 2006;48:S76–S77 (Research Forum abstracts)
Milzman D (*see* Janchar et al). 2006;48:S76 (Research Forum abstracts)
Milzman D, Davis G, Weiler T, Hill J, Hui M. Impact of recidivism on emergency department patient volume. 2006;48:S93 (Research Forum abstracts)
Milzman DA (*see* Hui et al). 2006;48:S15–S16 (Research Forum abstracts)
Miner JR (*see* Prekker et al). 2006;48:S23 (Research Forum abstracts); 2006;48:S57 (Research Forum abstracts)
Miner JR, McClain C. Time to administration of pain medications as a marker of emergency department overcrowding. 2006;48:S120 (Research Forum abstracts)
Miner JR, Moore JC. Oral oxycodone versus intravenous morphine in pediatric patients for the treatment of pain due to acute musculoskeletal injury in the emergency department. 2006;48:S121 (Research Forum abstracts)
Minnick N, Wimmer CJ. Non-invasive cardiac output and cerebral oximetry compared with traditional measures. 2006;48:S48 (Research Forum abstracts)
Miramonti C (*see* Lairet et al). 2006;48:S7 (Research Forum abstracts)
Mitchell A, Kline J. Bias introduced by the informed consent process on pulmonary embolism prevalence. 2006;48:S42 (Research Forum abstracts)
Mitchell EA (*see* Hwang et al). 2006;48:S43 (Research Forum abstracts)
Mitchell P (*see* Fernandez et al). 2006;48:S96 (Research Forum abstracts)
Mizouni S (*see* Bernstein et al). 2006;48:417–425 (Concepts)
Mjos N (*see* Buckley et al). 2006;48:S98 (Research Forum abstracts); 2006;48:S99 (Research Forum abstracts)
Mlynarek M (*see* Martinez et al). 2006;48:S35–S36 (Research Forum abstracts)
Moak JH (*see* Colla et al). 2006;48:S106–S107 (Research Forum abstracts)
Modarai F (*see* Baumann et al). 2006;48:S123 (Research Forum abstracts)
Moffa D (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Moises J (*see* Avegno et al). 2006;48:S52 (Research Forum abstracts)
Montauk L, Lewin MR, Nobay F, Shalit M. Research overdue on subterfuge versus forced treatment in psychiatric emergencies. 2006;48:479–480 (Correspondence reply)
Moon CH, Doty C. Emphysematous pyelonephritis. 2006;48:354 (Images in Emergency Medicine)
Moon JB (*see* Cho et al). 2006;48:S14–S15 (Research Forum abstracts)
Moon JB, Cho JH, Ohk TG, Park CW, Kim YS. Analysis of the efficiency of cardiopulmonary resuscitation (CPR) training by ratio change of chest compression. 2006;48:S14 (Research Forum abstracts)
Mooney RL, Schears RM, Weaver AL. Predictors of survival among nonagenarians presenting to the emergency department. 2006;48:S74 (Research Forum abstracts)
Moore B (*see* Grow et al). 2006;48:S70–S71 (Research Forum abstracts)
Moore EE (*see* Beilman et al). 2006;48:S2 (Research Forum abstracts)
Moore FA (*see* Beilman et al). 2006;48:S2 (Research Forum abstracts)
Moore JC (*see* Miner and Moore). 2006;48:S121 (Research Forum abstracts)
Moran GJ (*see* Nguyen et al). 2006;48:28–54 (Review article)
Moran GJ (*see* Rothman et al). 2006;48:570–582 (Concepts)
Mordechai E (*see* Walsh et al). 2006;48:S124 (Research Forum abstracts); 2006;48:S95 (Research Forum abstracts)
Moreno-Walton L (*see* Calderon et al). 2006;48:21–27
Morgan MW, Flottemesch TJ, Ekstrom RM. Medication errors in the emergency department. 2006;48:S39 (Research Forum abstracts)
Morgan MW, Hegarty CB. High fidelity simulator vs low fidelity manikin: a simulator did not improve scores on a multiple choice exam. 2006;48:S32 (Research Forum abstracts)
Morrison RS (*see* Hwang et al). 2006;48:S117 (Research Forum abstracts)
Morrissey J (*see* Giraldez et al). 2006;48:S90 (Research Forum abstracts)
Morsi D (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)

Morton MJ, Pines JM. Systematic delays in antibiotic administration in the emergency department for adult patients admitted with pneumonia. 2006;48:S4 (Research Forum abstracts)
Moscati R (*see* Pawlowski et al). 2006;48:S22 (Research Forum abstracts)
Moscati R, Mayrose J, Priya A. A meta-analysis of wound irrigation comparing tap water versus sterile saline. 2006;48:S84 (Research Forum abstracts)
Moscovitz HC (*see* Safdar et al). 2006;48:173–181
Moselewski F (*see* Nagurney et al). 2006;48:S17 (Research Forum abstracts)
Moses JW (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Moskop JC (*see* Marco et al). 2006;48:513–521 (Concepts)
Moskop JC, Geiderman JM, Hobgood CD, Larkin GL. Emergency physicians and disclosure of medical errors. 2006;48:523–531 (Concepts)
Moussally JS, Pallin D, Goldstein J, Pelletier A, Camargo C. National study of emergency department visits for seizure, 1993–2003. 2006;48:S19 (Research Forum abstracts)
Mower W (*see* Sun et al). 2006;48:S84 (Research Forum abstracts)
Moyer M (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Muck A (*see* Adams et al). 2006;48:S26–S27 (Research Forum abstracts)
Mueller HW (*see* Thompson et al). 2006;48:S49 (Research Forum abstracts)
Mueller JG (*see* Deluhery et al). 2006;48:S50 (Research Forum abstracts)
Muesing E (*see* Fitchtl et al). 2006;48:S74–S75 (Research Forum abstracts)
Mujumdar MA (*see* Martin et al). 2006;48:S18 (Research Forum abstracts)
Mullins RJ (*see* Norton et al). 2006;48:S84 (Research Forum abstracts)
Muñoz-Furlong A (*see* Decker et al). 2006;48:762 (Correspondence reply)
Murdock T, Richman PB, Dominguez S, Collins C, Bobrow B. Emergency department screening for improper child safety restraint use—parent confidence versus practice. 2006; 48:S56 (Research Forum abstracts)
Murphy RJ (*see* Satz et al). 2006;48:S38 (Research Forum abstracts)
Murrin PA (*see* Vilke et al). 2006;48:S90 (Research Forum abstracts)
Mycyk MB (*see* Anderson et al) (*see* McCarthy et al). 2006;48:S101 (Research Forum abstracts);
Mycyk MB (*see* Powell et al). 2006;48:S24–S25 (Research Forum abstracts)
Myers R (*see* Zosel et al). 2006;48:S120 (Research Forum abstracts)
Mylonas I (*see* Mahr et al). 2006;48:S16 (Research Forum abstracts)

N

Nagata T, Yamashita H, Shima H, Yeong-Su J. Traffic injury surveillance study for children in Kurume, Japan. 2006;48:S55–S56 (Research Forum abstracts)
Nagurney JT, Moselewski F, Pena AJ, Nichols JH, Parry BA, Butler J, Manini AF, Brown DF, Siebert U, Hoffmann U. How often do emergency department patients with chest pain meet eligibility criteria for multi-detector computerized tomography of the coronary arteries?, 2006;48:S17 (Research Forum abstracts)
Nairn SJ (*see* Baumann et al). 2006;48:S123 (Research Forum abstracts)
Nardelli B (*see* Shewakramani et al). 2006;48:S71 (Research Forum abstracts)
Nasrollahzadeh F (*see* Parsapour et al). 2006;48: S123–S124 (Research Forum abstracts)
Nath AR (*see* Colorado and Nath). 2006;48:479 (Correspondence)
Nathens AB (*see* Beilman et al). 2006;48:S2 (Research Forum abstracts)
National Highway Traffic Safety Administration. The National EMS Scope of Practice Model. 2006;48:212 (NHTSA Notes)
National Highway Traffic Safety Administration. Analysis of speeding-related fatal motor vehicle crashes. 2006;48:470 (NHTSA Notes)
National Highway Traffic Safety Administration. A social norms strategy to reduce impaired driving among 21- to 34-year olds. 2006;48: 739 (NHTSA Notes)
Nawaz R, Charles M, Almahasneh F, Dial L, Gress T, Wehner P. Gender differences in patients presenting to the emergency department with chest pain. 2006;48:S11–S12 (Research Forum abstracts)
Nazarian D (*see* Fesmire et al). 2006;48:270–301 (Clinical policy); 2006;48:358–383 (Clinical policy)
Neches E (*see* Larson et al). 2006;48:S106 (Research Forum abstracts)
Neiberg R (*see* Fitch et al). 2006;48:S44 (Research Forum abstracts)
Neighbor G (*see* Melville et al). 2006;48:S88–S89 (Research Forum abstracts)
Nelson BP, Basavaraju SV, Baumlin K. Sonographic diagnosis of axillary artery aneurysm presenting as painful axillary mass. 2006;48:339–340 (Correspondence)
Nelson BP, Baumlin K. Revenue capture in an emergency medicine ultrasound program: a pilot study. 2006;48:S106 (Research Forum abstracts)
Nelson M (*see* D'Amore et al). 2006;48:S37 (Research Forum abstracts)
Nelson M (*see* Young et al). 2006;48:S85 (Research Forum abstracts)
Nelson S (*see* Baez et al). 2006;48:S13 (Research Forum abstracts)
Nelson SW (*see* Fix et al). 2006;48:S68 (Research Forum abstracts)
Newell M (*see* Hokanson et al). 2006;48:S45 (Research Forum abstracts)
Newgard CD. Long-term global health deficits: yet another adverse outcome from motor vehicle crashes. 2006;48:737–738 (Editorial)
Newman D (*see* Shah et al). 2006;48:S6 (Research Forum abstracts)
Newman D (*see* Waxman et al). 2006;48:S45–S46 (Research Forum abstracts)
Newman DH (*see* Lanigan et al). 2006;48:S67 (Research Forum abstracts)
Newman DH, Zhitomirsky I. The prevalence of nontherapeutic and dangerous international normalized ratios among patients receiving warfarin in the emergency department. 2006; 48:182–189
Ngo L (*see* Shapiro et al). 2006;48:583–590
Nguyen B (*see* Di Liddo et al). 2006;48:433–440
Nguyen HB (*see* Otero et al). 2006;48:S36 (Research Forum abstracts)
Nguyen HB, Rivers EP, Abrahamian FM, Moran GJ, Abraham E, Trzeciak S, Huang DT, Osborn T, Stevens D, Talan DA. Severe sepsis and septic shock: review of the literature and emergency department management guidelines. 2006;48:28–54 (Review article)
Nguyen MT, Lowy N, Ardolic B. The necessity of head CT scan for elderly patients with head injury. 2006;48:S103 (Research Forum abstracts)
Nguyen T, Caraballo H, Buccelletti F. Hyperkalemia from hemolyzed speciments: must they be repeated?, 2006;48:S110 (Research Forum abstracts)
Nibhanipudi KV, Bharati A, Suguna SN. Determining the incidence of urinary tract infections in infants and children aged 4 months to 6 years with febrile diarrhea. 2006; 48:S123 (Research Forum abstracts)
Nibhanipudi KV. Beneficial effect of warmed humidified oxygen with combination of nebulised albuterol and ipratropium in pediatric patients with acute bronchial asthma in winter months. 2006;48:S8 (Research Forum abstracts)
Nichols JH (*see* Nagurney et al). 2006;48:S17 (Research Forum abstracts)
Nicks BA. Centers for Medicare and Medicaid services community-acquired pneumonia core measure criteria incorrectly includes patients without pneumonia. 2006;48:S34 (Research Forum abstracts)
Niyazova R (*see* Lanigan et al). 2006;48:S67 (Research Forum abstracts)
Nobay F (*see* Montauk et al). 2006;48:479–480 (Correspondence reply)
Noble VE (*see* Manini et al). 2006;48:S12 (Research Forum abstracts); 2006;48:S28 (Research Forum abstracts)
Nolting A (*see* Uhl et al). 2006;48:S100–S101 (Research Forum abstracts)
Nordenholz KE, Heard K. Ascent to altitude in a hypobaric chamber does not consistently affect serum d-dimer levels. 2006;48:S111 (Research Forum abstracts)
North CS (*see* Larkin et al). 2006;48:S91 (Research Forum abstracts)
Norton HJ (*see* Tayal et al). 2006;48:S105–S106 (Research Forum abstracts)
Norton RL (*see* Yarris et al). 2006;48:S25 (Research Forum abstracts)
Norton RL, Brand D, Mullins RJ, Hedges JR, Schreiber MA, Eastes L. Matching trauma team response to need in a level 1 trauma system. 2006;48:S84 (Research Forum abstracts)
Norton RN (*see* Ameratunga et al). 2006;48:729–736
Noto P (*see* Antro et al). 2006;48:S67 (Research Forum abstracts)

Nowak R, Isakson SR, Beede J, Penny W, Moyer M, Peacock W, Moffa D, Harrison A, Wu A, Kirk J, Diercks D, Maisel AS. Prevalence of aspirin resistance in patients presenting to the emergency department with chest pain. 2006; 48:S2–S3 (Research Forum abstracts)
Nunez R (*see* Perry et al). 2006;48:S15 (Research Forum abstracts)
Nuss K (*see* Gewirtz et al). 2006;48:S63 (Research Forum abstracts)
Nuthulaganti T (*see* Baumann et al). 2006;48:S123 (Research Forum abstracts)
Nwoke P (*see* Otero et al). 2006;48:S99 (Research Forum abstracts)
Nyce AL (*see* Kilgannon et al). 2006;48:S13 (Research Forum abstracts)

O

O'Connor B (*see* Derr et al). 2006;48:S92 (Research Forum abstracts)
O'Connor R (*see* Breyer et al). 2006,48:S114–S115 (Research Forum abstracts)
O'Malley G (*see* Byers et al). 2006;48:S40 (Research Forum abstracts)
O'Malley GF. Non-invasive carbon monoxide measurement is not accurate. 2006;48:477–478 (Correspondence)
O'Neil B (*see* Truong et al). 2006;48:S11 (Research Forum abstracts)
O'Neil B (*see* Wilson et al). 2006;48:S5 (Research Forum abstracts)
O'Neil BJ (*see* Compton et al). 2006;48:S97 (Research Forum abstracts
O'Neil BJ (*see* Medado et al). 2006;48:S119 (Research Forum abstracts)
O'Neil BJ (*see* Ross et al). 2006;48:S118 (Research Forum abstracts)
O'Sullivan L (*see* Schreck and O'Sullivan). 2006; 48:S29 (Research Forum abstracts)
Oakes G (*see* Buono et al). 2006;48:S97 (Research Forum abstracts)
Odgren R (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Offerman S (*see* Holmes et al). 2006;48:S82 (Research Forum abstracts)
Oh JH (*see* You et al). 2006;48:S49 (Research Forum abstracts)
Oh JH, Cho YS, You JS, Chung HS, Chung SP, Lee HS. The usefulness of contrast-enhanced abdominal computed tomography for patients with suspected Fitz-Hugh-Curtis syndrome. 2006;48:S89 (Research Forum abstracts)
Ohk TG (*see* Cho et al). 2006;48:S14–S15 (Research Forum abstracts)
Ohk TG (*see* Moon et al). 2006;48:S14 (Research Forum abstracts)
Ohman EM (*see* Diercks et al). (*see* Peacock et al). 2006;48:S29 (Research Forum abstracts)
Ohman EM (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Ohman EM Okpala V (*see* Hinfey et al). 2006;48: S110–S111 (Research Forum abstracts)
Okusanya G (*see* Mark et al). 2006;48:S107 (Research Forum abstracts)
Olmstead M (*see* Bascom et al). 2006;48:S96–S97 (Research Forum abstracts)
Olney J (*see* Lewis et al). 2006;48:S109–S110 (Research Forum abstracts)
Olsen D (*see* Stanford et al). 2006;48:S94 (Research Forum abstracts)
Olsen JD (*see* Prekker et al). 2006;48:S23 (Research Forum abstracts); 2006;48:S57 (Research Forum abstracts)
Olson JE (*see* Singer and Olson). 2006;48:337 (Change of Shift)
Olson LJ (*see* Schears et al). 2006;48:S112 (Research Forum abstracts)
Orlousky MP (*see* Bahner et al). 2006;48:S12 (Research Forum abstracts)
Orlousky SR (*see* Bahner et al). 2006;48:S125 (Research Forum abstracts)
Ortega HW (*see* Arms et al). 2006;48:S95 (Research Forum abstracts)
Osborn T (*see* Nguyen et al). 2006;48:28–54 (Review article)
Osterhoudt KC (*see* Cho et al). 2006;48:109 (Correspondence)
Otero R (*see* Martinez et al). 2006;48:S35–S36 (Research Forum abstracts)
Otero R, Crawford J, Rivers EP, Nwoke P, Sankey SS. Near infrared spectroscopy as an indicator of systemic perfusion in the emergency department. 2006;48:S99 (Research Forum abstracts)
Otero R, Rivers E, Loomba M, Nguyen HB, Jacobsen G. The association of early lactate clearance with inflammatory biomarkers in severe sepsis and septic shock. 2006;48:S36 (Research Forum abstracts)
Owens T. Practical guide to emergency ultrasound. 2006;48:112 (Book and Media Reviews)
Oyama J (*see* Andrus et al). 2006;48:S6 (Research Forum abstracts)
Oyama J (*see* Hwang et al). 2006;48:S43 (Research Forum abstracts)
Oyama L (*see* Fernandez et al). 2006;48:S96 (Research Forum abstracts)

P

Paganussi PJ. Lynn's leukemia. 2006;48:104 (Change of Shift)
Paice JA (*see* Zosel et al). 2006;48:S120 (Research Forum abstracts)
Pallin D (*see* Moussally et al). 2006;48:S19 (Research Forum abstracts)
Pallin D (*see* Pozner et al). 2006;48:S55 (Research Forum abstracts)
Pallin DJ (*see* Baez et al). 2006;48:S13 (Research Forum abstracts)
Pallin DJ (*see* Sullivan et al). 2006;48:694–701
Panabianco N (*see* Hormozdi et al). 2006;48:S83 (Research Forum abstracts)
Panagos P (*see* Lee and Panagos). 2006;48:S41 (Research Forum abstracts)
Panebianco N (*see* D'Amore et al). 2006;48:S37 (Research Forum abstracts)
Pang PS (*see* Powell et al). 2006;48:S24–S25 (Research Forum abstracts)
Papa L (*see* Isaak et al). 2006;48:S53–S54 (Research Forum abstracts)
Papa L (*see* Levin et al). 2006;48:S84 (Research Forum abstracts)
Parenti N, Ghetti G, Manfredi R, Bagnaresi A, Lanzoni S, Lenzi T. Quality assessment of nurse triage: which factors are associated to mistriage in emergency patients? 2006;48:S53 (Research Forum abstracts)
Parenti N, Manfredi R, Martini U, Baldisserri C, Lanzoni S, Lenzi T. Quality assessment of nurse triage: could a course improve the capability to categorize correctly emergency patients? 2006;48:S115 (Research Forum abstracts)
Parikh V (*see* Christopher et al). 2006;48:S56 (Research Forum abstracts)
Park CW (*see* Cho et al). 2006;48:S14–S15 (Research Forum abstracts)
Park CW (*see* Moon et al). 2006;48:S14 (Research Forum abstracts)
Park CW, Lockette W. Susceptibility to asthma: could it be a water channel problem? 2006;48: S8 (Research Forum abstracts)
Park J (*see* Kim et al). 2006;48:S70 (Research Forum abstracts)
Park S. Epidemiology and etiology of malpractice lawsuits in Republic of Korea emergency departments and urgent care centers. 2006;48: S115 (Research Forum abstracts)
Parkosewich J (*see* Safdar et al). 2006;48:S112–S113 (Research Forum abstracts)
Parks PD (*see* Lueken et al). 2006;48:319–322 (Case report)
Parrish SE (*see* Hafner et al). 2006;48:S65 (Research Forum abstracts); 2006;48:S66 (Research Forum abstracts)
Parry BA (*see* Nagurney et al). 2006;48:S17 (Research Forum abstracts)
Parsapour K, Nasrollahzadeh F, Dharmar M, Marcin JP. Comparison of pediatric emergency department severity of illness models: the pediatric risk of admission (PRISA) II and the revised pediatric emergency assessment (rePEAT) tools. 2006;48:S123–S124 (Research Forum abstracts)
Parthemore RP (*see* Fiechtl et al). 2006;48:S74–S75 (Research Forum abstracts)
Parwani V (*see* Hoffman et al). 2006;48:S27 (Research Forum abstracts); 2006;48:S58 (Research Forum abstracts)
Patel D. Quick essentials: emergency medicine. 2006;48:223–224 (Book and Media Reviews)
Patel D. Side-kick to quick essentials: E-med. 2006;48:223–224 (Book and Media Reviews)
Patino G (*see* Keith et al). 2006;48:S87 (Research Forum abstracts)
Patterson J, Jacoby J, Dutterer L, Rutt M, Marsteller K, Reed J. Bridging orders plus a dedicated admission nurse: a recipe to decrease ED turnaround times. 2006;48:S5–S6 (Research Forum abstracts)
Pawlowski JM, Moscati R, Bailey G, Priya A. Effects of holidays, weekends, and season on intimate partner violence incidents. 2006;48: S22 (Research Forum abstracts)
Peacock F (*see* Singer et al). 2006;48:S10 (Research Forum abstracts)
Peacock W (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Peacock W IV, Bhatt D, Diercks D, Amsterdam E, Chandra A, Ohman EM, Brown D, Januzzi J. American College of Cardiology/American Heart Association guidelines for management of ST-elevation myocardial infarction: cardiologist and emergency physician opinions and knowledge. 2006;48:S29 (Research Forum abstracts)
Peacock WF (*see* Diercks et al). 2006;48:S3 (Research Forum abstracts); 2006;48:S29 (Research Forum abstracts)

Peacock WF (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Peacock WF (*see* Lindsell et al). 2006;48:S88 (Research Forum abstracts); 2006;48:666–677
Peacock WF (*see* Storrow et al). 2006;48:660–665
Peacock WF IV (*see* Chandra et al). 2006;48:S10–S11 (Research Forum abstracts)
Pearlman M (*see* Vozenilek et al). 2006;48:S114 (Research Forum abstracts)
Pekolj-Bicanic M (*see* Marinsek et al). 2006;48:S79 (Research Forum abstracts)
Pelletier A (*see* Moussally et al). 2006;48:S19 (Research Forum abstracts)
Pelletier AJ (*see* Strehlow et al). 2006;48:326–331 (Brief research report)
Pelucio MT (*see* Fiechtl et al). 2006;48:S74–S75 (Research Forum abstracts)
Pena AJ (*see* Nagurney et al). 2006;48:S17 (Research Forum abstracts)
Penny W (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Pepe PE (*see* Larkin et al). 2006;48:S91 (Research Forum abstracts)
Perera P (*see* Schnadower et al). 2006;48:S93–S94 (Research Forum abstracts)
Perera P (*see* Wyer et al). 2006;48:86–97 (Evidence-based emergency medicine review)
Perez E (*see* Lee et al). 2006;48:S60 (Research Forum abstracts)
Perez E, Chu J, Bania T. Seven days of gamma-hydroxybutyrate (GHB) use produces severe withdrawal. 2006;48:219–220 (Correspondence)
Perez LA (*see* Khandelwal et al). 2006;48:S58–S59 (Research Forum abstracts)
Perina DG (*see* Thomas et al). 2006;48:e1–e17 (Special contribution)
Perrier A (*see* Rutschmann et al). 2006;48:S128 (Research Forum abstracts)
Perry C, Nunez R, Yang A, Bomann JS, Alejandro J, Radeos MS. Does CT scan increase the rate of gangrenous or perforated appendicitis in adults presenting to the emergency department?, 2006;48:S15 (Research Forum abstracts)
Perry JJ (*see* Clement et al). 2006;48:245–251
Perry JJ (*see* Stiell et al). 2006;48:S54 (Research Forum abstracts); 2006;48:S55 (Research Forum abstracts)
Peterson CM (*see* Hsu et al). 2006;48:S17 (Research Forum abstracts)
Peterson ED (*see* Diercks et al). 2006;48:S29 (Research Forum abstracts)
Peterson SC (*see* Baker et al). 2006;48:S127 (Research Forum abstracts)
Pethe R, Robinson R, Chambers KA. Does irrigation with bacitracin-infused saline decrease infection rates in high-risk wounds?, 2006;48:S103 (Research Forum abstracts)
Petrik R (*see* Lovett et al). 2006;48:S113–S114 (Research Forum abstracts)
Pham KH (*see* Gordon et al). 2006;48:S37 (Research Forum abstracts)
Phrampus P (*see* Lewis et al). 2006;48:S70 (Research Forum abstracts)
Pietrobon R (*see* Gerardo et al). 2006;48:S102 (Research Forum abstracts)
Pines J (*see* Breyer et al). 2006;48:S85 (Research Forum abstracts)
Pines JM (*see* Everett and Pines). 2006;48:760 (Correspondence)
Pines JM (*see* Fishman et al). 2006;48:347–353
Pines JM (*see* Morton and Pines). 2006;48:S4 (Research Forum abstracts)
Pines JM, Lee H, Everett WW, Datner EM, Goyal M, Duseja R, Metlay JP. Attitudes towards performance measures and pay-for-performance in academic emergency departments. 2006;48:S35 (Research Forum abstracts)
Ping J, Ertz-Berger B, Brooks H, Edlund T, Lowe RA. Characteristics of pediatric patients in an urban Oregon emergency department. 2006;48:S34 (Research Forum abstracts)
Pizon AF (*see* Stanford et al). 2006;48:S94 (Research Forum abstracts)
Plante T (*see* Lafleur et al). 2006;48:S37 (Research Forum abstracts)
Platon M (*see* Ripper et al). 2006;48:S96 (Research Forum abstracts)
Platts-Mills TF, Burg MD. Reexpansion pulmonary edema. 2006;48:475 (Images in Emergency Medicine)
Plouffe JF (*see* Martin et al). 2006;48:S18 (Research Forum abstracts)
Podbregar M (*see* Marinsek et al). 2006;48:S79 (Research Forum abstracts)
Poletti P (*see* Rutschmann et al). 2006;48:S128 (Research Forum abstracts)
Pollack CV (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Pollack CV (*see* Meisel et al). 2006;48:S71 (Research Forum abstracts)
Pollack CV (*see* Storrow et al). 2006;48:S3 (Research Forum abstracts)
Pollack CV Jr (*see* Chandra et al). 2006;48:S10–S11 (Research Forum abstracts)
Pollack CV Jr (*see* Diercks et al). 2006;48:S29 (Research Forum abstracts)
Pollack CV Jr (*see* Lindsell et al). 2006;48:666–677
Pollack CV Jr (*see* Storrow et al). 2006;48:660–665
Pollack CV, Hollander JE, Hoekstra JW, Emerman C, Spinler SA. Results from the Rescue-ACS study: an ED-based study of anticoagulation therapy in patients with non-st-segment-elevation acute coronary syndrome. 2006;48:S3–S4 (Research Forum abstracts)
Porrata T (*see* Zvosec et al). 2006;48:S75 (Research Forum abstracts)
Porta R (*see* Salazar et al). 2006;48:S65 (Research Forum abstracts)
Povar J (*see* Epelde et al). 2006;48:S45 (Research Forum abstracts)
Powell ES, Lucenti MJ, Pang PS, Mycyk MB. Emergency care outside of the ED: creative utilization of open bed space. 2006;48:S24–S25 (Research Forum abstracts)
Pozner C (*see* Baez et al). 2006;48:S13 (Research Forum abstracts); 2006;48:S79 (Research Forum abstracts)
Pozner C (*see* Levine et al). 2006;48:S80 (Research Forum abstracts)
Pozner CN, Levine M, Listwa T, Barker T, Zane R, Pallin D. Does the presence of physicians at professional football games reduce the number of patient transports? 2006;48:S55 (Research Forum abstracts)
Pratt C (*see* Stiell et al). 2006;48:S46–S47 (Research Forum abstracts)
Prekker ME, Miner JR, Olsen JD, Rockswold EG, Biros MH. Injury prevalence and characterization among emergency department patients from an urban level 1 trauma center. 2006;48:S57 (Research Forum abstracts)
Prekker ME, Olsen JD, Hansen J, Miner JR. Substance use and violence among emergency department patients with minor injury. 2006;48:S23 (Research Forum abstracts)
Presser DZ (*see* Levine et al). 2006;48:S93 (Research Forum abstracts)
Pribble J. Morphing social norms through media messaging. 2006;48:740 (NHTSA Notes)
Price D (*see* Liebmann et al). 2006;48:558–562 (Brief research report)
Prince LA (*see* Campagna et al). 2006;48:S78 (Research Forum abstracts)
Priya A (*see* Moscati et al). 2006;48:S84 (Research Forum abstracts)
Priya A (*see* Pawlowski et al). 2006;48:S22 (Research Forum abstracts)
Projansky M (*see* Hormozdi et al). 2006;48:S83 (Research Forum abstracts)
Pruitt AC (*see* Fiechtl et al). 2006;48:S74–S75 (Research Forum abstracts)
Pryor P, Yang A, Fine K, Radeos MS. Does mode of arrival influence the admission decision in adults presenting with acute exacerbation of asthma? 2006;48:S8–S9 (Research Forum abstracts)
Pusavat J (*see* Walsh et al). 2006;48:S124 (Research Forum abstracts); 2006;48:S95 (Research Forum abstracts)
Puyana J (*see* Beilman et al). 2006;48:S2 (Research Forum abstracts)

Q

Qanadii S (*see* Rutschmann et al). 2006;48:S128 (Research Forum abstracts)
Quaas J (*see* Lanigan et al). 2006;48:S67 (Research Forum abstracts)
Quash M, Yahalom S, Ripper J, Hsu CK. Airway control using a standard laryngoscope blade *vs.* lens assisted blade: a survey of physician performance and preference. 2006;48:S7 (Research Forum abstracts)
Quazi S (*see* Wallerich et al). 2006;48:S120–S121 (Research Forum abstracts)
Quazi S, Eberhardt M, Jacoby J, Heller M, Reed J. Racial disparities in ED analgesia are improving: evidence from a national database. 2006;48:S61 (Research Forum abstracts)
Quinn JV, McDermott D. Medical decisionmaking and the San Francisco Syncope Rule. 2006;48:762–763 (Correspondence)
Quinn JV. Thirty-day *versus* 7-day outcomes in the San Francisco Syncope Rule. 2006;48:760–761 (Correspondence reply)
Quinones L (*see* Waseem et al). 2006;48:S36 (Research Forum abstracts)

R

Radeos M (*see* Guzman et al). 2006;48:S62 (Research Forum abstracts)
Radeos M (*see* Waseem et al). 2006;48:S36 (Research Forum abstracts)
Radeos MS (*see* Perry et al). 2006;48:S15 (Research Forum abstracts)
Radeos MS (*see* Pryor et al). 2006;48:S8–S9 (Research Forum abstracts)
Ragin DF (*see* Miloslavsky et al). 2006;48:S69–S70 (Research Forum abstracts)

Rago O (*see* Lanigan et al). 2006;48:S67 (Research Forum abstracts)
Raio CC (*see* Young et al). 2006;48:S85 (Research Forum abstracts)
Rajjappannair L (*see* Menci et al). 2006;48:S97–S98 (Research Forum abstracts)
Ramanujam P, Stepanski B, Smith A, Upledger-Ray L, Vilke GM. Impact of a state booster seat belt law on compliance in pediatric traffic crash victims. 2006;48:S56 (Research Forum abstracts)
Rammohan G (*see* Wiand et al). 2006;48:S94–S95 (Research Forum abstracts)
Ramos A (*see* Hormozdi et al). 2006;48:S83 (Research Forum abstracts)
Ramos AA (*see* Ward et al). 2006;48:S24 (Research Forum abstracts)
Raney L (*see* Kini et al). 2006;48:S77 (Research Forum abstracts)
Rao R (*see* Killeen et al). 2006;48:S69 (Research Forum abstracts)
Rapone S (*see* Villarin et al). 2006;48:S109 (Research Forum abstracts)
Read K (*see* Kuo et al). 2006;48:S111 (Research Forum abstracts)
Readie JE (*see* Eskin and Readie). 2006;48:624–626 (Systematic review abstract)
Reddy VP (*see* Blanda et al). 2006;48:S19 (Research Forum abstracts)
Reed J (*see* Patterson et al). 2006;48:S5–S6 (Research Forum abstracts)
Reed J (*see* Quazi et al). 2006;48:S61 (Research Forum abstracts)
Reed J III (*see* Breyer et al). 2006;48:S114–S115 (Research Forum abstracts)
Reeder TJ (*see* Greer et al). 2006;48:S98 (Research Forum abstracts)
Reetz L (*see* Swor et al). 2006;48:S109 (Research Forum abstracts)
Reid SR (*see* Arms et al). 2006;48:S95 (Research Forum abstracts)
Reilly PM (*see* Fishman et al). 2006;48:347–353
Restrepo R (*see* Kelly et al). 2006;48:S8 (Research Forum abstracts)
Rhee JE (*see* Ahn et al). 2006;48:S98 (Research Forum abstracts)
Rhee P (*see* Beilman et al). 2006;48:S2 (Research Forum abstracts)
Rhodes KV (*see* Bernstein et al). 2006;48:417–425 (Concepts)
Rhodes KV (*see* Vokes et al). 2006;48:406–414
Ricardi D (*see* Hormozdi et al). 2006;48:S83 (Research Forum abstracts)
Riccardi D (*see* Barata et al). 2006;48:S122–S123 (Research Forum abstracts)
Riccardi DM (*see* Ward et al). 2006;48:S24 (Research Forum abstracts)
Ricci P (*see* Buckner et al). 2006;48:S41–S42 (Research Forum abstracts)
Richards CF (*see* McConnell et al). 2006;48:702–710
Richardson B (*see* Wald et al). 2006;48:S12–S13 (Research Forum abstracts)
Richardson LD (*see* Hwang et al). 2006;48:S117 (Research Forum abstracts)
Richardson LD (*see* Miloslavsky et al). 2006;48:S69–S70 (Research Forum abstracts)
Richardson S (*see* Khandelwal et al). 2006;48:S58–S59 (Research Forum abstracts)
Richardson WH (*see* Stanford et al). 2006;48:S94 (Research Forum abstracts)
Richman IB (*see* Sullivan et al). 2006;48:694–701
Richman P (*see* Riggs et al). 2006;48:S40–S41 (Research Forum abstracts)
Richman PB (*see* Murdock et al). 2006;48:S56 (Research Forum abstracts)
Richman R, Triner W. Medication duplication in patients presenting to the emergency department. 2006;48:S127–S128 (Research Forum abstracts)
Riffenburgh R (*see* Buckley et al). 2006;48:S98 (Research Forum abstracts); 2006;48:S99 (Research Forum abstracts)
Riggs R, Fiesseler F, Richman P. The accuracy of physicians in determining "non-life-threatening" headache etologies upon presentation to the emergency department. 2006;48:S40–S41 (Research Forum abstracts)
Rinto EE (*see* Duldner et al). 2006;48:S82 (Research Forum abstracts)
Rios K (*see* Lynn and Rios). 2006;48:478 (Correspondence)
Ripper J (*see* Quash et al). 2006;48:S7 (Research Forum abstracts)
Ripper J (*see* Yarde et al). 2006;48:S114 (Research Forum abstracts)
Ripper JR, Bernard R, Platon M. Are emergency physicians legally obligated to report alcohol-impaired drivers? 2006;48:S96 (Research Forum abstracts)
Rivers E (*see* Martinez et al). 2006;48:S35–S36 (Research Forum abstracts);
Rivers E (*see* Otero et al). 2006;48:S36 (Research Forum abstracts)
Rivers E (*see* Wira et al). 2006;48:S20 (Research Forum abstracts); 2006;48:S20–S21 (Research Forum abstracts)
Rivers EP (*see* Nguyen et al). 2006;48:28–54 (Review article)
Rivers EP (*see* Otero et al). 2006;48:S99 (Research Forum abstracts)
Riviello R (*see* Christopher et al). 2006;48:S56 (Research Forum abstracts)
Roback MG, Wathen JE, MacKenzie T, Bajaj L. A randomized, controlled trial of IV versus IM ketamine for sedation of pediatric patients receiving emergency department orthopedic procedures. 2006;48:605–612
Roberts DC, McKay M. Trends in elderly ED visits 1993–2003: what does the future hold? 2006;48:S72 (Research Forum abstracts)
Robey JL (*see* Chase et al). 2006;48:252–259
Robey JL (*see* Fishman et al). 2006;48:347–353
Robey JL (*see* Gerlach et al). 2006;48:S22–S23 (Research Forum abstracts)
Robey WC III (*see* Long et al). 2006;48:S33 (Research Forum abstracts)
Robinson D (*see* Medado et al). 2006;48:S119 (Research Forum abstracts)
Robinson D (*see* Truong et al). 2006;48:S11 (Research Forum abstracts)
Robinson E (*see* Ameratunga et al). 2006;48:729–736
Robinson K (*see* Bolton et al). 2006;48:S108 (Research Forum abstracts)
Robinson K (*see* Drescher et al). 2006;48:S107 (Research Forum abstracts)
Robinson R (*see* Pethe et al). 2006;48:S103 (Research Forum abstracts)
Rockswold EG (*see* Prekker et al). 2006;48:S57 (Research Forum abstracts)
Rodgers K (*see* Chisholm et al). 2006;48:S64–S65 (Research Forum abstracts)
Rodriguez E (*see* Campagna et al). 2006;48:S78 (Research Forum abstracts)
Rodriguez J (*see* Baez et al). 2006;48:S79 (Research Forum abstracts)
Rodriguez RM, Hendey GW. Chest radiography: the trauma team point of view. 2006;48:638–639 (Correspondence reply)
Roe GJ (*see* Fiechtl et al). 2006;48:S74–S75 (Research Forum abstracts)
Roe J. Clinical assessment of acute cholecystitis in adults. 2006;48:101–103 (Rational clinical examination abstract)
Roe MT (*see* Diercks et al). 2006;48:S29 (Research Forum abstracts)
Rogers SO (*see* Baez et al). 2006;48:S79 (Research Forum abstracts)
Rokos IC (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Rosborough SN (*see* Levine et al). 2006;48:S93 (Research Forum abstracts)
Rose JS. Ultrasonography and outcomes research: one small step for mankind or another drop in the bucket? 2006;48:237–239 (Editorial)
Rosekind MR (*see* Smith-Coggins et al). 2006;48:596–604
Rosenbaum DS (*see* Wilson et al). 2006;48:S12 (Research Forum abstracts)
Rosh AJ (*see* Levy and Rosh). 2006;48:236 (Images in Emergency Medicine)
Rosiere L (*see* Hernandez et al). 2006;48:S47–S48 (Research Forum abstracts)
Rosin A, Christenson J, Chathampally Y. Predicting AMI in young adults presenting to the ED with chest pain. 2006;48:S28 (Research Forum abstracts)
Rosin A. Determining the ideal position for the wrist-cuff blood pressure device. 2006;48:S66–S67 (Research Forum abstracts)
Rosin AS (*see* Miller et al). 2006;48:S43 (Research Forum abstracts)
Roskos ER, Wilber ST. The effect of future demographic changes on emergency medicine. 2006;48:S65 (Research Forum abstracts)
Ross MA, Compton S, Medado P, Ryder A, O'Neil BJ. Validation of Johnson criteria for transient ischemic attacks. 2006;48:S118 (Research Forum abstracts)
Rothman J (*see* Finley et al). 2006;48:S94 (Research Forum abstracts)
Rothman RE, Irvin CB, Moran GJ, Sauer L, Bradshaw YS, Fry RB Jr, Josephine EB, Ledyard HK, Hirshon J, from the Public Health Committee of the American College of Emergency Physicians. Respiratory hygiene in the emergency department. 2006;48:570–582 (Concepts)
Rowden AK, Holstege CP, Kirk MA. Treatment of copperhead envenomation in children. 2006;48:S101 (Research Forum abstracts)
Rowe BH (*see* Clement et al). 2006;48:245–251
Roy D (*see* Stiell et al). 2006;48:S46–S47 (Research Forum abstracts)
Rozeski JE (*see* Hsu et al). 2006;48:S17 (Research Forum abstracts)
Rubin R (*see* Samlan et al). 2006;48:S100 (Research Forum abstracts)
Rubio PM, Lowenstein S, Yaron M. Implementation of an electronic medical record in an academic emergency department: the "learning curve" for rotating interns has no effect on patient length of stay. 2006;48:S39 (Research Forum abstracts)
Rudis MI (*see* Crespi Monjo et al). 2006;48:S128 (Research Forum abstracts)

Rudkin SE, Kahn C, Dolich MO, Lush S, Gain M, White H, Langdorf MI. Prospective correlation of arterial and venous blood gas measurements in trauma patients. 2006;48: S82–S83 (Research Forum abstracts)
Rudolph GS (*see* Lee et al). 2006;48:S60 (Research Forum abstracts)
Rue LE (*see* Jacobus et al). 2006;48:S17 (Research Forum abstracts)
Rueggeri W (*see* Jang et al). 2006;48:S105 (Research Forum abstracts); 2006;48:S33 (Research Forum abstracts)
Rupp V (*see* Greenberg et al). 2006;48:S11 (Research Forum abstracts)
Rupp V (*see* Miller et al). 2006;48:S125–S126 (Research Forum abstracts)
Rusin J (*see* Gewirtz et al). 2006;48:S63 (Research Forum abstracts)
Rutschmann OT, Cornuz J, Poletti P, Hugli O, Bridevaux P, Qanadii S, Perrier A. Should pulmonary embolism be suspected in acute exacerbation of chronic obstructive pulmonary disease?, 2006;48:S128 (Research Forum abstracts)
Rutt M (*see* Patterson et al). 2006;48:S5–S6 (Research Forum abstracts)
Ryan J (*see* Gupta et al). (*see* Suarez et al). 2006;48: S124 (Research Forum abstracts)
Ryan JG (*see* Manson et al). 2006;48:S104–S105 (Research Forum abstracts)
Ryan K (*see* Kelly et al). 2006;48:S8 (Research Forum abstracts)
Ryder A (*see* Compton et al). 2006;48:S97 (Research Forum abstracts)
Ryder A (*see* Medado et al). 2006;48:S119 (Research Forum abstracts)
Ryder A (*see* Truong et al). 2006;48:S11 (Research Forum abstracts)
Ryder A (*see* Ross et al). 2006;48:S118 (Research Forum abstracts)

S

Sabbaj A, Hedges JR. Ultrasonographic guidance for internal jugular vein cannulation: an educational imperative, a desirable practice alternative. 2006;48:548–550 (Editorial)
Sadock J (*see* Levy et al). 2006;48:S70 (Research Forum abstracts)
Saef S (*see* Kini et al). 2006;48:S77 (Research Forum abstracts)
Safdar B, Choiniere M, Crandall C, Ducharme J, Fosnocht DE, Homel P, Tanabe P, Todd KH. Impact of patient gender on pain management practices in the emergency department: a multi-center study. 2006;48:S121 (Research Forum abstracts)
Safdar B, Degutis LC, Landry, K, Vedere SR, Moscovitz HC, D'Onofrio G. Intravenous morphine plus ketorolac is superior to either drug alone for treatment of acute renal colic. 2006;48:173–181
Safdar B, Parkosewich J, Freed L, Foody JM, Tandon S, Jubanyik K, Lin Z, D'Onofrio G. A multi-faceted community-based educational program promotes cardiovascular health in women: 5 year analysis. 2006;48:S112–S113 (Research Forum abstracts)
Sahai M (*see* Corujo et al). 2006;48:S92–S93 (Research Forum abstracts)
Said TH (*see* Wilson et al). 2006;48:S12 (Research Forum abstracts)
Salanitri J (*see* Mahr et al). 2006;48:S16 (Research Forum abstracts)
Salazar A (*see* Davis et al). 2006;48:S66 (Research Forum abstracts)
Salazar A (*see* Ferre et al). 2006;48:S73–S74 (Research Forum abstracts)
Salazar A, Estrada C, Porta R, Lolo M, Tomas S, Alvarez M. Home hospitalization unit: an alternative to standard inpatient hospitalization from the emergency department. 2006;48:S65 (Research Forum abstracts)
Saldivar P (*see* Lanigan et al). 2006;48:S67 (Research Forum abstracts)
Salo D (*see* Hinfey et al). 2006;48:S110–S111 (Research Forum abstracts)
Sama A (*see* Barata et al). 2006;48:S122–S123 (Research Forum abstracts)
Sama A (*see* D'Amore et al). 2006;2006;48:S112 (Research Forum abstracts); 2006;48:S37 (Research Forum abstracts)
Sama AE (*see* Young et al). 2006;48:S85 (Research Forum abstracts)
Samlan SR, Jordan M, Rubin R, Wahl M, Chan S. Tinnitus as a measure of acute salicylate toxicity. 2006;48:S100 (Research Forum abstracts)
Sampson HA (*see* Decker et al). 2006;48:762 (Correspondence reply)
Sanderson TH (*see* Kumar et al). 2006;48:S82 (Research Forum abstracts)
Sandhu H, Carpenter C. Clinical decisionmaking: opening the black box of cognitive reasoning. 2006;48:713–719 (Residents' Perspective)
Sankey SS (*see* Otero et al). 2006;48:S99 (Research Forum abstracts)
Sankoff J, Deitch K, Goyal M, Gaieski DF, Haukoos J. Predictive accuracy of a sepsis-related mortality score in the emergency department: a modification of the mortality in emergency department sepsis (MEDS) score. 2006;48:S47 (Research Forum abstracts)
Sankoff J, Goyal M, Gaieski DF, Deitch K, Haukoos J. External validation of the mortality in emergency department sepsis (MEDS) score: a multi-center prospective cohort study. 2006; 48:S2 (Research Forum abstracts)
Sankoff J, Haukoos J. Is the mortality in emergency department sepsis (MEDS) score reliably applied by emergency physicians?, 2006;48:S47 (Research Forum abstracts)
Santal M (*see* Epelde et al). 2006;48:S45 (Research Forum abstracts)
Santora C (*see* Viccellio et al). 2006;48:S116 (Research Forum abstracts); 2006;48:S116–S117 (Research Forum abstracts)
Santrach PJ (*see* Schears et al). 2006;48:S112 (Research Forum abstracts)
Sarvpreet B (*see* Bascom et al). 2006;48:S96 (Research Forum abstracts)
Sasano H (*see* Mardimae et al). 2006;48:391–399
Sasano N (*see* Mardimae et al). 2006;48:391–399
Satz W, McNamara RM, Murphy RJ. In a computerized physician order entry environment, is removing coagulation test availability from convenience order screens an effective method to adapt clinician behavior without causing clinical harm?, 2006;48:S38 (Research Forum abstracts)
Sauer L (*see* Rothman et al). 2006;48:570–582 (Concepts)
Savage T (*see* Mardimae et al). 2006;48:391–399
Sayan OR (*see* Lovett et al). 2006;48:S113–S114 (Research Forum abstracts)
Scalabrino E (*see* Antro et al). 2006;48:S67 (Research Forum abstracts)
Schafermeyer RW (*see* Sullivan et al). 2006;48: 694–701
Schauer D (*see* Collins et al). 2006;48:S78–S79 (Research Forum abstracts)
Schears RM (*see* Mooney et al). 2006;48:S74 (Research Forum abstracts)
Schears RM, Olson LJ, Clavell AL, Seid KR, Santrach PJ, Bailey KR, Long KH, Kandace LA, Walker A, Haro LH. Brain natriuretic peptide (BNP) measurement in the emergency department: does having a BNP test predict MD diagnosis of CHF in elderly patients with undifferentiated dyspnea?, 2006;48:S112 (Research Forum abstracts)
Scheatzle M (*see* Buckner et al). 2006;48:S41–S42 (Research Forum abstracts)
Schmelz JO (*see* Dooley et al). 2006;48:S26 (Research Forum abstracts)
Schmelz JO (*see* Varney et al). 2006;48:S95 (Research Forum abstracts)
Schmidt P (*see* LaValley et al). 2006;48:S58 (Research Forum abstracts); 2006;48:S76 (Research Forum abstracts); 2006;48:S77 (Research Forum abstracts)
Schnadower D, Lin S, Perera P, Smerling AJ, Dayan PS. Peripheral vein detection using ultrasound and sonographic factors associated with successful peripheral vein cannulation in young children presenting to the pediatric emergency department: a pilot study. 2006;48: S93–S94 (Research Forum abstracts)
Schneid S (*see* Dalley et al). 2006;48:S17–S18 (Research Forum abstracts)
Schoolden GM (*see* Caruso et al). 2006;48:S64 (Research Forum abstracts)
Schramm DR (*see* Collins et al). 2006;48:260–269
Schreck DM, Babin S. Pharmacoeconomic model for the treatment of acute asthma: a comparison of racemic albuterol vs. levalbuterol. 2006;48:S9 (Research Forum abstracts)
Schreck DM, O'Sullivan L. Mathematical modeling of the electrocardiogram. 2006;48: S29 (Research Forum abstracts)
Schreiber MA (*see* Norton et al). 2006;48:S84 (Research Forum abstracts)
Schriger DL, Arora S, Altman DG. The content of medical journal instructions for authors. 2006; 48:743–749
Schriger DL, Sinha R, Schroter S, Liu PY, Altman DG. From submission to publication: a retrospective review of the tables and figures in a cohort of randomized controlled trials submitted to the *British Medical Journal*. 2006; 48:750–756
Schriger DL. Getting the right message: avoiding overly optimistic interpretations of the scientific literature. 2006;48:75–76 (Editorial)
Schriger DL. Helicopter crashes and probability. 2006;48:635 (Correspondence reply)
Schrock JW, Cydulka R, Laskey S. Variables associated with methicillin resistant *staphylococcus aureus* in patients with skin and soft tissue infections admitted to an observation unit. 2006;48:S18 (Research Forum abstracts)
Schrock JW, Cydulka R, Laskey S. Variables of patients with skin and soft tissue infections associated with failure to discharge from an emergency department observation unit. 2006; 48:S18 (Research Forum abstracts)

Schroeder K (*see* McClung et al). 2006;48:S15 (Research Forum abstracts)
Schroeder SA. Should emergency physicians help smokers quit? 2006;48:415–416 (Editorial)
Schroter S (*see* Schriger et al). 2006;48:750–756
Schull MJ (*see* Clement et al). 2006;48:245–251
Schull MJ, Vermeulen MJ, Stukel TA. The risk of missed diagnosis of acute myocardial infarction associated with emergency department volume. 2006;48:647–655
Schull MJ. Hospital surge capacity: if you can't always get what you want, can you get what you need?, 2006;48:389–390 (Editorial)
Schulman KL (*see* Barr et al). 2006;48:S37–S38 (Research Forum abstracts)
Schwartz RB (*see* Dagrosa et al). 2006;48:S50 (Research Forum abstracts)
Schweinle J (*see* Dalton and Schweinle). 2006;48:615–623
Scott G (*see* Hoffman et al). 2006;48:S58 (Research Forum abstracts)
Sease KL (*see* Chase et al). 2006;48:252–259
Seid KR (*see* Schears et al). 2006;48:S112 (Research Forum abstracts)
Sela B (*see* Bentancur et al). 2006;48:S68 (Research Forum abstracts)
Seol S (*see* June et al). 2006;48:S16–S17 (Research Forum abstracts)
Seupaul RA (*see* Bagwell and Seupaul). 2006;48:633 (Images in Emergency Medicine)
Sevier V, Amicucci J, Wilson AG Jr, Bonfiglio AX, O'Neil B. Performance of an ED-based PICC line service. 2006;48:S5 (Research Forum abstracts)
Shah K, Hazan A, Lipsky A, Newman D, Wiener D. The preferred modifications and relative success rates after first attempt at intubation among emergency physicians. 2006;48:S6 (Research Forum abstracts)
Shah KH, Hasa JE, Labovitz DL. Are emergency physicians missing the diagnosis of TIA? 2006;48:S41 (Research Forum abstracts)
Shalit M (*see* Montauk et al). 2006;48:479–480 (Correspondence reply)
Shapiro JS (*see* Gathers et al). 2006;48:S39 (Research Forum abstracts)
Shapiro JS, Kannry J, Lipton M, Goldberg E, Conocenti P, Stuard S, Wyatt BM, Kuperman G. Approaches to patient health information exchange and their impact on emergency medicine. 2006;48:426–432 (Concepts)
Shapiro N (*see* Baez et al). 2006;48:S13 (Research Forum abstracts)
Shapiro N, Howell MD, Bates DW, Angus DC, Ngo L, Talmor D. The association of sepsis syndrome and organ dysfunction with mortality in emergency department patients with suspected infection. 2006;48:583–590
Shapiro NI (*see* Strehlow et al). 2006;48:326–331 (Brief research report)
Shayne PH (*see* Thomas et al). 2006;48:e1–e17 (Special contribution)
Shelton W (*see* Triner et al). 2006;48:S42–S43 (Research Forum abstracts)
Sherifali S (*see* Flagel et al). 2006;48:S104 (Research Forum abstracts); 2006;48:S83 (Research Forum abstracts)
Sherwin R (*see* Levy et al). 2006;48:S48 (Research Forum abstracts)
Sherwin R (*see* Wira et al). 2006;48:S20–S21 (Research Forum abstracts)
Shewakramani S, Harrison TH, Gates JD, Thomas SH. Interfacility helicopter transport of patients with leaking aortic aneurysms directly into the operating room. 2006;48:S53 (Research Forum abstracts)
Shewakramani S, Harrison TH, Nardelli B, Thomas SH. Adequacy of fluid resuscitation during transport of burn patients. 2006;48:S71 (Research Forum abstracts)
Shiber JR, Longley MB, Brewer KL. Emergency department hyperutilization. 2006;48:S33 (Research Forum abstracts)
Shih K, Jamison J, Conforto A, Swadron S. Effects of disrupted circadian rhythm on decisionmaking in emergency medicine residents. 2006;48:S31–S32 (Research Forum abstracts)
Shih R (*see* Cochrane et al). 2006;48:S89 (Research Forum abstracts)
Shih R (*see* Fiesseler et al). 2006;48:S20 (Research Forum abstracts)
Shima H (*see* Nagata et al). 2006;48:S55–S56 (Research Forum abstracts)
Shin P (*see* Bordo et al). 2006;48:S121 (Research Forum abstracts)
Shin S (*see* Ahn et al). 2006;48:S98 (Research Forum abstracts)
Shin S (*see* Kim et al). 2006;48:S70 (Research Forum abstracts)
Shiver S (*see* Blaivas et al). 2006;48:S86–S87 (Research Forum abstracts)
Shiver S, Blaivas M, Lyon M. A prospective comparison and cost analysis of ultrasound-guided and blindly placed radial arterial catheters. 2006;48:S86 (Research Forum abstracts)
Shofer F (*see* Goyal et al). 2006;48:S2 (Research Forum abstracts)
Shofer FS (*see* Chase et al). 2006;48:252–259
Shofer FS (*see* Fishman et al). 2006;48:347–353
Shofer FS (*see* Meisel et al). 2006;48:S71 (Research Forum abstracts)
Shofer FS (*see* Takakuwa et al). 2006;48:S28 (Research Forum abstracts)
Showstack JA (*see* Hunt et al). 2006;48:1–8
Siebert U (*see* Nagurney et al). 2006;48:S17 (Research Forum abstracts)
Silver B (*see* Wira et al). 2006;48:S20 (Research Forum abstracts)
Silvestri S (*see* Isaak et al). 2006;48:S53–S54 (Research Forum abstracts)
Silvestri S (*see* Levin et al). 2006;48:S84 (Research Forum abstracts)
Simons M (*see* Mencl et al). 2006;48:S24 (Research Forum abstracts)
Singer AJ, Arora B, Dagum A, Valentine SM, Hollander JE. Development of a long-term scar evaluation scale. 2006;48:S102 (Research Forum abstracts)
Singer AJ, Lee C, Thode HC Jr. Trends in ED antibiotic prescribing for upper respiratory tract infections 1996–2003. 2006;48:S48–S49 (Research Forum abstracts)
Singer AJ, Peacock F, Emerman CL, Char DM, Heywood JT, Kirk JD, Hollander JE, Summers RL, Lee C, for the ADHERE EM Study Group. Bronchodilator therapy in ADHF patients without a history of COPD. 2006;48:S10 (Research Forum abstracts)
Singer JI, Olson JE. Scientific assemblies ordain convention. 2006;48:337 (Change of Shift)
Singh SB (*see* Baumann et al). 2006;48:S123 (Research Forum abstracts)
Singletary EM (*see* Holstege and Singletary). 2006;48:105 (Images in Emergency Medicine)
Sinha R (*see* Schriger et al). 2006;48:750–756
Sinha S (*see* Kurz et al). 2006;48:S113 (Research Forum abstracts)
Sipprell K (*see* Larson et al). 2006;48:S44 (Research Forum abstracts)
Sklar D (*see* LaValley et al). 2006;48:S58 (Research Forum abstracts); 2006;48:S77 (Research Forum abstracts)
Sklar DP (*see* LaValley et al). 2006;48:S76 (Research Forum abstracts)
Sklar DP (*see* Thomas et al). 2006;48:e1–e17 (Special contribution)
Sleigh J (*see* Subramaniam et al). 2006;48:678–685
Slesinger T (*see* D'Amore et al). 2006;48:S37 (Research Forum abstracts)
Slessarev M (*see* Mardimae et al). 2006;48:391–399
Sloan EP, Bunney E. A survey of emergency physicians' neurological emergencies clinical practice and learning preferences: the FERNE experience. 2006;48:S115 (Research Forum abstracts)
Sloane CM, 2006;48:S23–S24 (Research Forum abstracts)
Sloss D (*see* Heard et al). 2006;48:315–318
Slovis CM (*see* Storrow et al). 2006;48:660–665; 2006;48:S3 (Research Forum abstracts)
Smalley AJ (*see* Drescher et al). 2006;48:S107 (Research Forum abstracts)
Smerling AJ (*see* Schnadower et al). 2006;48:S93–S94 (Research Forum abstracts)
Smith A (*see* Ramanujam et al). 2006;48:S56 (Research Forum abstracts)
Smith C (*see* Hormozdi et al). 2006;48:S83 (Research Forum abstracts)
Smith SC Jr (*see* Diercks et al). 2006;48:S29 (Research Forum abstracts)
Smith SW (*see* Bock and Smith). 2006;48:S127 (Research Forum abstracts)
Smith SW (*see* Zvosec et al). 2006;48:S75 (Research Forum abstracts); 2006;48:S100 (Research Forum abstracts)
Smith SW, Truwit C. Abnormal head computed tomography after iatrogenic post-myelogram bacterial meningitis. 2006;48:17 (Images in Emergency Medicine)
Smith-Coggins R, Howard SK, Mac DT, Wang C, Kwan S, Rosekind MR, Sowb Y, Balise R, Levis J, Gaba DM. Improving alertness and performance in emergency department physicians and nurses: the use of planned naps. 2006;48:596–604
Smithline HA (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Smock WS (*see* Cox et al). 2006;48:S22 (Research Forum abstracts)
Snyder B (*see* Subramaniam et al). 2006;48:678–685
Snyder S, Gibbons R, Hersey S, White S, Hays S, McKinney J, Han J, Storrow A. Pediatric digital intubation: should every clinician have this technique in their bag of airway tricks? 2006;48:S6–S7 (Research Forum abstracts)
Solomon RC (*see* Marco et al). 2006;48:513–521 (Concepts)
Solorzano C (*see* Chang et al). 2006;48:164–172
Song K (*see* Ahn et al). 2006;48:S98 (Research Forum abstracts)
Song S (*see* Fatovich and Song). 2006;48:759 (Images in Emergency Medicine)

Sorensen CJ (*see* Thomas et al). 2006;48:e1–e17 (Special contribution)
Sowb Y (*see* Smith-Coggins et al). 2006;48:596–604
Spaite DW. The future of emergency care in the United States: the Insitute of Medicine subcommittee on prehospital emergency medical services. 2006;48:126–130 (Editorial)
Spinler SA (*see* Pollack et al). 2006;48:S3–S4 (Research Forum abstracts)
Spiro DM, Lowe RA. Thinking big. 2006;48:480 (Correspondence)
Sporer KA (*see* Michael et al). 2006;48:S91–S92 (Research Forum abstracts)
Sprague P (*see* Chandra et al). 2006;48:S10 (Research Forum abstracts)
St. George J (*see* Fernandez et al). 2006;48:S96 (Research Forum abstracts)
St. Sauver JL (*see* Campbell et al). 2006;48:S67–S68 (Research Forum abstracts)
St. Sauver JL (*see* Decker et al). 2006;48:S96 (Research Forum abstracts)
Stake CE (*see* Chaput et al). 2006;48:S51 (Research Forum abstracts)
Stake CE (*see* Deluhery et al). 2006;48:S50 (Research Forum abstracts); 2006;48:S50–S51 (Research Forum abstracts)
Stanciu C (*see* Di Liddo et al). 2006;48:433–440
Stanford CF, Richardson WH, Bush SP, Frazier J, Pizon AF, Leibelt EL, Olsen D, Bogdan GM, Dart RC. Crotaline snakebite management with fab antivenom in pediatric patients. 2006;48:S94 (Research Forum abstracts)
Stead L, Gilmore R. Clot removal devices in acute ischemic stroke: a systematic review and meta-analysis. 2006;48:S21–S22 (Research Forum abstracts)
Stead LG (*see* Bellolio et al). 2006;48:S19–S20 (Research Forum abstracts)
Stead LG (*see* Bhagra et al). 2006;48:S120 (Research Forum abstracts); 2006;48:S21 (Research Forum abstracts)
Stead LG (*see* Gilmore and Stead). 2006;48:S118 (Research Forum abstracts); 2006;48:S119 (Research Forum abstracts); 2006;48:S119–S120 (Research Forum abstracts)
Stead LG (*see* Vaidyanathan et al). 2006;48:S117–S118 (Research Forum abstracts); 2006;48:S72–S73 (Research Forum abstracts)
Stead LG (*see* Vaidynathan et al). 2006;48:S111–S112 (Research Forum abstracts)
Stead LG (*see* Vasquez et al). 2006;48:119 (Research Forum abstracts)
Stefan M (*see* Henneman et al). 2006;48:S75–S76 (Research Forum abstracts)
Stehman C (*see* Buckley et al). 2006;48:S98 (Research Forum abstracts); 2006;48:S99 (Research Forum abstracts)
Stepanski B (*see* Ramanujam et al). 2006;48:S56 (Research Forum abstracts)
Stepanski BM (*see* Vilke et al). 2006;48:S90 (Research Forum abstracts)
Stern ME, Flomenbaum NE, Clark S. Characteristics of emergency department adult patients at the extreme of age. 2006;48:S73 (Research Forum abstracts)
Stevens D (*see* Nguyen et al). 2006;48:28–54 (Review article)
Stiell I, Roy D, Pratt C, Grant S, Kitt TM, Yan B, Mangal B. RSD1235 effectively converts acute atrial fibrillation to sinus rhythm independent of background use of oral rate- or rhythm-control medications. 2006;48:S46–S47 (Research Forum abstracts)
Stiell IG (*see* Clement et al). 2006;48:245–251
Stiell IG, Eagles D, Clement CM, Brehaut J, Kelly A, Mason S, Kellerman A, Perry JJ. An international survey of emergency physicians' knowledge, use, and attitudes towards the Canadian C-Spine Rule. 2006;48:S55 (Research Forum abstracts)
Stiell IG, Eagles D, Clement CM, Brehaut J, Kelly A, Mason S, Kellermann A, Perry JJ. An international survey of priorities of emergency physicians for future development of clinical decision rules. 2006;48:S54 (Research Forum abstracts)
Stiffler KA (*see* Bradshaw et al). 2006;48:S122 (Research Forum abstracts)
Stiffler KA, Wilber ST, Gerson LW, Bradshaw JM. Willingness of older ED drivers to enroll in a safe-driver program. 2006;48:S57 (Research Forum abstracts)
Stoller M (*see* Akhtar et al). 2006;48:S60–S61 (Research Forum abstracts)
Stone GW (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
Stone S. Medical Spanish. 2006;48:344 (Book and Media Reviews)
Storrow A (*see* Collins et al). 2006;48:S78–S79 (Research Forum abstracts)
Storrow A (*see* Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)
Storrow AB (*see* Collins et al). 2006;48:260–269; 2006;48:341 (Correspondence);
Storrow AB (*see* Han et al). 2006;48:S34–S35 (Research Forum abstracts)
Storrow AB (*see* Lindsell et al). 2006;48:S88 (Research Forum abstracts)
Storrow AB, Lindsell CJ, Han JH, Slovis CM, Miller KF, Gibler WB, Hoekstra JW, Peacock WF, Hollander JE, Pollack CV Jr, on behalf of the EMCREG iTRACS Investigators. Discordant cardiac biomarkers: frequency and outcomes in emergency department patients with chest pain. 2006;48:660–665
Storrow AB, Lindsell CJ, Han JH, Slovis CM, Miller KF, Gibler WB, Hoekstra JW, Peacock WF, Hollander JE, Pollack CV, on behalf of the EMCREG iTRACS Investigators. Discordant cardiac biomarkers: frequency and outcomes in emergency department patients with chest pain. 2006;48:S3 (Research Forum abstracts)
Strehlow MC, Emond SD, Shapiro NI, Pelletier AJ, Camargo CA Jr. National study of emergency department visits for sepsis, 1992 to 2001. 2006;48:326–331 (Brief research report)
Strobl AQ (*see* Zvosec et al). 2006;48:S75 (Research Forum abstracts)
Stroop A (*see* Hinfey et al). 2006;48:S110–S111 (Research Forum abstracts)
Strout TD (*see* Baumann and Strout). 2006;48:S108–S109 (Research Forum abstracts)
Stuard S (*see* Shapiro et al). 2006;48:426–432 (Concepts)
Stukel TA (*see* Schull et al). 2006;48:647–655
Sturman K (*see* Yarde et al). 2006;48:S114 (Research Forum abstracts)
Sturmann K (*see* Hoffman et al). 2006;48:S27 (Research Forum abstracts)
Suarez A (*see* Gupta et al). 2006;48:S124 (Research Forum abstracts)
Suarez A, Ryan J, Gupta S. Assessing the clinical parameters of dehydration in the pediatric emergency department patient. 2006;48:S124 (Research Forum abstracts)
Subbarao I (*see* Hsu and Subbarao). 2006;48:107–108 (Correspondence)
Subbarao I (*see* Kuklinski et al). 2006;48:S51–S52 (Research Forum abstracts)
Subramaniam RM, Snyder B, Heath R, Tawse F, Sleigh J. Diagnosis of lower limb deep venous thrombosis in emergency department patients: performance of Hamilton and modified Wells scores. 2006;48:678–685
Suguna SN (*see* Nibhanipudi et al). 2006;48:S123 (Research Forum abstracts)
Suh G (*see* Ahn et al). 2006;48:S98 (Research Forum abstracts)
Suh G (*see* Kim et al). 2006;48:S70 (Research Forum abstracts)
Sullivan AF (*see* Camargo et al). 2006;48:S116 (Research Forum abstracts)
Sullivan AF, Richman IB, Ahn CJ, Auerbach BS, Pallin DJ, Schafermeyer RW, Clark S, Camargo CA Jr. A profile of US emergency departments in 2001. 2006;48:694–701
Sullivan DJ (*see* Hafner et al). 2006;48:S65 (Research Forum abstracts); 2006;48:S66 (Research Forum abstracts)
Summers RL (*see* Anderson et al). 2006;48:S34 (Research Forum abstracts)
Summers RL (*see* Singer et al). 2006;48:S10 (Research Forum abstracts)
Summers RL, Coleman TG. Computer model for the planning of emergency medical management during spaceflight. 2006;48:S87–S88 (Research Forum abstracts)
Summers RL, Thompson JR. Impact of the inclusion of noninvasive cardiac output as a vital sign on medical decisionmaking in the emergency department. 2006;48:S68 (Research Forum abstracts)
Sun BC, Hoffman J, Mower W. Evaluation of a modified prediction instrument to identify significant pediatric intracranial injury after blunt trauma. 2006;48:S84 (Research Forum abstracts)
Sundheim SM, Cruz M. The evidence for spinal immobilization: an estimate of the magnitude of the treatment benefit. 2006;48:217–219 (Correspondence)
Sung S (*see* Yarde et al). 2006;48:S114 (Research Forum abstracts)
Swadron S (*see* Shih et al). 2006;48:S31–S32 (Research Forum abstracts)
Swenson A (*see* Buckley et al). 2006;48:S98 (Research Forum abstracts); 2006;48:S99 (Research Forum abstracts)
Swor R (*see* Truong et al). 2006;48:S11 (Research Forum abstracts)
Swor R, Reetz L, Jackson RE. Do emergency department holds impact time to diagnosis and treatment for acute MI patients? 2006;48:S109 (Research Forum abstracts)
Sztajnkrycer M (*see* Grow et al). 2006;48:S70–S71 (Research Forum abstracts)
Sztajnkrycer MD (*see* Kwon et al). 2006;48:S92 (Research Forum abstracts)

T

Takakuwa KM, Limkakeng AT Jr, Shofer FS, Hollander JE. Patients' pain and estimate of their risk for cardiac disease do not predict preferences for cardiac tests and procedures. 2006;48:S28 (Research Forum abstracts)

Takla R (*see* Bascom et al). 2006;48:S96 (Research Forum abstracts)

Talan DA (*see* Nguyen et al). 2006;48:28–54 (Review article)

Talan DA. Dear SIRS: it's time to return to sepsis as we have known it. 2006;48:591–592 (Editorial)

Tallman T (*see* Hustey et al). 2006;48:S71–S72 (Research Forum abstracts)

Talmor D (*see* Shapiro et al). 2006;48:583–590

Tanabe P (*see* Baumann et al). 2006;48:S30 (Research Forum abstracts)

Tanabe P (*see* Ducharme et al). 2006;48:S61 (Research Forum abstracts)

Tanabe P (*see* Forsnocht et al). 2006;48:S60 (Research Forum abstracts)

Tanabe P (*see* Gisondi et al). 2006;48:S109 (Research Forum abstracts)

Tanabe P (*see* Safdar et al). 2006;48:S121 (Research Forum abstracts)

Tanabe P (*see* Zosel et al). 2006;48:S120 (Research Forum abstracts)

Tandon S (*see* Safdar et al). 2006;48:S112–S113 (Research Forum abstracts)

Tanen DA (*see* Jones et al). 2006;48:S61 (Research Forum abstracts)

Tatford S (*see* Avegno et al). 2006;48:S52 (Research Forum abstracts)

Tawse F (*see* Subramaniam et al). 2006;48:678–685

Tayal VS, Forgash AJ, Norton HJ. Outcomes for ectopic pregnancy patients with indeterminate pelvic ultrasounds using a modified CMC pregnancy ultrasound protocol with selective non-IUP gynecologic consultation. 2006;48:S105–S106 (Research Forum abstracts)

Taylor H (*see* Gewirtz et al). 2006;48:S63 (Research Forum abstracts)

Teermann G (*see* Menci et al). 2006;48:S97–S98 (Research Forum abstracts)

Temboury F (*see* Epelde et al). 2006;48:S45 (Research Forum abstracts)

Tews M (*see* McKeown et al). 2006;48:S13 (Research Forum abstracts)

Thayer M (*see* Larson et al). 2006;48:S44 (Research Forum abstracts)

Thode HC Jr (*see* Cronin et al). 2006;48:S42 (Research Forum abstracts)

Thode HC Jr (*see* Singer et al). 2006;48:S48–S49 (Research Forum abstracts)

Thode HC Jr (*see* Viccellio et al). 2006;48:S116 (Research Forum abstracts); 2006;48:S116–S117 (Research Forum abstracts)

Thomas HA, Binder LS, Chapman DM, Kramer DA, LaMantia J, Perina DG, Shayne PH, Sklar DP, Sorensen CJ. The 2003 model of the Clinical Practice of Emergency Medicine: the 2005 update. 2006;48:e1–e17 (Special contribution)

Thomas S (*see* Levine et al). 2006;48:S80 (Research Forum abstracts)

Thomas SH (*see* Fix et al). 2006;48:S68 (Research Forum abstracts)

Thomas SH (*see* Shewakramani et al). 2006;48:S53 (Research Forum abstracts); 2006;48:S71 (Research Forum abstracts)

Thompson JR (*see* Summers and Thompson). 2006;48:S68 (Research Forum abstracts)

Thompson JR, Mueller HW, Cox RD. Returns and recurrence for Bartholin's cysts in an emergency department setting. 2006;48:S49 (Research Forum abstracts)

Thomsen T (*see* Levine et al). 2006;48:S80 (Research Forum abstracts)

Thorn E (*see* Kuo et al). 2006;48:S111 (Research Forum abstracts)

Tibbles CD, Horwitz C, Fisher J. Emergency department management of pediatric patients with cyanotic heart disease and fever. 2006;48:S124–S125 (Research Forum abstracts)

Tiffany B (*see* Lindsell et al). 2006;48:666–677

Tiras S, Haas V, Chevret L, Decobert M, Buisine A, Devictor D, Durand P, Tissières P. Nonketotic hyperglycemic coma in toddlers after unintentional methadone ingestion. 2006;48:448–451 (Case report)

Tissières P (*see* Tiras et al). 2006;48:448–451 (Case report)

Todd K (*see* Akhtar et al). 2006;48:S60–S61 (Research Forum abstracts)

Todd K (*see* Ducharme et al). 2006;48:S61 (Research Forum abstracts)

Todd K (*see* Forsnocht et al). 2006;48:S60 (Research Forum abstracts)

Todd KH (*see* Safdar et al). 2006;48:S121 (Research Forum abstracts)

Todd KH (*see* Zosel et al). 2006;48:S120 (Research Forum abstracts)

Tognacci R (*see* Bascom et al). 2006;48:S96–S97 (Research Forum abstracts)

Tomas S (*see* Salazar et al). 2006;48:S65 (Research Forum abstracts)

Tornabene SV, Chan TC, Davis DP, Deutsch R, Vilke GM. Evaluating the use and timing of opioids for the treatment of migraine headaches in the ED. 2006;48:S59–S60 (Research Forum abstracts)

Torres S (*see* Calderon et al). 2006;48:21–27

Triner W (*see* Dailey et al). 2006;48:S73 (Research Forum abstracts)

Triner W (*see* McKenna et al). 2006;48:S80 (Research Forum abstracts)

Triner W (*see* Richman and Triner). 2006;48:S127–S128 (Research Forum abstracts)

Triner W, Jacoby L, Shelton W, McGee G. Attitudes toward waiver of consent studies. 2006;48:S42–S43 (Research Forum abstracts)

Tripp M (*see* Wald et al). 2006;48:S14 (Research Forum abstracts)

Truong DV, O'Neil B, Swor R, Dixon S, Medado P, Ryder A, Robinson D. Hypothermia versus normothermia after out-of-hospital cardiac arrest: survival to discharge and neurologic outcomes. 2006;48:S11 (Research Forum abstracts)

Truwit C (*see* Smith and Truwit). 2006;48:17 (Images in Emergency Medicine)

Trzeciak S (*see* Nguyen et al). 2006;48:28–54 (Review article)

Tsai AC (*see* Hsia et al). 2006;48:S117 (Research Forum abstracts)

Tsai VW, Anderson C, Vaca F. Young female drivers in fatal crashes: recent trends over 10 years 1995–2004. 2006;48:S57 (Research Forum abstracts)

Tung RH, Camargo CA Jr, Krauser D, Anwaruddin S, Baggish A, Chen A, Januzzi JL Jr. Amino-terminal pro-brain natriuretic peptide for the diagnosis of acute heart failure in patients with previous obstructive airway disease. 2006;48:66–74

Tunney F (*see* Veser et al). 2006;48:S126–S127 (Research Forum abstracts)

Tupesis JP (*see* Kurz et al). 2006;48:S113 (Research Forum abstracts)

U

Uhl W, Nolting A, Borron SW. Hemodynamic effects of hydroxocobalamin in healthy volunteers. 2006;48:S100–S101 (Research Forum abstracts)

Unger B (*see* Hokanson et al). 2006;48:S45 (Research Forum abstracts)

Unger BT (*see* Larson et al). 2006;48:S44 (Research Forum abstracts)

Upledger-Ray L (*see* Ramanujam et al). 2006;48:S56 (Research Forum abstracts)

Upledger-Ray L (*see* Vilke et al). 2006;48:S90 (Research Forum abstracts)

V

Vaca F (*see* Kahn and Vaca). 2006;48:213–214 (NHTSA Notes)

Vaca F (*see* Tsai et al). 2006;48:S57 (Research Forum abstracts)

Vaca F. Commentary: Speeding: socially acceptable but often fatal. 2006;48:471–472 (NHTSA Notes)

Vaidyanathan L (*see* Bellolio et al). 2006;48:S19–S20 (Research Forum abstracts)

Vaidyanathan L (*see* Bhagra et al). 2006;48:S21 (Research Forum abstracts); 2006;48:S120 (Research Forum abstracts)

Vaidyanathan L (*see* Vasquez et al). ; 2006;48:S119 (Research Forum abstracts)

Vaidyanathan L, Behera SR, Gilmore RM, Decker WW, Stead LG. Electrocardiogram intervals in octogenarians are prolonged, independent of interval-prolonging medications. 2006;48:S72–S73 (Research Forum abstracts)

Vaidyanathan L, Kashyap R, Bhagra A, Gilmore RM, Decker WW, Stead LG, Bellolio M. Real time documentation of reasons for delay to ED presentation after acute ischemic stroke. 2006;48:S117–S118 (Research Forum abstracts)

Vaidynathan L, Gilmore RM, Decker WW, Stead LG. Prolonged QTc as a predictor of mortality in acute ischemic stroke. 2006;48:S111–S112 (Research Forum abstracts)

Valente JH. Pediatric resuscitation: a practical approach. 2006;48:112–113 (Book and Media Reviews)

Valentine SM (*see* Singer et al). 2006;48:S102 (Research Forum abstracts)

Valley V (*see* Keith et al). 2006;48:S87 (Research Forum abstracts)

van Amerongen R, Weston D, Gaeta T. Accuracy and speed of different resuscitative aids in pediatric mock codes. 2006;48:S63 (Research Forum abstracts)

Van Deusen SK (*see* Birkhahn et al). 2006;48:S117 (Research Forum abstracts)

Van Deusen SK (*see* Melville et al). 2006;48:S88–S89 (Research Forum abstracts)

Van Groenou AA, Bakes K. Art, chaos, ethics, and science (ACES): a doctoring curriculum for emergency medicine. 2006;48:532–537 (Concepts)
van Rijswijck BT (*see* Mencl et al). 2006;48:S24 (Research Forum abstracts)
van Vugt AB (*see* Mencl et al). 2006;48:S24 (Research Forum abstracts)
Varney SM (*see* Dooley et al). 2006;48:S26 (Research Forum abstracts)
Varney SM, Holder AD, Bebarta VS, Schmelz JO. Infrared thermography of facial skin temperatures compared with oral thermometry: a device for syndromic surveillance by remote detection. 2006;48:S95 (Research Forum abstracts)
Vaslef SN (*see* Gerardo et al). 2006;48:S102 (Research Forum abstracts)
Vasquez JJ, Vaidyanathan L, Stead LG. Foreign literature contribution to hyperbaric oxygen therapy for acute ischemic stroke: systematic review. 2006;48:S119 (Research Forum abstracts)
Vedere SR (*see* Safdar et al). 2006;48:173–181
Venieris PY, Chan TC, Killeen J. Multicenter trial assessing the impact of an overnight international "nighthawk" teleradiology system on CT radiology re-interpretation rates. 2006; 48:S16 (Research Forum abstracts)
Vermeulen MJ (*see* Schull et al). 2006;48:647–655
Veser B, Veser F, Limehouse W, Larson E, Tunney F. A pilot study examining antipsychotics and benzodiazapines vs. benzodiazapines alone in the acute reduction of psychotic features in the emergency department. 2006;48:S126–S127 (Research Forum abstracts)
Veser F (*see* Kini et al). 2006;48:S77 (Research Forum abstracts)
Veser F (*see* Veser et al). 2006;48:S126–S127 (Research Forum abstracts)
Viccellio P, Santora C, Thode HC Jr, Horbatuk E. Implementation of the full capacity protocol to relieve crowding in the emergency department: who is eligible? 2006;48:S116 (Research Forum abstracts)
Viccellio P, Santora C, Thode HC Jr, Horbatuk E. The differential impact of ED volume and boarded admitted patients on waiting times for new patients. 2006;48:S116–S117 (Research Forum abstracts)
Vickers M (*see* Gasgarth et al). 2006;48:S126 (Research Forum abstracts)
Vilke G (*see* Davis et al). 2006;48:S66 (Research Forum abstracts)
Vilke G, Johnson W, Castillo EM, Ederheimer JA, Wexler C, Sloane CM, Chan TC. Evaluation of in-custody deaths proximal to use of conductive energy devices. 2006;48:S23–S24 (Research Forum abstracts)
Vilke GM (*see* Killeen et al). 2006;48:S69 (Research Forum abstracts)
Vilke GM (*see* Ramanujam et al). 2006;48:S56 (Research Forum abstracts)
Vilke GM (*see* Tornabene et al). 2006;48:S59–S60 (Research Forum abstracts)
Vilke GM, Castillo EM, Stepanski BM, Murrin PA, Upledger-Ray L, Metz MA, Chan TC. San Diego County patient destination trial to decrease ambulance diversion hours: three year follow-up. 2006;48:S90 (Research Forum abstracts)
Villarin A Jr (*see* Bobrow et al). 2006;48:S41 (Research Forum abstracts)
Villarin L Jr, Fisher J, Meyers S, Dominici P. An evaluation of motives to access of care characteristics in minor illness patients seeking care in a level 1 urban emergency department. 2006;48:S107–S108 (Research Forum abstracts)
Villarin L Jr, Fisher J, Rapone S, Chudnofsky C. Are patients sicker at night? 2006;48:S109 (Research Forum abstracts)
Vining DK (*see* Mark et al). 2006;48:S107 (Research Forum abstracts)
Vitolo P (*see* Gai et al). 2006;48:S31 (Research Forum abstracts)
Voddi M (*see* Kondamudi et al). 2006;48:S9 (Research Forum abstracts)
Vokes NI, Bailey JM, Rhodes KV. "Should I give you my smoking lecture now or later?" Characterizing emergency physician smoking discussions and cessation counseling. 2006;48: 406–414
Vozenilek J (*see* Kuklinski et al). 2006;48:S51–S52 (Research Forum abstracts)
Vozenilek J, Kharasch M, Wang E, Aitchison P, Pearlman M. High fidelity simulations can evoke strong physical and emotional stress responses, but participants want more. 2006; 48:S114 (Research Forum abstracts)

W

Wahl M (*see* Jordan et al). 2006;48:S81 (Research Forum abstracts)
Wahl M (*see* Samlan et al). 2006;48:S100 (Research Forum abstracts)
Wald DA, Ander DS, Richardson B, Manthey D, Kruus L, Fisher J. The attitude and perception of emergency department patients regarding medical students. 2006;48:S12–S13 (Research Forum abstracts)
Wald DA, Harrigan RA, Kolecki P, Ander DS, Kruus L. 12-Lead electrocardiogram interpretation skills of senior medical students entering emergency medicine, family practice, and internal medicine residency training programs. 2006;48:S31 (Research Forum abstracts)
Wald DA, Manthey D, Tripp M, Barrett J, Kruus L, Amoroso B. A survey of emergency medicine clerkship directors: state of the clerkship–2006. 2006;48:S14 (Research Forum abstracts)
Walker A (*see* Schears et al). 2006;48:S112 (Research Forum abstracts)
Wall ME (*see* Wall et al). 2006;48:551–557
Wall SP, Mayorga O, Banfield CE, Wall ME, Aisic I, Auerbach C, Gennis P. Computer-assisted categorizing of head computed tomography reports for clinical decision rule research. 2006; 48:551–557
Wallerich H, Quazi S, Jacoby J, Heller M. Pain perception in Latino vs. Caucasian and male vs. female patients: is there really a difference? 2006;48:S120–S121 (Research Forum abstracts)
Walsh M, Fromm G, Donnino M. Emergency physician survey: recombinant tissue plasminogen activator for stroke. 2006;48:477 (Correspondence reply)
Walsh P, Kimmel L, Feola M, Pusavat J, Mordechai E, Adelson ME. Prevalence of *Bordetella Pertussis* and *Bordetella Parapertussis* among infants and toddlers with bronchiolitis. 2006;48:S124 (Research Forum abstracts)
Walsh P, Kimmel L, Feola M, Pusavat J, Mordechai E, Adelson ME. Prevalence of *Bordetella Spp.* infections in samples screened for respiratory syncytial virus. 2006;48:S95 (Research Forum abstracts)
Walter SD (*see* Wyer et al). 2006;48:86–97 (Evidence-based emergency medicine review)
Wan T (*see* McClung et al). 2006;48:S15 (Research Forum abstracts)
Wang C (*see* Smith-Coggins et al). 2006;48:596–604
Wang E (*see* Vozenilek et al). 2006;48:S114 (Research Forum abstracts)
Wang H (*see* D'Amore et al). 2006;48:S37 (Research Forum abstracts)
Wang H (*see* Lewis et al). 2006;48:S70 (Research Forum abstracts)
Wang R (*see* Liebmann et al). 2006;48:558–562 (Brief research report)
Ward M (*see* Barata et al). 2006;48:S122–S123 (Research Forum abstracts)
Ward MF (*see* D'Amore et al). 2006;48:S37 (Research Forum abstracts); 2006;48:S112 (Research Forum abstracts)
Ward MF (*see* Hormozdi et al). 2006;48:S83 (Research Forum abstracts)
Ward MF, D'Amore J, Dahlem KL, Lewis VV, Litroff AH, Ramos AA, Riccardi DM, Kohn N. Does the presence of a patient advocate improve patient satisfaction in the emergency department? 2006;48:S24 (Research Forum abstracts)
Warner RA (*see* Miller et al). 2006;48:S46 (Research Forum abstracts)
Warren O (*see* Kinross et al). 2006;48:761–762 (Correspondence)
Waseem M (*see* Guzman et al). 2006;48:S62 (Research Forum abstracts)
Waseem M, Jimenez S, Louis-Paul R, Quinones L, Radeos M. Empiric treatment of STDs in the emergency department: are we treating too much or not enough? 2006;48:S36 (Research Forum abstracts)
Wathen JE (*see* Roback et al). 2006;48:605–612
Waxman DA, Husk G, Kilian B, Newman D. A comparison of in-hospital outcomes based upon the presence or absence of a chest pain complaint at emergency department triage. 2006;48:S45–S46 (Research Forum abstracts)
Waxman MA, Abrahamian FM. Commentary. 2006;48:335–336 (CDC Update)
Wears RL. Heart bone connected to the. . .trauma bone? 2006;48:355–357 (Editorial)
Weathers CC (*see* McConnell et al). 2006;48:702–710
Weaver A (*see* Campbell et al). 2006;48:S67–S68 (Research Forum abstracts)
Weaver A (*see* Decker et al). 2006;48:S96 (Research Forum abstracts)
Weaver AL (*see* Mooney et al). 2006;48:S74 (Research Forum abstracts)
Weaver C (*see* Chisholm et al). 2006;48:S64–S65 (Research Forum abstracts)
Weber EJ (*see* Hunt et al). 2006;48:1–8
Weber S (*see* Heard et al). 2006;48:315–318
Wech R (*see* Levy et al). 2006;48:S6 (Research Forum abstracts)
Wehner P (*see* Charles et al). 2006;48:S59 (Research Forum abstracts)
Wehner P (*see* Nawaz et al). 2006;48:S11–S12 (Research Forum abstracts)
Weigand J (*see* Menci et al). 2006;48:S97–S98 (Research Forum abstracts)

Weiler T (*see* Davis et al). 2006;48:S92 (Research Forum abstracts)
Weiler T (*see* Hui et al). 2006;48:S76 (Research Forum abstracts)
Weiler T (*see* Janchar et al). 2006;48:S76–S77 (Research Forum abstracts)
Weiler T (*see* Milzman et al). 2006;48:S93 (Research Forum abstracts)
Weinstock M (*see* Miller et al). 2006;48:S125–S126 (Research Forum abstracts)
Weiss G (*see* Leiba et al). 2006;48:194–199
Weiss SJ (*see* Ernst et al). 2006;48:S57–S58 (Research Forum abstracts)
Weissfeld LA (*see* Huang et al). 2006;48:S1 (Research Forum abstracts)
Weizberg M (*see* Ardolic et al). 2006;48:S108 (Research Forum abstracts)
Weizberg M, Cambria B, Dazio F, Ardolic B, Maniago E, Hahn B, Farooqui Y. Effect of sign-outs on emergency department reimbursement. 2006;48:S63 (Research Forum abstracts)
Welch R (*see* Levy et al). 2006;48:S30–S31 (Research Forum abstracts)
Wells GA (*see* Clement et al). 2006;48:245–251
Weston D (*see* van Amerongen et al). 2006;48:S63 (Research Forum abstracts)
Wexler C (*see* Vilke et al). 2006;48:S23–S24 (Research Forum abstracts)
Whenmouth L (*see* Chisholm et al). 2006;48:S64–S65 (Research Forum abstracts)
White CS (*see* Kuo et al). 2006;48:S111 (Research Forum abstracts)
White H (*see* Rudkin et al). 2006;48:S82–S83 (Research Forum abstracts)
White HD (*see* Hoekstra et al). 2006;48:S30 (Research Forum abstracts)
White L (*see* Khandelwal et al). 2006;48:S58–S59 (Research Forum abstracts)
White S (*see* Snyder et al). 2006;48:S6–S7 (Research Forum abstracts)
Whitebird RW (*see* Gunnarson et al). 2006;48:S72 (Research Forum abstracts)
Whittingham HA (*see* Collins et al). 2006;48:260–269
Wiand D, Jacoby J, Rammohan G, Eberhardt M, Heller M. Child restraint laws: ED attendees report high levels of knowledge and compliance. 2006;48:S94–S95 (Research Forum abstracts)
Wiebe DJ (*see* Gerlach et al). 2006;48:S22–S23 (Research Forum abstracts)
Wiener D (*see* Shah et al). 2006;48:S6 (Research Forum abstracts)
Wilber ST (*see* Blanda et al). 2006;48:S19 (Research Forum abstracts)
Wilber ST (*see* Bradshaw et al). 2006;48:S122 (Research Forum abstracts)
Wilber ST (*see* Roskos and Wilber). 2006;48:S65 (Research Forum abstracts)
Wilber ST (*see* Stiffler et al). 2006;48:S57 (Research Forum abstracts)
Wiley CN, Brewer KL, Hack JB, Meggs WJ. Efficacy of North American crotalid antivenin against the African Viper *Bitis gabonica* (Gaboon Viper). 2006;48:S99–S100 (Research Forum abstracts)
Wilke EK (*see* Lindsell et al). 2006;48:666–677
Williams CJ (*see* Chang et al). 2006;48:S46 (Research Forum abstracts)
Williams CJ (*see* Duldner et al). 2006;48:S82 (Research Forum abstracts)
Williams CJ (*see* Mandel et al). 2006;48:S38 (Research Forum abstracts)
Williams RM. Ambulance diversion: economic and policy considerations. 2006;48:711–712 (Brief commentary)
Williams S (*see* Khandelwal et al). 2006;48:S58–S59 (Research Forum abstracts)
Willwerth BM, Harper MB, Greenes DS. Identifying hospitalized infants who have bronchiolitis and are at high risk for apnea. 2006;48:441–447
Wilson AG Jr (*see* Sevier et al). 2006;48:S5 (Research Forum abstracts)
Wilson AG Jr, Amicucci J, O'Neil B, Hutchinson CH, Bonfiglio AX. Physician assistant productivity and profit in an emergency department fast-track area. 2006;48:S5 (Research Forum abstracts)
Wilson LD, Jeyaraj D, Hoeker GS, Said TH, Laurita KR, Rosenbaum DS. Repolarization alternans as a novel mechanism of calcium-mediated arrhythmogenesis in heart failure. 2006;48:S12 (Research Forum abstracts)
Wilson S (*see* Liebmann et al). 2006;48:558–562 (Brief research report)
Wimmer CJ (*see* Minnick and Wimmer). 2006;48:S48 (Research Forum abstracts)
Winslow JE III (*see* Barnes et al). 2006;48:S102 (Research Forum abstracts)
Winslow JE III, Hill KD, Bozeman WP. Determination of optimal methods of decontamination after tear gas and pepper spray exposure. 2006;48:S51 (Research Forum abstracts)
Wira CR III, Lewandowski C, Martinez-Capolino C, Iyer G, Sherwin R, Kummer J, Rivers E. Myocardial and hemodynamic abnormalities in patients with acute strokes and transient ischemic attacks. 2006;48:S20–S21 (Research Forum abstracts)
Wira CR III, Lewandowski C, Silver B, Martinez-Capolino C, Rivers E. Correlation of ejection fraction with transcranial doppler flow rates in acute stroke patients. 2006;48:S20 (Research Forum abstracts)
Wisner DH (*see* Holmes et al). 2006;48:S82 (Research Forum abstracts)
Woo SH. Prediction of poor outcome in coma patients resuscitated from cardiac arrest due to submersion. 2006;48:S99 (Research Forum abstracts)
Wood J (*see* Bobrow et al). 2006;48:S41 (Research Forum abstracts)
Woodward LH (*see* Anderson et al). 2006;48:S34 (Research Forum abstracts)
Wright JL (*see* Kumar et al). 2006;48:S82 (Research Forum abstracts)
Wright L, Lala M, Bunney EB, Chan S. Head injury in sport karate. 2006;48:S85 (Research Forum abstracts)
Wright M (*see* Gewirtz et al). 2006;48:S63 (Research Forum abstracts)
Wu A (*see* Nowak et al). 2006;48:S2–S3 (Research Forum abstracts)
Wyatt BM (*see* Shapiro et al). 2006;48:426–432 (Concepts)
Wyer PC, Perera P, Jin Z, Zhou Q, Cook DJ, Walter SD, Guyatt GH. Vasopressin or epinephrine for out-of-hospital cardiac arrest. 2006;48:86–97 (Evidence-based emergency medicine review)

X

Xydakis MS (*see* Harrison et al). 2006;48:S102–S103 (Research Forum abstracts)

Y

Yahalom S (*see* Quash et al). 2006;48:S7 (Research Forum abstracts)
Yamashita H (*see* Nagata et al). 2006;48:S55–S56 (Research Forum abstracts)
Yan B (*see* Stiell et al). 2006;48:S46–S47 (Research Forum abstracts)
Yang A (*see* Perry et al). 2006;2006;48:S15 (Research Forum abstracts)
Yang A (*see* Pryor et al). 2006;48:S8–S9 (Research Forum abstracts)
Yarbrough KL (*see* LaMonte et al). 2006;48:S40 (Research Forum abstracts)
Yarde I, Sung S, Jackson JL, Sturman K, Ripper J, Hsu CK. Dental emergencies: resident training with "hands-on" instruction. 2006;48:S114 (Research Forum abstracts)
Yaron M (*see* Rubio et al). 2006;48:S39 (Research Forum abstracts)
Yarris LM, Adams AL, Magaret N, Frakes B, Brooks H, Norton RL. What is the best way to measure patient satisfaction in the emergency department: mailed or on-site surveys? 2006;48:S25 (Research Forum abstracts)
Yarris LM, Magaret N, Adams AL, Brooks H, Norton RL. How accurately can emergency department providers estimate patient satisfaction, quality of pain control, and effectiveness of provider communication? 2006;48:S25 (Research Forum abstracts)
Yealy DA (*see* Huang et al). 2006;48:S1 (Research Forum abstracts)
Yealy R, Harchelroad F, Hiestand B, Caterino JM. Blood pressure variations after rapid sequence intubation using etomidate in emergency department trauma patients. 2006;48:S83 (Research Forum abstracts)
Yeates KO (*see* Gewirtz et al). 2006;48:S63 (Research Forum abstracts)
Yehezkelli Y (*see* Leiba et al). 2006;48:194–199
Yen S (*see* Hustey et al). 2006;48:S71–S72 (Research Forum abstracts)
Yeong-Su J (*see* Nagata et al). 2006;48:S55–S56 (Research Forum abstracts)
You JS (*see* Oh et al). 2006;48:S89 (Research Forum abstracts)
You JS, Oh JH, Chung HS, Lee HS, Chung SP. The usefulness of computed tomography in patients with carpal bone fracture. 2006;48:S49 (Research Forum abstracts)
Young NJ, Raio CC, Nelson M, Chiricolo G, Johnson A, Malcolm GE, Sama AE. The positive predictive value and economic impact of focused right upper quadrant ultrasound examinations performed by emergency physicians in the setting of cholecystitis. 2006;48:S85 (Research Forum abstracts)
Young SE (*see* Crystal et al). 2006;48:S24 (Research Forum abstracts)
Young SE, Docherty MA, Crystal CS, Miller MA. Is urine dipstick a reliable screening tool for rhabdomyolysis in the suspected heat injury patient?, 2006;48:S90 (Research Forum abstracts)

Young SE, Levsky ME, Herold TS. The use of an accelerated triage and treatment protocol decreases left without being seen rates and wait times in emergency severity index category 3 patients. 2006;48:S25–S26 (Research Forum abstracts)
Youngblood GM (*see* Michael et al). 2006;48:S91–S92 (Research Forum abstracts)

Z

Zakuto A (*see* Bentancur et al). 2006;48:S68 (Research Forum abstracts)
Zalenski R (*see* Levy et al). 2006;48:S30–S31 (Research Forum abstracts); 2006;48:S6 (Research Forum abstracts)
Zane R (*see* Pozner et al). 2006;48:S55 (Research Forum abstracts)
Zellweger R (*see* Gautschi and Zellweger). 2006; 48:656 (Images in Emergency Medicine)
Zeserson EM (*see* Dean et al). 2006;48:S106 (Research Forum abstracts)
Zhitomirsky I (*see* Newman and Zhitomirsky). 2006;48:182–189
Zhou C (*see* Han et al). 2006;48:S34–S35 (Research Forum abstracts)
Zhou Q (*see* D'Amore et al). 2006;(*see* Wyer et al). 2006;48:86–97 (Evidence-based emergency medicine review); 2006:48:S112 (Research Forum abstracts)
Zickerman E (*see* Avegno et al). 2006;48:S52 (Research Forum abstracts)
Zink EK (*see* LaMonte et al). 2006;48:S40 (Research Forum abstracts)
Zogby K (*see* Goyal et al). 2006:48:S2 (Research Forum abstracts)
Zogby KE (*see* Chase et al). 2006;48:252–259
Zogby KE (*see* Fishman et al). ; 2006;48:347–353
Zogby KE (*see* Gerlach et al). 2006;48:S22–S23 (Research Forum abstracts)
Zosel A, Tanabe P, Myers R, Martinovich Z, Brice JH, Ansari AH, Evans J, Paice JA, Todd KH. Predictors of prolonged time to initial analgesic for patients with a sickle cell pain episode. 2006;48:S120 (Research Forum abstracts)
Zun L (*see* Houston et al). 2006;48:S126 (Research Forum abstracts)
Zuran I (*see* Marinsek et al). 2006;48:S79 (Research Forum abstracts)
Zvosec DL, Smith SW, Ladmer D. Gamma hydroxybutyrate withdrawal syndrome in the emergency department: clinical course and autonomic instability. 2006;48:S100 (Research Forum abstracts)
Zvosec DL, Smith SW, Porrata T, Strobl AQ, Dyer JE. Preventable deaths from gamma hydroxybutyrate ingestion. 2006;48:S75 (Research Forum abstracts)

2006

Brice
KH.
algesic
.
)

the
d
search

),
a

er 2006